

BID SUBMITTAL FORM
Alabama County Joint Bidding Program
BID ITEM – RIDE-ON INDUSTRIAL BOOM MOWER WITHOUT HEAD
ATTACHMENT

Company Name: COBLENTZ EQUIPMENT & PARTS CO., INC.

Address: 10400 HWY 80 EAST
MONTGOMERY, AL. 36117

Bid Submitted by: MATTHEW COBLENTZ
(Name of company representative)

Title: VP e-mail address: MATTHEW@COBLENTZEP.COM

Phone: 334-215-8600 Fax: 334-215-8532

By submitting this bid, we agree:

Initials

The equipment model number identified below meets the bid specs for this bid item

Dmc

That the bid price will be honored for all counties for the period from Jan. 1, 2019 to Dec. 31, 2019.

Dmc

The equipment will be delivered at the bid price to all counties participating in the joint bid program

Dmc

The company representative listed above will be the contact person for purchasing this bid item under the joint bid program

Dmc

The bid is accompanied by a current catalog or model specification document for the model number identified below

Dmc

The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications

Dmc

The bid includes the e-verify documentation required by Alabama law

Dmc

If awarded the bid, a performance bond will be provided upon request

Dmc

The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP)**
for the Standard Machine

Dmc

RIDE-ON INDUSTRIAL BOOM MOWER WITHOUT HEAD ATTACHMENT

22 Foot Boom Model including 1,400 lb. counterweight

Total Bid Price for Standard Machine: \$ 162,107.00
(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 1007.00
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 162,107.00

Equipment Model #: MOWER MAX BOOM

Description: RIDE-ON BOOM MOWER w/FRONT HITCH, NO HEADS

24 Foot Boom Model including 1,400 lb. counterweight

Total Bid Price for Standard Machine: \$ 162,107.00
(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 1007.00
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 162,107.00

Equipment Model #: MOWER MAX BOOM

Description: RIDE-ON BOOM MOWER w/FRONT HITCH, NO HEADS

26 Foot Boom Model which including 1,400 lb. counterweight

Total Bid Price for Standard Machine: \$ 166,507.00
(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 1007.00
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 166,507.00

Equipment Model #: MOWER MAX BOOM

Description: RIDE-ON BOOM MOWER w/FRONT HITCH, NO HEADS

RIDE-ON INDUSTRIAL BOOM MOWER WITHOUT HEAD ATTACHMENT

30 Foot Boom Model including 3,450 lb. counterweight with integrated steps

Total Bid Price for Standard Machine: \$ 172,107.00
(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 1007.00
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 172,107.00

Equipment Model #: MOWERMAX BOOM

Description: RIDE-ON BOOM MOWER w/FRT. HITCH, NO HEADS

Signature of company representative submitting bid: _____

Title: _____

* **NOTE:** Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

**BID SUBMITTAL FORM: OPTION COST SHEET
RIDE-ON INDUSTRIAL BOOM MOWER WITHOUT HEAD ATTACHMENT**

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine*


0

The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) with **any available Options** for the Standard Machine

INCL.

Equipment Model #: MOWERMAX BOOM MOWER

Description: RIDE-ON BOOM MOWERS, 22, 24, 26, 30 FT. BOOM ARMS
FRONT HITCH WITH HYDRAULICS, NO HEADS

Signature of company representative submitting bid: 

Title: VP

***Note:** The percent difference between the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the standard machine as specified by these **Bid Specifications** and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation, delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.

BID SPECIFICATIONS FOR BID ITEM – RIDE ON INDUSTRIAL BOOM MOWER

GENERAL

These specifications shall be construed as the minimum acceptable standards for a ride-on industrial boom mower with universal attachment plate and mowing arm. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The machine must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

MANUALS

Each unit shall be provided with one (1) copy of the operator's manual, (1) copy of the repair manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 7,500 hours of use for the piece of equipment bid. If replacement parts are not delivered within three (3) working days of an order being placed, the bidder will deliver an equivalent machine for the county to use at no cost to the county until such time as the parts are delivered to the county so it can affect repairs to its machine.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty. Warranty shall include service response time of maximum of 36 hours within notification by county.

Yes ☒ No ☐

Page# 1

or

Attachment INCLUDED

BID ITEM: RIDE-ON INDUSTRIAL BOOM MOWER
WITH UNIVERSAL ATTACHMENT PLATE

ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED. THIS UNIT IS NOT INTENDED TO BE A MODIFIED AGRICULTURAL TRACTOR.

ENGINE

The Engine shall meet the following requirements:

Minimum 130 HP 3.8L Turbo Diesel Tier IV, with heavy duty radiator with high flow fan and canister style air cleaner with pre-cleaner. Electric start with engine pre-heat, and minimum 30-gallon fuel tank and full engine gauge package to include tachometer, water temperature, oil pressure, volt meter, fuel gauge and hour meter.

Yes ☒ No ☒
Page # INCLUDED

POWER TRAIN:

Minimum power train requirements shall consist of permanent 4 Wheel Drive, four-wheel steer and three steering modes.

Hydrostatic drive with two-speed drive motor, with minimum 40% limited slip front axles, hydrostatic, variable displacement piston transmission pumps in closed loop system. Standard electric over hydraulic parking brake with standard service brake. Joystick or pedal control transmission for speed and directional control, with maximum travel speed of 20 MPH.

Yes ☒ No ☒
Page # INCLUDED

BOOM: Equal to or Exceeds MowerMax

2 section steel construction. 22 Ft., 24 Ft., 26Ft., and 30Ft. Boom lengths includes counter weight with integrated steps & 180-degree rotation with HELAC actuator

Yes ☒ No ☒
Page # INCLUDED

MOWER ATTACHMENTS: Equal to or Exceeds MowerMax

No Boom attachment is considered standard. All attachments shall be optional

Yes ☒ No ☒
Page # INCLUDED

WHEELS:

Shall be equipped with, Four (4) Heavy Duty, Industrial flotation tires with either 20 Ply Hockey Stick or 22 Ply Chevron Pattern

Yes ☒ No ☐
Page # INCLUDED

COMFORT, CONVENIENCE & SAFETY:

Low profile full suspension seat with lumbar support and integrated operator-presence safety switch, ROPS enclosed cab with A/C, heat and AM/FM Stereo with 6.2-inch Touch Screen with Blue Tooth,

Minimum of four (4) amber flashing beacons (two forward, two rear and two on the side of the cab), 1- 36 inch LED Directional Control Bar. DOT reflector tape, clear view steering column with adjustable tilt steering.

Seat belt with safety switch. 6 section Valve Bank with Electro-Hydraulic Joystick Controls. 12V Air-ride Grammer cloth seat with lumbar, tilt, arm rest and 2 safety switches. ½ inch thick Lexan on Right side window.

Yes ☒ No ☐
Page # INCLUDED

CONDITIONS:

Boom Mower shall be equipped with all standard equipment specified by the manufacturer, and shall comply with EPA emission standards and all motor vehicle standards established by the U.S. Department of Transportation regarding the manufacture of motor vehicles. **This unit shall have a minimum of one-year manufactured warranty.**

Yes ☒ No ☐
Page # INCLUDED

The successful bidder shall be responsible for delivering the unit properly serviced, clean and in first class operating condition. Pre-delivery service at a minimum shall include the following:

Complete lubrication, check all fluid levels, adjustment of engine to proper operating condition, inflate tires to proper operating pressure, check proper operation of all accessories.