

**BID SUBMITTAL FORM**  
**Alabama County Joint Bidding Program**  
**BID ITEM – 85 PTO HP CLASS TRACTOR – Option A**

Company Name: SUNNSOUTH

Address: 4100 Hartford Hwy  
Dothan AL 36305

Bid Submitted by: Daniel Cushman  
(Name of company representative)

Title: Gov Business Mgr. e-mail address: dcushman@sunnouth.com

Phone: 334-796-1013 Fax: \_\_\_\_\_

By submitting this bid, we agree:

Initials

The equipment model number identified below meets the bid specs for this bid item

DC

That the bid price will be honored for all counties for the period from Jan. 1, 2019 to Dec. 31, 2019.

DC

The equipment will be delivered at the bid price to all counties participating in the joint bid program

DC

The company representative listed above will be the contact person for purchasing this bid item under the joint bid program

DC

The bid is accompanied by a current catalog or model specification document for the model number identified below

DC

The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications

DC

The bid includes the e-verify documentation required by Alabama law

DC

If awarded the bid, a performance bond will be provided upon request

DC

The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine**

DC

## 85 PTO HP CLASS TRACTOR – Option A


Total Bid Price for Standard Machine: \$ 39,789.43  
(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs)\*

Freight Preparation and Delivery: \$ 1100  
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 54,800.87

Equipment Model #: John Deere 5100 m

Description: Tractor

Signature of company representative submitting bid: 

Title: Gov Business Mgr.

\* **NOTE:** Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

**BID SUBMITTAL FORM: OPTION COST SHEET  
85 PTO HP CLASS TRACTOR – Option A**

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine\*

29.4%

The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) with any available Options for the Standard Machine

29.4%

Equipment Model #: John Deere 5100m

Description: Tractor

Signature of company representative submitting bid:  \_\_\_\_\_

Title: Gov. Business Mng.

**\*Note:** The percent difference between the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the standard machine as specified by these **Bid Specifications** and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation, delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.

**BID SPECIFICATIONS  
FOR  
85 PTO HP CLASS TRACTOR – Option A**

**GENERAL**

These specifications shall be construed as the minimum acceptable standards for an 85 PTO hp tractor. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The tractor must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

**BID SUBMITTAL FORM**

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

**BID PRICE**

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

**MANUALS**

Each unit shall be provided with one (1) copy of the operator's manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

**REPLACEMENT PARTS AVAILABILITY**

Parts must be available for 5 years or 7,500 hours of use for the piece of equipment bid. If replacement parts are not delivered within three (3) working days of an order being placed, the bidder will deliver an equivalent machine for the county to use at no cost to the county until such time as the parts are delivered to the county so it can affect repairs to its machine.

**WARRANTY**

Bidders shall submit a copy of the manufacturer's standard warranty along with a complete explanation of the warranty with their bid. The standard warranty shall cover 2 years or 2000 hours, whichever occurs first. Warranty shall include service response time maximum of 36 hours within notification by county.

Yes  No   
Page# Separate  
or Page  
Attachment \_\_\_\_\_

**ENGINE**

Shall be a 4 cylinder, 4 stroke cycle turbocharged diesel engine with a displacement of not less than 276 cubic inches, capable of developing a minimum of 85 Net PTO Horsepower and final tier 4 compliant. A foot and hand operated throttle shall be provided. The engine shall be of wet sleeve design with a cold weather starting aid. An air cleaner with A pre-cleaner shall be provided. **Engine shall be designed and built by the tractor manufacturer.**

Yes  No   
Page # Spec Sheet

**EXHAUST**

Shall consist of an under hood muffler with a vertical corner post pipe.

*No corner on open station*

Yes  No   
Page # Bid Spec Quote

**WEIGHT**

Standard 2WD operating weight with operator, full fuel tank, and ROPS Canopy shall not be less Than 7,500 LBS

Yes  No   
Page # SPEC SHEET

**STANDARD TRANSMISSION**

16 forward/16 power reverse with left hand direction control.

Yes  No   
Page # BID Quote

**CLUTCH**

Shall be a hydraulic "wet" type clutch.

Yes  No   
Page # SPEC SHEET

**FRAME**

Shall be a mid-length frame design.

Yes  No   
Page # SPEC SHEET

**BRAKES**

Shall be hydraulic self-equalizing disk.

Yes  No   
Page # SPEC SHEET

**INSTRUMENTATION**

Shall have lighted gauges for tachometer, fuel, temperature, oil pressure, alternator and warning lights for the PTO.

Yes  No   
Page # 14 Brochure

**POWER TAKE-OFF**

Shall be a rear independent 540 RPM/540 rpm economy with a guard and audible and visual PTO warning system should the operator leave the tractor seat with the PTO engaged.

Yes  No   
Page # Brochure

*Pg 22*

**HITCH**

Category II, 3 point hitch with draft control with telescoping draft links, right and left hand stabilizer bar, and winging drawbar.

Yes  No   
Page # BID Quote

**OPERATORS STATION**

Shall be equipped with ROPS Canopy, isolated flat platform,

Yes  No   
Page # BID Quote

**FRONT AXLE**

2 WD front wheel drive front axle with 11LL-15 8PR F-2 Bias tires.

Yes  No   
Page # BID Quote

**FLANGED REAR AXLE AND STEEL WHEELS**

Shall be equipped with flanged axle, steel wheels and 16.9-30 6PR R1 Bias tires.

Yes  No   
Page # BID Quote

**HYDRAULICS**

Minimum 24 GPM pump capacity. Shall include (3) rear hydraulic remotes with control levers.

Yes  No   
Page # BID Quote

SPEC SHEET  
2 of 4

**MISCELLANEOUS**

All equipment advertised as standard by the manufacturer. Manufacturer standard color hydraulic differential lock, vandal protection package, front weight support, fuel tank bottom guard, strobe light and bracket, slow moving emblem, back up alarm, tool box.

Yes  No   
Page # SPEC BID  
Quote