

BID SUBMITTAL FORM
Alabama County Joint Bidding Program
BID ITEM – Rubber Tire Roller

Company Name: TRACTOR AND EQUIPMENT COMPANY

Address: 5336 AIRPORT HIGHWAY
BIRMINGHAM AL 35212

Bid Submitted by: ANTREY McMILLAN
(Name of company representative)

Title: REGIONAL SALES MGR e-mail address: AMCMILLAN@TECP43.COM

Phone: 205-591-2131 Fax: _____

By submitting this bid, we agree:

Initials

The equipment model number identified below meets the bid specs for this bid item

AM

That the bid price will be honored for all counties for the period from Jan. 1, 2019 to Dec. 31, 2019.

AM

The equipment will be delivered at the bid price to all counties participating in the joint bid program

AM

The company representative listed above will be the contact person for purchasing this bid item under the joint bid program

AM

The bid is accompanied by a current catalog or model specification document for the model number identified below

AM

The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications

AM

The bid includes the e-verify documentation required by Alabama law

AM

If awarded the bid, a performance bond will be provided upon request

AM

The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine**

AM

Rubber Tire Roller


Total Bid Price for Standard Machine: \$ 111,044⁰⁰
(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 4,000⁰⁰
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 146,428⁰⁰

Equipment Model #: GRW 180i - 10

Description: Rubber TIRE Roller

Signature of company representative submitting bid: 

Title: REGIONAL SALES MGR

* **NOTE:** Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

BID SUBMITTAL FORM: OPTION COST SHEET
Rubber Tire Roller

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine*

AM

The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) with any available Options for the Standard Machine

AM

Equipment Model #: GRW 180i - 10

Description: Rubber Tire Roller

Signature of company representative submitting bid: Cody Mitchell

Title: Regional Sales Mgr

***Note:** The percent difference between the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the standard machine as specified by these **Bid Specifications** and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation, delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.

BID SPECIFICATIONS FOR RUBBER TIRE ROLLER

GENERAL

These specifications shall be construed as the minimum acceptable standards for a **Rubber Tire Roller**. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The roller must be a new current production model. The roller must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

MANUALS

Each unit shall be provided with one (1) copy of the operator's manual, (1) copy of the repair manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 7,500 hours of use for the piece of equipment bid. If replacement parts are not delivered within three (3) working days of an order being placed, the bidder will deliver an equivalent machine for the county to use at no cost to the county until such time as the parts are delivered to the county so it can affect repairs to its machine.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty. Warranty shall include service response time of maximum of 36 hours within notification by county.

Yes ___ No
Page# _____
or
Attachment

ENGINE

Four (4) cylinder, four (4) stroke cycle, water cooled and turbocharged diesel engine, capable of developing a minimum of 75 horsepower.
Minimum 60 gal. fuel tank.

Yes No
Page # _____

WEIGHT (STANDARD OPERATING)

The factory specified operating weight only. No additional weights may be added for the purpose of meeting these specifications.
Minimum 19,000 lbs. standard with ROPS.

Yes No
Page # _____

STARTING SYSTEM

Unit shall be equipped with a 12-volt electrical system.

Yes No
Page # _____

DRIVE

Infinitely variable hydrostatic drive system. 0-9 mph.

Yes No
Page # _____

Tires

4 front and 4 rear tires. 11.00-R20 front and rear. Width over tires min. 72 inches.

Yes No
Page# _____

BRAKES

Service brakes – Hydrostatic

Yes No
Page # _____

Parking brake.

Yes No
Page # _____

OPERATOR'S PLATFORM

Unit shall include: ROPS Canopy; vibration isolated, anti-slip operator platform; lockable instrument panel cover; emergency stop; horn; hour meter; Gauges and/or warning lights for fuel level, coolant temperature, engine oil pressure, engine temperature, and charging system; adjustable seat with seatbelt; rear view mirrors; and safety rail.

Yes No
Page # _____

OTHER FEATURES

lockable hood;

Yes No
Page # _____

oil level sight gauges;

Yes No
Page # _____

backup alarm;

Yes No
Page # _____

battery master switch;

Yes No
Page # _____

slow moving vehicle sign;

Yes No
Page # _____

Water Tank min. 50 gallons

Yes No
Page # _____

rotating beacon mounted on ROPS.

Yes No
Page # _____