BID SUBMITTAL FORM Alabama County Joint Bidding Program BID ITEM – SKID STEER LOADER ATTACHMENTS

Company Name:	any Name:Clark Equipment Company dba Bobcat Company			
Address:	250 East Beaton Drive.			
	West Fargo, ND 58078			
Bid Submitted by: _	Jesse Rheault (Name of company represe	ntative)		
	Contract Manager	e-mail address: _	Jesse.Rheault@Doosan.	com
Phone: 701-24	1-8759	_{Fax:} 855-	-608-0681	
By submitting this bi	id, we agree:			Initials
The equipment m	odel number identified below mee	ets the bid specs fo	r this bid item	_JRR_
That the bid price Dec. 31, 2019.	will be honored for all counties fo	r the period from Ja	an. 1, 2019 to	JRR
The equipment wi joint bid program	ill be delivered at the bid price to a	all counties participa	ating in the	JRR_
	resentative listed above will be ther the joint bid program	e contact person fo	r purchasing	JRR
The bid is accomp model number ide	panied by a current catalog or mo entified below	del specification do	cument for the	JRR
The bid is accompin the bid specification	panied by a copy of the manufacto ations	urer's standard war	ranty as required	JRR
The bid includes t	the e-verify documentation require	ed by Alabama law		_JRR_
If awarded the bid	f, a performance bond will be prov	vided upon request		_JRR_
The bid document	ts include the Manufacturer's S d Machine	Suggested Retail	Price Sheet (MSRP)	JRR

BID SUBMITTAL FORM Alabama County Joint Bidding Program BID ITEM – SKID STEER LOADER ATTACHMENTS

Company Name: CAPITAL TRACTOR, INC.		_
Address: 1498 FURNACE ST.		_
MONTHOMERY AL 36104		_
Bid Submitted by: CALES GREER (Name of company representative)		_
Title: PARTNER e-mail address: CALEBGREER CO	CAPITALT	PACTOR.COM
Phone: 334-264-0086 Fax: 334-264-0094		
By submitting this bid, we agree:	Initials	
The equipment model number identified below meets the bid specs for this bid item	DOS	Few Minor Excep
That the bid price will be honored for all counties for the period from Jan. 1, 2019 to Dec. 31, 2019.	IGG	
The equipment will be delivered at the bid price to all counties participating in the joint bid program	1923	
The company representative listed above will be the contact person for purchasing this bid item under the joint bid program	DE	
The bid is accompanied by a current catalog or model specification document for the model number identified below	DE	
The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications	TOP	
The bid includes the e-verify documentation required by Alabama law	Des	
If awarded the bid, a performance bond will be provided upon request	IPPS	
The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine	P	

BID SUBMITTAL FORM Alabama County Joint Bidding Program BID ITEM – SKID STEER LOADER ATTACHMENTS

Company Name: Hompson Car Benine	
Address: 3317 MESSES AMPORT F	tarey
Bid Submitted by: (Name of company representative)	sona
Title: e-mail address: thompson to	rector, com
Phone: 205.283-0128 Fax: 205.326-0	193
By submitting this bid, we agree:	Initials
The equipment model number identified below meets the bid specs for this bid item	TAH
That the bid price will be honored for all counties for the period from Jan. 1, 2019 to Dec. 31, 2019.	ENH
The equipment will be delivered at the bid price to all counties participating in the joint bid program	Full
The company representative listed above will be the contact person for purchasing this bid item under the joint bid program	EMH
The bid is accompanied by a current catalog or model specification document for the model number identified below	ENH.
The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications	tol
The bid includes the e-verify documentation required by Alabama law	ENH
If awarded the bid, a performance bond will be provided upon request	toll
The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine	ENH

Attachment 1: SMOOTH DRUM VIBRATORY ROLLER

Total Bid Price for Standard Machine: \$ 6,999.18 (Clarke Equipment Company dba Bob Cat Company)

(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$0.00 (Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 9,858.00

Equipment Model #: P/N# 7165402

Description: 73' Vibratory Roller with Smooth Drum

Attachment 2: PAD FOOT VIBRATORY ROLLER

Total Bid Price for Standard Machine: \$ 7,195.14 (Clarke Equipment Company dba Bob Cat Company)

(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$0.00 (Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 10,134.00

Equipment Model #: P/N: 7165401

Description: 73' Vibratory Roller with Padded Drum

Attachment 3: GRADER BLADE

Total Bid Price for Standard Machine: \$ 10,896.37 (Clarke Equipment Company dba Bob Cat Company)

(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$0.00 (Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 15,347.00

Equipment Model #: P/N: 7182060

Description: Grader, 108'

Attachment 4: ANGLE BROOM

Total Bid Price for Standard Machine: \$ 4,277.04 (Clarke Equipment Company dba Bob Cat Company)

(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$0.00 (Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 6,024.00

Equipment Model #: P/N: 6905806

Description: 84' Angle Broom

Attachment 5: COLD PLANER

Total Bid Price for Standard Machine: \$ 22,708.00 (Capital Tractor, Inc.) (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$200.00 (Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 30,721.38

Equipment Model #: 40" Cold Planner 103030 HP 1000

Description: Bradco

Attachment 6: ROAD WIDENER-SINGLE DISCHARGE

Total Bid Price for Standard Machine: \$ 48,800.00/\$52,600 Remote (Thompson CAT Rental) (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$0.00 (Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 48,800.00

Equipment Model #: FH + FHR

Description: Single Discharge Road Widener w+w/o remote

Attachment 7: Road Widener- Dual Discharge

Total Bid Price for Standard Machine: \$ 63,900.00 (Thompson CAT Rental) (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 0.00 (Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 63,900.00

Equipment Model #: FH + FHR

Description: <u>Dual Discharge Road Widener</u>

Attachment 8: Mulcher

Total Bid Price for Standard Machine: \$ 29,879.00 (Thompson CAT Rental (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$0.00 (Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 39,743.00

Equipment Model #: HM415C

Description: Cat Mulcher Attach

SPECIFICATIONS FOR SKID STEER LOADER ATTACHMENTS

GENERAL

These specifications shall be construed as the minimum acceptable standards for attachments compatible with the skid steer loader specifications. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide complete working unit(s) shall be furnished. Additionally, the attachments offered for bid shall include all standard manufacturers' equipment. The attachments bid must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names or numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

Bidder is not required to bid on every attachment listed in this bid specification. Each attachment will be awarded individually to the lowest responsible bidder for that item.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid for each attachment bid shall include all destination charges, delivery charges, title fees, rebates and all other applicable costs and refunds.

MANUALS

Each attachment shall be provided with one (1) copy of the owner/operator's manual for that attachment.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty along with a complete explanation of the warranty with their bid. All attachments must have (1) year warranty with no hour limit.

Yes V No Page# 1-10 or Attachment

SPECIFICATIONS FOR SKID STEER LOADER ATTACHMENTS

GENERAL

These specifications shall be construed as the minimum acceptable standards for attachments compatible with the skid steer loader specifications. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide complete working unit(s) shall be furnished. Additionally, the attachments offered for bid shall include all standard manufacturers' equipment. The attachments bid must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names or numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

Bidder is not required to bid on every attachment listed in this bid specification. Each attachment will be awarded individually to the lowest responsible bidder for that item.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid for each attachment bid shall include all destination charges, delivery charges, title fees, rebates and all other applicable costs and refunds.

MANUALS

Each attachment shall be provided with one (1) copy of the owner/operator's manual for that attachment.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty along with a complete explanation of the warranty with their bid. All attachments must have (1) year warranty with no hour limit.

Yes \ No___ Page#___ or Attachment

MINIMUM SPECIFICATIONS FOR SKID STEER LOADER ATTACHMENTS

All skid steer attachments listed below must be of the universal quick attach type and must be fully compatible with the skid steer loader to be awarded. As such, the attachment must be compatible with the bid specifications for the skid steer loader.

ATTACHMENT #1	SMOOTH DRUM VIBRATORY ROLLER	
Weight	2000 lbs.	Yes <u>V</u> No Page #
Hydraulic flow requirement	ds 10 – 20 gpm	Yes V No Page # 2
Working width	73"	Yes V No Page #
Centrifugal Force	8,500 lbf	YesNo Page #
Flow control valve		Yes V No Page # 1
		Page #

ATTACHMENT #2 PAD FO Weight	OT VIBRATORY ROLLER 2100 lbs.	Yes No Page #	
Hydraulic flow requirements	10 – 20 gpm	Yes	
Working width	73"	Yes No Page #_2.	
Centrifugal Force	8,500 lbf	YesNo Page #	
Flow control valve		Yes No Page #_7	

ATTACHMENT #3 GR	ADER BLADE	ok Blade	. /
Motorgrader style 8' moldboar	Yes No Page #		
2 front guide wheels with center	Yes No Page # 3.		
In-cab hydraulic control box of	blade height, angle, and ti	llt	Yes No Page # No 5
Proportional current valve for (Yes No		
2 removable blade end plates			Yes No Page # V
Compatible with laser control	system		Yes No Page # No J 3
Weight	1200 lbs.	2150 LBS	Yes No Page #
Length	101"	106"	Yes No Yes
ATTACHMENT #4 AN	IGLE BROOM		,
Hydraulic motor with hydraulic			Yes
Weight	900 lbs		Yes No Page #
Straight Path	84"	82	Yes No Page #
Angled Path	75"	73"	Yes No 🏏 Page #
Angle	30 degrees	٧	Yes No Page #
Brush Diameter	32"		Yes V No Page #
Brush Material	50 poly/50 wire		Yes No Page #

ATTACHMENT #5 COLD PLANE In cab electric control box to control unit	NO ON	Joy Sticked Box Needled	Yes No Page # 1 + 3
Depth gauge	he.	DOF.	Yes No Page #/
Access door for access to drum			Yes No Page # 173
Working Width	40"	470	Yes No Page #
Weight	3100 lbs	2575185	YesNo Page #
Hydraulic Requirements	40 gpm		Yes No Page #
Max. Milling Depth	5"	6	Yes No Page # No
Side shift	-3" to 22"		Yes No Page # No
Tilt	+/- 8 degrees		Yes No Page # _ >

ATTACHMENT #6: ROAD WIDENER-SINGLE DISCHARGE

Hydraulic-driven conveyor

10" Head and Tail Pulleys

Right or left side discharge

Hydraulic width/height adjustment

Adjustable shouldering angle

Width 10'2"

Length 7'6"

Height 4'3"

Working Width 1-3.5'

Weight (Empty) 2600 lbs.

Page # Yes V Page # Yes 🕓 Page # Yes. Page # Yes 💆 Page # Yes _ No Page #_ Yes _ Page # Yes _ Page # Yes\<u>\</u> Page #_ Yes 📈 Page #

ATTACHMENT #7: ROAD WIDNER DUAL DISCHARGE

Hydraulic-driven conveyor

10" Head and Tail Pulleys

Right and left side discharge

Hydraulic width/height adjustment

Adjustable shouldering angle

Width 10'2"

Length 7'6"

Height 4'3"

Working Width 1-3.5'

Weight (Empty) 2600 lbs.

Yes No ___ Page #__,

Yes No ___ Page #____

Yes ____ No ___ Page #_____

Yes No ___

Yes No ___ Page #____

Yes No ___ Page #___

Yes ___ No _ Page #____

Yes No _ Page #__

Yes No _

Yes <u>▼</u> No __ Page #____

Yes V

Page #_

ATTACHMENT #8: MULCHING ATTACHMENT

MINIMUM SPECIFICATIONS FOR MULCHING ATTACHMENT

WINNIMUM SPECIFICATIONS FOR MULCHING ATTACHMENT

Weight 2,250

40

Horsepower rating 125

RPM speed of spindle shaft

1,900 - 2200

Yes ___ No __
Page #_ 2__

Cutting width 58"

Yes No ___ Page # 2

		1
Overall width	72"	Yes No
Fixed replaceable carbide cutting hammer	rs (qty) 28 🤧 🎉	Page #
	9-1	YesNo
		Page #
Rated hydraulic flow	30 – 40 gal	Yes V No Page #_//
Hydraulic deflector door		Yes <u>√</u> No Page # L
4" diameter hydraulic pressure sight gaug	e which reads UP TO 6000 psi.	Yes <u>▼</u> No Page #
Rotor diameter including hammers	17.5"	Yes V No
g		Page #
Rotor tube wall thickness 3/4"		Yes V No Page # V 2
		/
Rotor shaft diameter	3/8"	Yes No
		Page #
Rotor shaft attached inside of tube with (4) sweat collars	Yes No Page #
Lower bearing boxes equipped with dual s	spherical bearings with tapered	./
lock system		Yes V No Page # No
		4
Upper bearing box assembly for hydraulic bearings	motor equipped with dual tapered	Yes No
200.mg0		Page #
PD drive belt and matching drive pulley sy	ystem	Yes No
		Page #
2 – Position adjustable lower skid plates		YesNo
		Page #

3 – Position adjustable push bar