

BID SUBMITTAL FORM
Alabama County Joint Bidding Program
BID ITEM – 28’ STEEL HALF ROUND DUMP TRAILER

Company Name: Gulf City Body + Trailer Works, Inc.

Address: 601 S. Conception St.
Mobile, AL 36603

Bid Submitted by: Paul Averitt
 (Name of company representative)

Title: Sales e-mail address: paveritt@gulfcity.com

Phone: 251-438-5521 Fax: 251-433-7910

By submitting this bid, we agree:

Initials

The equipment model number identified below meets the bid specs for this bid item

PA

That the bid price will be honored for all counties for the period from Jan. 1, 2019 to Dec. 31, 2019.

PA

The equipment will be delivered at the bid price to all counties participating in the joint bid program

PA

The company representative listed above will be the contact person for purchasing this bid item under the joint bid program

PA

The bid is accompanied by a current catalog or model specification document for the model number identified below

PA

The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications

PA

The bid includes the e-verify documentation required by Alabama law

PA

If awarded the bid, a performance bond will be provided upon request

PA

The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine**

PA

28' STEEL HALF ROUND DUMP TRAILER

Total Bid Price for Standard Machine: \$ 37,904.00
(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 2,000.00
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 42,500.00

Equipment Model #: 4H228AB00

Description: MANAC 28' STEEL HALF ROUND DUMP

Signature of company representative submitting bid: Paul Annet

Title: Sales

* **NOTE:** Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

**BID SUBMITTAL FORM: OPTION COST SHEET
28' STEEL HALF ROUND DUMP TRAILER**

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine*

PA

The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) with **any available Options** for the Standard Machine

Equipment Model #: 4H228AB00

Description: 28' Steel half round dump

Signature of company representative submitting bid: Paul Ament

Title: Sale

***Note:** The percent difference between the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the standard machine as specified by these **Bid Specifications** and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation, delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.

BID SPECIFICATIONS FOR FOR 28' STEEL HALF ROUND DUMP TRAILER

GENERAL

These specifications shall be construed as the minimum acceptable standards for a 28' Steel Half Round Dump Trailer. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the trailer offered for bid shall include all standard manufacturer's equipment. The 28' Steel Half Round Dump Trailer must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names or numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates and all other applicable costs and refunds. The bid price will be honored for all counties for the period from Jan. 1, 2018 to Dec. 31, 2018

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years of use for the piece of equipment bid.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty.

Yes No
Page# _____
or
Attachment _____

LENGTH

28'

Yes No
Page # _____

SIDE HEIGHT

48"

Yes No
Page # _____

AXLES & SUSPENSION

Unit shall be equipped with 25,000-lb. Capacity (each) Tandem Axles and Hutch H900 Center point spring suspension. Suspension must be designed to keep all eight trailer wheels on the ground during dump operation.

Yes No
Page # _____

BODY CONSTRUCTION

Dump Body to be constructed of 1/4" Hardox AR 450 steel

Yes No
Page # _____

Nose & Gate to be constructed of 3/16" Hardox AR 450 steel

Yes No
Page # _____

Top Rail to be constructed with 12" X 4" X 1/4" high strength steel with integrated top rail

Yes No
Page # _____

Longitudinal 8" X 8" X 1/4" high strength steel

Yes No
Page # _____

Body Braces 1/4" high strength steel internally stiffened

Yes No
Page # _____

Draft Arms 5" X 3" X 3/16" steel tube with drop legs

Yes No
Page # _____

Tailgate air operated high lift with 87" of clearance. Tailgate bracing should be a minimum of 5 3/4" X 3 3/4" X 3/16" high strength steel with electric over air control locks and integrated mud flaps.

Yes No
Page # _____

Ladders should be provided front and rear.

Yes No
Page # _____

Fenders steel bolt on at rear of trailer

Yes No
Page # _____

Tail Light Guards

Yes No
Page # _____

Electrical should be all LED lights with sealed harness.

Yes No
Page # _____

Color provide complete list of color options.

Yes No
Page # _____

HOIST

8" FIVE stage inverted trunnion mount

Yes No
Page # _____

BRAKES

Unit shall be equipped with Type 30 Air Chambers, Auto Slack Adjusters, Antilock

Yes No
Page # _____

Braking System, and Parking Brakes on 2 Axles. Outboard mounted brake drums,
16 1/2" X 7" quick change brake shoes.

Yes No
Page # _____

TIRES/RIMS

11R24.5 Tires and Disc-Hub Piloted Wheels

Yes No
Page # _____

FEATURES

Stick Landing Gear, LED Lights w/ Sealed Wiring Harness, Mud Flaps,
Spare Tire Rack

Yes No
Page # _____