

BID SUBMITTAL FORM
Alabama County Joint Bidding Program
BID ITEM – SKID STEER LOADER WITH NO ATTACHMENTS

Company Name: Cowin Equipment Company Inc.

Address: 3120 Hayneville Road

Montgomery Al 36108

Bid Submitted by: John Edwards

(Name of company representative)

Title: Governmental Sales Manager e-mail address: jedwards@cowin.com

Phone: 850-685-7055 Fax: 334-834-2272

By submitting this bid, we agree:

Initials

The equipment model number identified below meets the bid specs for this bid item

JE

That the bid price will be honored for all counties for the period from Jan. 1, 2019 to Dec. 31, 2019.

JE

The equipment will be delivered at the bid price to all counties participating in the joint bid program

JE

The company representative listed above will be the contact person for purchasing this bid item under the joint bid program

JE

The bid is accompanied by a current catalog or model specification document for the model number identified below

JE

The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications

JE

The bid includes the e-verify documentation required by Alabama law

JE

If awarded the bid, a performance bond will be provided upon request

JE

The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine**

JE

SKID STEER LOADER WITH NO ATTACHMENTS

Total Bid Price for Standard Machine: \$ 75,768.00


(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 1,750.00
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 83,745.00

Equipment Model #: Takeuchi TL12V2

Description: Rubber Track Loader

Signature of company representative submitting bid: 

Title: Governmental Sales Manager

* **NOTE:** Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

**BID SUBMITTAL FORM: OPTION COST
SHEET SKID STEER LOADER WITH NO ATTACHMENTS**

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine*

JE

The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) with **any available Options** for the Standard Machine

JE

Equipment Model #: Takeuchi T12V2

Description: Rubber Track Loader

Signature of company representative submitting bid: John Edwards

Title: Governmental Sales Manager

***Note:** The percent difference between the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the standard machine as specified by these **Bid Specifications** and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation, delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.

**BID SPECIFICATIONS
FOR
SKID STEER LOADER WITH NO ATTACHMENTS**

GENERAL

These specifications shall be construed as the minimum acceptable standards for a skid steer loader with no attachments. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturers' equipment. The skid steer loader with mulcher attachment must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names or numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates and all other applicable costs and refunds.

MANUALS

Each unit shall be provided with one (1) copy of the operator's manual. One day training to be provided by manufacturer's representative

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty along with a complete explanation of the warranty with their bid. Mulcher attachment must have (1) year warranty with no hour limit. Skid Steer Loader must have (1) year warranty with no hour limit with the exception of the rubber tracks. Warranty on rubber tracks shall be a minimum (1) year warranty with a 1000-hour limit.

Yes No
Page # _____
or
Attachment

MINIMUM SPECIFICATIONS FOR SKID STEER LOADER

Height	91"	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Page # <u>5</u>
Width	72"	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Page # <u>5</u>
Length without Bucket	117"	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Page # <u>5</u>
Length with Bucket	143"	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Page # <u>5</u>
Ground Clearance	8.5"	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Page # <u>5</u>
Operating Weight with bucket	11,500 lbs.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Page # <u>5</u>
Top Speed	Two speed 4.5 & 7 mph	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Page # <u>5</u>
Ground Pressure at operating weight	4.25 PSI	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Page # <u>5</u>
Ground Contact Area	2,150 sq. in.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Page # <u>5</u>
Track Base (Ground Contact Length)	62"	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Page # <u>5</u>
Track Width	15.7"	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Page # <u>5</u>
<u>Minimum Performance</u>		
Tipping Load	8,100 lbs.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Page # <u>4</u>
Operating Capacity @ 50% of Tipping Load	4,000 lbs.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Page # <u>4</u>
Breakout Force, Lift Cylinders	6,000 lbs.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Page # <u>4</u>

Breakout Force, Bucket Cylinders 5,500 lbs. Yes No
Page # 4

Lift Height to Hinge Pin 125" Yes No
Page # 5

Quick-Attach Hydraulic Powered, Universal Type Yes No
Page # 2

Engine

4 cylinder turbo diesel, liquid cooled Yes No
Page # 4

Displacement 3.4 L Yes No
Page # 4

Gross Horsepower 110 hp Yes No
Page # 4

Peak Torque 245 lb-ft Yes No
Page # 4

Auxiliary (Implement) Pump

Low Flow 20 gpm Yes No
Page # 4

High Flow 40 gpm Yes No
Page # 4

System Pressure 3,000 psi Yes No
Page # 4

Load sensing hydraulic system Yes No
Page # 2

Deluxe Cab Area

Protection System ROPS/FOPS Approved Yes No
Page # 2

Suspension Seat Seat Belt Yes No
Page # 2

Controls Hydraulic Pilot Joysticks Yes No
Page # 2

Air Conditioning Yes No
Page # 2

Heater Yes No
Page # 2

Interior Dome Light Yes No
Page # 2

Lexan Complete Cab Enclosure/Front Door Yes No
Page # 2

Wiper Motor on front door Yes No
Page # 2

Front and rear emergency exits Yes No
Page # 2

Audible back-up alarm Yes No
Page # 2

Minimum Capacities

Fuel Tank 23 gal Yes No
Page # 4

Hydraulic Reservoir 10 gal Yes No
Page # 4

Coolant 4 gal Yes No
Page # 4

Engine Oil with Filter 9 qt Yes No
Page # 4

Undercarriage

Wheel Lubrication Sealed, oil filled bearings Yes No
Page # 2

Molded rubber tracks with composite or steel reinforcement Yes No
Page # 2

Instrumentation

Fuel Level

Yes No
Page # 2

Water Temperature Indicator

Yes No
Page # 2

Hour Meter

Yes No
Page # 2

Engine Oil Pressure Indicator

Yes No
Page # 2

Amp Meter Indicator

Yes No
Page # 2

Hot Hydraulic Oil Indicator

Yes No
Page # 2

Slope Indicator

Yes No
Page # attachment

Electrical System

Lights

2 front, 2 rear

Yes No
Page # 2

Battery

12 volt, 950 CCA

Yes No
Page # 2

Alternator

80 Amp

Yes No
Page # 2

Additional Features

Dual Stage Air Cleaner

Yes No
Page # 2

Service Access

Tilt-up ROPS

Yes No
Page # 2-3

Auxiliary Hydraulic Connectors

Flat – Face

Yes No
Page # 2