BID SUBMITTAL FORM

Alabama County Joint Bidding Program

Heavy Equipment – Bid Item: 7.5 Ton Single Drum Vibratory Roller

Dill Tracker Com	VAD QU
Company Name:	<u> </u>
Address: 7652 Milton Jones KJ.	
Dushne, AL 36526	
Bid Submitted by: Lee Pittman	
Title: Business Parchament Manager e-mail address:	Hman Fractor.com
Phone: 251-621-3555 Fax: 251-621-562	6
By submitting this bid, we agree:	Initials
The equipment model number identified below meets the bid specs for this bid item	<u> </u>
That the bid price will be honored for all counties for the period from Jan. 1, 2020 to Dec. 31, 2020.	LP
The equipment will be delivered at the bid price to all counties participating in the joint bid program.	<u> </u>
The company acknowledges the freight preparation and delivery price is to be included in the total bid price for the standard machine.	LP
The company representative listed above will be the contact person for purchasing this bid item under the joint bid program.	1.8
The bid is accompanied by a current catalog or model specification document for the model number identified below.	LP
The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications.	LP
The bid includes the e-verify documentation required by Alabama law.	<u>~ ()</u>
If awarded the bid, a performance bond will be provided upon request.	<u> </u>
The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine.	LP

Total Bid Price for Standard Machine: \$
Freight Preparation and Delivery: \$ 2360 ° = (Included in Standard Machine Bid Price)
Manufacturer's Suggested Retail Price for Standard Machine: \$ 124,4640
Description: 7.5 Ton Single Drum Vibyatory Roller
Description: 7.5 Ton Single Drum Vibyatory Roller
Signature of company representative submitting bid
Signature of company representative submitting bidy 7777
Title: Business Davo lopment Manag or

^{*} NOTE: Award will be made based on the total cost of the Standard Machine. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

BID SPECIFICATIONS FOR

BID ITEM – 7.5 Ton Single Drum Vibratory Roller

GENERAL

These specifications shall be construed as the minimum acceptable standards for a **7.5 Ton Single Drum Vibratory Roller**. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The roller must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

MANUALS

Each unit shall be provided with one (1) copy of the operator's manual, (1) copy of the repair manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 7,500 hours of use for the piece of equipment bid. If replacement parts are not delivered within three (3) working days of an order being place d, the bidder will deliver an equivalent machine for the county to use at no cost to the county until such time as the parts are delivered to the county so it can affect repairs to its machine.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty. Warranty shall include service response time of maximum of 36 hours within notification by county.

Yes No Page# 9-15 or Attachment ___

ENGINE

Four (4) cylinder, four (4) stroke cycle, water cooled and turbocharged diesel engine, capable of developing a minimum of 75 horsepower.

Minimum 50 gal. fuel tank.

Yes No Page # P.4

WEIGHT (STANDARD OPERATING)

The factory specified operating weight only. No additional weights may be added for the purpose of meeting these specifications.

Minimum 15,500 lbs. standard.

Yes ___No __ Page #_**_P . **__

STARTING SYSTEM

Unit shall be equipped with a 12 volt electrical system.

Yes ___No__\
Page #__P2\

DRIVE

Infinitely variable hydrostatic drive system on both rear wheels and drum. Rear drive shall have a limited slip axle.

Yes No Page # No

DRUM

Drum shall be smooth with an adjustable drum scraper. Drum width shall be 66 in.

Yes No Page # P2.

Drum shall be vibratory with two (2) amplitude settings

BRAKES

Service brakes - Hydrostatic

Yes X No Page # No

Parking brake.

Yes No Page # P1

OPERATOR'S PLATFORM

Unit shall include: ROPS Canopy; vibration isolated, anti-slip operator platform; lockable instrument panel cover; emergency stop; horn; hour-meter; Gauges and/or warning lights for fuel level, coolant temperature, engine oil pressure, engine temperature, and charging system; adjustable seat with seatbelt; rear view mirrors; and safety rail.

Yes No Page # No.

OTHER FEATURES

lockable hood;

backup alarm;

oil level sight gauges;

Unit shall also include: Hydraulic pressure check points;

Yes ____No Page #__P2___

Yes Ko Page # V2

Page # PZ

Yes ___ No Page #__ P 22

Yes No Page # P. 2

battery master switch;

slow moving vehicle sign;

rotating beacon mounted on ROPS.

Yes No Page # P\8

Yes No Page # No

Yes No Page # P19 4 20