

BID SUBMITTAL FORM
Alabama County Joint Bidding Program
Heavy Equipment – Bid Item: 8 FT. Road Widener

Company Name: Pittman Tractor Company, Inc.

Address: 9652 Milton Jones Road

Daphne, AL 36526

Bid Submitted by: Lee Pittman
(Name of company representative)

Title: Business Development Mgr. e-mail address: Lee @ pittmantractor.com

Phone: 251-621-3555 Fax: 251-621-5626

By submitting this bid, we agree:

Initials

The equipment model number identified below meets the bid specs for this bid item

2P

That the bid price will be honored for all counties for the period from Jan. 1, 2020 to Dec. 31, 2020.

2P

The equipment will be delivered at the bid price to all counties participating in the joint bid program.

2P

The company acknowledges the freight preparation and delivery price is to be included in the total bid price for the standard machine.

1P

The company representative listed above will be the contact person for purchasing this bid item under the joint bid program.

1P

The bid is accompanied by a current catalog or model specification document for the model number identified below.

2P

The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications.

2P

The bid includes the e-verify documentation required by Alabama law.

2P

If awarded the bid, a performance bond will be provided upon request.

2P

The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine.**

2P

Total Bid Price for Standard Machine: \$ 190,016.80
(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 5,400.00
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 206,540.00

Equipment Model #:

Midland SP-8

Description:

Self Propelled Road Widener

Signature of company representative submitting bid:



Title:

Business Development Manager

* **NOTE:** Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

BID SUBMITTAL FORM: OPTION COST SHEET

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine*

2P

The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the Standard Machine

2P

Equipment Model #: Midland SP-8

Description: B.H. Self Propelled Road Widener

Signature of company representative submitting bid: 

Title: Business Development Manager

***Note:** The percent difference between the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the standard machine as specified by these **Bid Specifications** and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation, delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.

BID SPECIFICATIONS FOR BID ITEM – 8Ft. Self-Propelled Road Widner

GENERAL

These specifications shall be construed as the minimum acceptable standards for a **8 Ft. Self-propelled Road Widner**. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The roller must be a new current production model. The roller must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

MANUALS

Each unit shall be provided with one (1) copy of the operator's manual, (1) copy of the repair manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 7,500 hours of use for the piece of equipment bid. If replacement parts are not delivered within three (3) working days of an order being placed, the bidder will deliver an equivalent machine for the county to use at no cost to the county until such time as the parts are delivered to the county so it can affect repairs to its machine.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty. Warranty shall include service response time of maximum of 36 hours within notification by county.

Yes ☒ No ☐
Page# 1
or
Attachment ☐

**BID SPECIFICATIONS
FOR
BID ITEM – 8Ft. Self-Propelled Road Widener**

ENGINE

The engine shall be a Diesel Engine John Deere or equal 4045-80 HP@ 2500 RPM.

Yes ☒ No ☐
Page # 2

DRIVING AND STEERING

Front Wheel.

Yes ☒ No ☐
Page # 2

TRANSMISSION TWO SPEED HYDROSTATIC TRACTION DRIVE

Travel speed 0-11 mph.

Yes ☒ No ☐
Page # 2

Work speeds 0-150 ft./min

Yes ☒ No ☐
Page # 2

MIDLAND SP-8 or Equal

Working Width 12'4"

Yes ☒ No ☐
Page # 4

Operating Weight—19,260 lbs.

Yes ☒ No ☐
Page # 2

Receiving Hopper Folding-- capacity 3.0 cubic yards.

Yes ☒ No ☐
Page # 2

Push Rollers, self-cleaning pivoting with extendable frame to 14 inches.

Yes ☒ No ☐
Page # 2

Conveyor (Right or left-hand discharge) roller chain driver,
variable speed, heat and oil resistant belt

Yes ☒ No ☐
Page # 2

STRIKE OFF BLADES

Spread Width 1 to 8 feet

Yes ☒ No ☐
Page # 2

Blade Height 18 inches.

Yes ☒ No ☐
Page # 2

Hydraulic Grade Control 12 inches above or below grade.

Yes ☒ No ☐
Page # 2

Slope Control +or-16%

Yes ☒ No ☐
Page # 2

TIRES

Front Two, Pneumatic 425/65R22.5

Yes ☒ No ☐
Page # 2

Rear Two, Pneumatic 11 R22.5

Yes ☒ No ☐
Page # 2

BRAKES

Hydraulic Service, SAHR Emergency/ Parking

Yes ☒ No ☐
Page # 2

DIMENSIONS

Overall Length 19 ft. 0 in.

Yes ☒ No ☐
Page # 2

Overall Width, Travel 11 ft. 11 in.

Yes ☒ No ☐
Page # 2

Overall Height 8ft. 6 in. max

Yes ☒ No ☐
Page # 2

Inside Turning Radius 15ft. 0 in.

Yes ☒ No ☐
Page # 2

Wheelbase 110 in.

Yes ☒ No ☐
Page # 2

TRACK WIDTH

Front 80 inches

Yes ☒ No ☐
Page # 2

Rear 60 inches

Yes ☒ No ☐
Page # 2

SPD-8 Model Price List

| ITE | | DESCRIPTION | PRICE | Cost to County 8% off |
|-----|----------------|--|---------------|----------------------------|
| 1 | PD-8-003 REV- | SPD-8 MODEL: INCLUDES ITEMS BELOW Spreads Right 74 HP John Deere Tier IV Strike Off Blade 1 ft. to 5 ft. Fixed Blade, RH Variable Speed Conveyor w/adjustable outside edger plate Front Wheel Drive (Paves to 5 ft.-Optional to 8 ft. w/item 2 or 2A below) Hyd. Grade Control Variable Displacement Hydraulic Pump Full Width Hopper Oscillating Push Roller in Extendible Frame Movable Operator Hydrostatic Transmission with Two Speed Gear Box 0-10 MPH Vari. Speed, Heat and Oil Resistant, Positive Drive Conveyor Belt, 18 in. Wide OPTIONAL EQUIPMENT | \$ 199,985.00 | \$ 183,986.20 |
| 2 | SP-1302 | HYDRAULIC VARIABLE WIDTH STRIKE-OFF (12" STROKE w/add'l 1' | \$ 5,850.00 | \$ 5,382.00 |
| 2A | SP-751 | HYDRAULIC VARIABLE WIDTH STRIKE-OFF (24" STROKE) | \$ 6,555.00 | Included in standard |
| 3 | SP-8-001 REV-E | LH discharge includes: Adj. Dis. Gate, Mast & Strike-off Blade 1- 6 ft., hyd. grade cont., hyd. slope control, LH hydraulic conveyor drive & control valves w/ switch controls. (Addition) | \$ 9,975.00 | \$ 9,177.00 |
| 3A | Delete SP-593 | Deduct to eliminate 1ft. to 4 ft. fixed blade section, additional blade support mast w/ hyd. grade cylinder & hyd. slope cylinder.(R.H. or L.H.)& Control Valves w/Switch Controls. (DEDUCT) | (\$ 4,275.00) | -\$ 3,933.00 |
| 4 | SP-711 | HYDRAULIC PUSH ROLLER ASSEMBLY | \$ 3,995.00 | \$ 3,675.40 |
| 5 | SP-835 | LIGHTS: Head lights, tail lights, 4 way hazard warning and | \$ 5,195.00 | \$ 4,779.40 |
| 6 | SP-273 | WASH DOWN Electric pump from diesel tank 20 ft. hose with nozzle on reel | \$ 2,115.00 | \$ 1,945.80 |
| 7 | SP-704 | ELECTRONIC JOINT MATCH Prep. Only | \$ 2,550.00 | \$ 2,346.00 |
| 8 | SP-848 | ELECTRONIC SLOPE CONTROL Prep. Only NOTE: Wiring Only w/-Amphonal Plug outlets at front of Operator's. Console Only - for Field Auto Grade & Slope Install Grade Controller - Impulse or Sonic supplied upon request at | \$ 2,550.00 | \$ 2,346.00 |
| 10 | SA-1513 | TRENCH FILL STRIKE-OFF BOX For filling narrow edge drain trenches adjacent to pavement Box mounts on end of conveyor to direct aggregate in trench Strike-Off levels material in trench up to 34" below pavement "FIRST AID KIT" Includes: electric switches, dash lights and solenoids | \$ 8,950.00 | \$ 8,234.00 \$ 2,139.00 |
| 11 | SP-FAK-001 | | \$ 2,325.00 | |
| 12 | SP-8-RPK-001 | REPAIR PARTS KIT Includes: Conveyor belt w/drive chain and splice, 2 sideboard rubbers w/clamps 6 Conveyor rollers, 1 hydraulic grade blade lift cylinder, 1 hydraulic blade slope cylinder, 1 hydraulic blade extension cylinder, Flexible inside edger and hydraulic filters | \$ 10,659.00 | \$ 9,806.28 |