

SECURE™

DEPOSITION AID AND DRIFT RETARDANT FOR PESTICIDE SPRAYS

PRINCIPLE FUNCTIONING AGENTS:

Proprietary Blend of Polyetheneal and Polypropenylamide Co-Polymers, Paraffinic Hydrocarbons and Emulsifiers . . . 100%

SECURE, when used as directed in accordance with sound agricultural practices is in compliance with EPA Regulations governing the cropland use of adjuvants, and is exempt from tolerance requirements under Title 40, Code of Federal Regulations 180.

SHAKE WELL BEFORE USING.

KEEP OUT OF REACH OF CHILDREN WARNING

Hazards to humans and domestic animals.

Causes moderate skin irritation. May cause eye irritation. Do not get into eyes, on skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Harmful if absorbed through skin. If on skin, wash with plenty of soap and water. Get medical attention if irritation persists. If in eyes, flush eyes with plenty of water. Call a physician if irritation persists.

STORAGE AND DISPOSAL

Keep from freezing. For optimum storage stability, store at temperatures between 40°F (5°C) and 90°F (32°C). Freezing may cause emulsion separation. Warming and shaking the container will help restore the material to its normal consistency. **Keep container closed in storage and do not allow water to come in contact with contents until added to the spray solution.** Spills become very slippery when mixed with water. Dispose of in accordance with local, state or federal regulations.

GENERAL INFORMATION

SECURE is an effective, easy-to-use adjuvant for deposition improvement and drift retardation in spraying operations. **SECURE** is compatible with most water-soluble and wettable powder pesticides, desiccants and cotton defoliant when applied by aerial application or standard ground equipment. **SECURE** is compatible with Isopropylamine salt of Glyphosate, but requires prior AMS addition, when used with the new Potassium Salt of Glyphosate (i.e., *Roundup WeatherMAX® or *Roundup Original® MAX) to prevent compatibility problems.

SECURE use precautions: The degree of drift hazard varies with the type of pesticide, application conditions, and vegetation near the sprayed area. Consult your local agricultural advisor. Remember, pesticide drift is no accident. Common sense and sound application technology must be followed when spraying pesticides. **SECURE** will retard, but not totally eliminate drift.

DIRECTIONS FOR USE

NOTE: This product is extremely concentrated and effective in mixing as low as 1 oz. per 100 gallons. Start with lower dosage and increase as needed. A thickened or "stringy" solution indicates that too much **SECURE** has been used.

Step 1. Select correct dosage from chart below.

Step 2. Fill mix tank with water, pesticide and other additives and begin to agitate.

Step 3. SHAKE **SECURE** BOTTLE WELL BEFORE USING.

Step 4. For best mixing results, either (1) inject **SECURE** liquid into the suction side of the feeder or recirculating pump, to obtain adequate dispersion of the polymer throughout the pesticide solution, or (2) slowly add **SECURE** liquid to the rapidly agitating tank mix in the area of highest turbulence, by pouring a very thin stream.

Step 5. Continue to agitate mix tank for at least 2 minutes before spraying.

Step 6. Follow all cleanup precautions on label of pesticide used. Follow governmental procedures for disposal of pesticide spray solution.

DOSAGE CHART

Spray Pressure	Nozzle Orientation	SECURE DOSAGE
Aerial applied below 45 psi	Straight Back 45° Angle Back	2 - 6 oz. / 100 gals. 4 - 8 oz. / 100 gals.
GROUND APPLICATION Low (below 30 psi)	Flat Fan, Flooding Off-Center	1 - 4 oz. / 100 gals. 3 - 5 oz. / 100 gals.
Medium (30 - 50 psi)	Flat Fan, Flooding Off-Center Spray Guns	3 - 4 oz. / 100 gals. 4 - 6 oz. / 100 gals. 5 - 8 oz. / 100 gals.
High (over 50 psi)	Spray Guns	8 - 32 oz. / 100 gals.

For home and garden sprayers, use approximately 1 Tablespoon of **SECURE** per 5 gallons of spray solution.

To avoid product degradation and equipment corrosion, do not use iron, copper, or aluminum containers or equipment. This material reacts slowly with iron, copper, and aluminum, resulting in corrosion and product degradation. Do not store near oxidizing agents.

WARRANTY

Red River warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to the label instruction, or any abnormal conditions, or under conditions not reasonably foreseeable to Red River, and buyer assumes the risk of any such use.

**Roundup WeatherMAX® and *Roundup Original® MAX are registered trademarks of Monsanto.*

