

BID SUBMITTAL FORM
Alabama County Joint Bidding Program
BID ITEM – 100 HP HYDROSTATIC BULLDOZER – OPTION C

Company Name: WARRIOR TRACTOR & EQUIPMENT COMPANY, INC.

Address: 6801 MCFARLAND BVLD W
NORTHPORT, AL 35476

Bid Submitted by: DAVID PATTERSON
(Name of company representative)

Title: SALES MANAGER E-mail address: DAVIDP@WARRIORTRACTOR.COM

Phone: 205-339-0300 Fax: 205-333-0101

By submitting this bid, we agree:

The equipment model number identified below meets the bid specs for this bid item

That the bid price will be honored for all counties for the period from Jan. 1, 2021 to Dec. 31, 2021.

The equipment will be delivered at the bid price to all counties participating in the joint bid program

The company representative listed above will be the contact person for purchasing this bid item under the joint bid program

The bid is accompanied by a current catalog or model specification document for the model number identified below

The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications

The bid includes the e-verify documentation required by Alabama law

If awarded the bid, a performance bond will be provided upon request

The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine**

Initials



100 HP HYDROSTATIC BULLDOZER – OPTION C

Total Bid Price for Standard Machine: \$ 126,053.00

(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs)*


Freight Preparation and Delivery: \$ 5,000.00

(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 178,936.00

Equipment Model #: JOHN DEERE 650K

Description: 100HP HYDROSTATIC DOZER OPTION C

Signature of company representative submitting bid: _____

Title: SALES MANAGER

* **NOTE:** Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

BID SUBMITTAL FORM: OPTION COST SHEET 100 HP HYDROSTATIC BULLDOZER – OPTION C

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine*

The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) with **any available Options** for the Standard Machine



Equipment Model #: JOHN DEERE 650K

Description: 100HP HYDROSTATIC DOZER OPTION C

Signature of company representative submitting bid: 

Title: SALES MANAGER

***Note:** The percent difference between the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the standard machine as specified by these **Bid Specifications** and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation, delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.

BID SPECIFICATIONS FOR 100 HP HYDROSTATIC BULLDOZER – OPTION C

GENERAL

These specifications shall be construed as the minimum acceptable standards for a 100 hp hydrostatic low ground pressure bulldozer. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The bulldozers must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

MANUALS

Each unit shall be provided with one (1) copy of the operator's manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 7,500 hours of use for the piece of equipment bid. If replacement parts are not delivered within three (3) working days of an order being placed, the bidder will deliver an equivalent machine for the county to use at no cost to the county until such time as the parts are delivered to the county so it can affect repairs to its machine.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty. Warranty shall include service response time of maximum of 36 hours within notification by county.

Yes X No

Page#

or

Attachment ATTACH

ENGINE

Shall be a turbocharged diesel engine with a displacement of not less than **276 cubic inches**, capable of developing a minimum of **104 net** flywheel horsepower (SAE J1349).

Yes ☒ No ☐
Page # 20

Engine shall be manufactured by the equipment manufacturer.

Yes ☒ No ☐
Page # 20

WEIGHT

Operating weight with blade, operator, full fuel tank, and ROPS canopy shall not be less than **22,000 lbs.**

Yes ☒ No ☐
Page # 21

ELECTRICAL SYSTEM

Shall be equipped with a minimum **85-amp** alternator.

Yes ☒ No ☐
Page # 21

TRANSMISSION

Shall be equipped with a hydrostatic type transmission.

Yes ☒ No ☐
Page # 20

STEERING

All steering functions must be able to be performed using one hand only.

Yes ☒ No ☐
Page # 20

UNDERCARRIAGE

The tractor shall be equipped with sealed and lubricated tracks. Minimum shoe width shall be **28 inches**. Track sag shall be hydraulically adjusted.

Yes ☒ No ☐
Page # 21

BLADE

The machine shall be equipped with a six-way (pat) blade with a minimum capacity of **2.5 cubic yards**.

Yes ☒ No ☐
Page # 22

VANDALISM PROTECTION

Machine shall be equipped with all standard and optional factory vandalism protection available for the machine bid.

Yes ☒ No ☐
Page # 24

Hydraulics

Minimum pump flow shall be **21 gpm** and minimum system pressure of **3000 psi**.

Yes ☒ No ☐
Page # 20

SAFETY EQUIPMENT

Gauges and indicators shall be provided to monitor critical (fuel level, coolant temperature, powertrain oil temperature, and hydraulic oil temperature) operational systems of the machine and alert the operator when potential problems occur.

Yes X No
Page # 24

Rear view mirror; backup alarm.

Yes X No
Page # 24

Heavy duty hinged radiator guard

Yes X No
Page # 24

Crankcase guard

Yes X No
Page # 24

Track center guiding guard

Yes X No
Page # 24

Pre-cleaner guard

Yes X No
Page # 24

Front tow hooks

Yes X No
Page # 24

Heavy duty rear drawbar

Yes X No
Page # 24

Fire extinguisher

Yes X No
Page # 24

Water separator

Yes X No
Page # 24

650K CRAWLER DOZER

31-Aug-2020



Code	Description		
02J0T	650K CRAWLER DOZER Ex-Works Dubuque, Iowa, United States of America As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.	1	\$157,015.00
Option Codes			
0940	John Deere PowerTech PWS 4.5L (274 cu. in.) 4 Cyl EPA FT4/EU Stage IV Compliant	1	\$2,751.00
3510	Standard Hydraulic Fan Drive	1	No Added Cost
1076	Gauge Low Ground Pressure (LGP) Track Frame with (7 bottom rollers) 1753 mm (69 In.)	1	\$4,880.00
4590	Moderate Service Shoes 40 Link with 28 in. (711 mm) Clipped Corner, Closed Center	1	-\$6,599.00
4830	Front, Center and Rear Track Guides Requires code 1055 or 1075 Recommended for slope and rocky conditions	1	\$892.00
7085	128 in. X 37.6 in. (3.25 m X .96 m) Blade with All Hydra Requires for Code 1075, LGP Track Blade shipped with machine but not installed Includes lift cylinders with Cordura covered hoses Includes tilt cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers When using root rake or front attachments, recommend % Frame Reinforcement Conversion Kit in the referral section	1	\$18,215.00
7725	3 Function Hydraulic Control Valve	1	No Added Cost

7925	Hydraulic Pump	1	No Added Cost
	for use without Winch		
	Does not Includes external spline for mechanical drive winch or auxiliary pump.		
8010	Hydraulic And Hydrostatic Oil - Hydrau	1	No Added Cost
	Standard Factory Fill.		
	Provides All-Season Capability in Ambient Temperatures Ranging From -25C (-13F) to 50C (122F).		
5025	Canopy	1	No Added Cost
	If rear equipment is to be installed (winch, ripper, etc.),		
	also order Code 9376, Less Rear Counterweight.		
	No Counter weights are included when ordered with Code 1055 XLT, 1075 LGP.		
5855	Air Suspension Comfort Control High Back Vinyl Seat	1	No Added Cost
	3 in. (76 mm) retractable seat belt.		
	Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning.		
	Requires Code 5025.		
170C	JDLink Ultimate 5 Year Subscription	1	No Added Cost
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features – Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements . If these terms and conditions are not agreeable do not proceed and do not use the service.		
2575	No Topcon Grade Control Base Kit Installed	1	No Added Cost
	Order for no blade control or Trimble or Leica Blade control field installations.		
	Requires No Topcon Radio Installation code 2775		
2775	No Topcon Radio Installation	1	No Added Cost
2605	English Operator Manual	1	No Added Cost

9325	Grille	1	\$1,276.00
	Extreme-Duty Grille with Hose Protection Heavy gauge plate grille also protects lights Protects fittings on both ends of front hydraulic hoses Replaces heavy-duty grille		
9360	Extended Rigid Drawbar with Pin for LGP or Long Tra	1	\$506.00
	Recommended for pull-type implements that require turning clearance - extends 11.3 in. (288 mm)to rear. Not For Use With Codes 9187 or 9350. Cannot be used with 4000S Winch. Can be used with rear counterweight.		
Total			\$178,936.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.



JOHN DEERE

Current Date 01Jul2020

650K CRAWLER DOZER

650K Standard Equipment

ENGINE:

John Deere PowerTech PWS
4.5L meets FT4 / Stage IV
emissions
104 SAE Net hp (78kW)
Turbocharged with Charge
Air Cooler
Isolation-Mounted
Electronic Controlled Fuel
Injection
Electric Fuel Shut-off with
Key Start Switch
Vertical Spin-on Engine Oil
Filter
Vertical Spin-on Primary Fuel
Filter with Water Separator
Vertical Spin-on Final Fuel
Filter
Oil-to-Water Engine Oil
Cooler
Dual Safety Element Dry-
Type Air Cleaner with Built-in
Precleaner with
Evacuator Valve
Above Hood
Prescreener/Raincap
Eco Mode
Enclosed Safety Fan Guard
(Conforms to SAE J1308)
COOLING SYSTEM:
Cool-On-Demand Variable
Speed Engine Fan
Engine Coolant -34 Degree F
(-37 Degree C)
Coolant Surge Tank
10-Fin/in. Trash Resistant
Engine Coolant Radiator
10-Fin/in. Hydrostatic Oil-to-
Air Cooler
10-Fin/in. Air to Air Charge
Air Cooler
Enclosed Safety Fan Guard
(Conforms to SAE J1308 -
ISO 3457)
Tilt Out Heavy-Duty

Blade Control

O Ring Face Seal Connectors

POWER TRAIN:

Dual Path Hydrostatic
Transmission
Variable displacement piston
pump and variable
displacement motor
combination for each track
Hydrostatic Transmission
Diagnostic Remote Test
Ports
Single-Lever Speed in Grip
Steering with Counter
Rotation and Horn
Decelerator/Brake Pedal
Automatic Power
Management (w/ Manual
Override) for Matching
Ground
Speed
Infinite Ground Speed
Selection
Automatic Straight-Ahead
Tracking
Adjustable Ground Speed
When Shifting from Forward
to Reverse
Dynamic Braking (Anti-Free
Wheel)
Transmission Neutral Lock
with Safety Start Switch
Automatic Spring-Applied,
Hydraulically-Released
Parking Brake
Independent Transmission
Oil Reservoir with Sight
Gauge
Vertical Spin-on
Transmission Filter
Oil-to-Air Transmission Oil
Cooler
Triple Reduction Final Drives
with Wet Multi-Disk Brakes

Adjustable Leg Support

3 In. (76 mm) Retractable
Seat Belt (Conforms to SAE
J386)

Adjustable Footrests

Adjustable Full-length Arm
Rests

Side Console Leg Cushions

Cup and Lunch Box Holder

Headliner and Floor Mat

Electronic Monitor System
with Audible and Visual
Warning:

Low Alternator Voltage

Engine Oil Pressure

Engine Coolant Temperature

Engine RPM Indicator

Hydraulic Oil Filter

Restriction

Transmission Oil Filter

Restriction

Transmission Oil

Temperature

Engine Air Restriction

Indicator

Fasten Seat Belt/Park Brake

Warning

Transmission Speed

Indicator

Fuel Gauge, Electric,

Illuminated

Hourmeter, Electric

Transmission Oil Pressure

Indicator

Horn, Electric

(Conforms to SAE J994,
J1446)

Operators Manual Storage

Compartment and Manual

Convex Rearview Mirror

12 Volt Power Port

OVERALL VEHICLE:

One-Piece Unitized

Mainframe

Front Tow Loop (Bolt-on)

Louvered Front Grille and Radiator with Hose Protection
ELECTRICAL:
 24 Volt System
 100 Amp Alternator
 Dual Batteries with 190 Minute Reserve Capacity and 950 CCA
 Master Electric Disconnect Switch
 Bypass Start Safety Cover on Starter
 Positive Terminal Battery Covers
 Pre-wired for Work Lights, Underseat Heater and Low Pressure Indicator
 (2) Grille Mounted and (2) Rear Mounted Lights w/ (2) reflectors
HYDRAULICS:
 15 GPM (56.8 L/Min) Fixed Displacement Hydraulic Gear Pump
 Independent Hydraulic Oil Reservoir with Sight Gauge
 Hydraulic Oil Cooler
 Vertical Spin-on Hydraulic Oil Filter
 Three-Function Hydraulic Valve with Low Effort Single-Lever (T-Bar)

UNDERCARRIAGE:
 61 In. (1549 mm) XLT Track Gauge w/ 7 Bottom Rollers
 Maximum Life Undercarriage with 40 Link-Extended Life SC2 Bushings and 18 in. (457mm) Moderate Service Shoes
 Double Flange Rollers
 Full-Length, Smooth Surface Track Frame Covers
 Front and Rear Chain Guides
 Solid Sprockets with Bolt-on Sprocket Guards
OPERATOR STATION:
 JDLink Ultimate Machine Monitoring System w/ 3-year Message Service
 Modular Design ROPS/FOPS Canopy, Isolation-Mounted (Conforms to SAE J1040)
 Left and Right Front Access
 Slip-Resistant Steps and Ergonomically- Located Handholds (Conforms to SAE J185)
 Suspension Vinyl Seat: Height and Weight and Fore-Aft Adjustments (Conforms to SAE J899)

Reinforced Engine and Mid-frame Bottom Guards
 Integral Transmission Guard
 Perforated Engine Side Shields
 Hinged Bottom Access Covers (Bolt-On)
 Less C-Frame and Blade Vandal Protection Locking for:
 Engine Access Door-Requires Padlock
 Side Tanks Access Doors-Require Padlocks
 Wide Mouth Filler Cap - Requires Padlock
 Environmental Drains
 Instrument Panel Requires Padlock on ROPS Canopy
 Transmission & Hydraulic Reservoirs
 Lockable Grease Gun and Tool Storage in Right Access Door
 53.45 Gallon (202 Liter) Fuel Tank
 Ground level Fueling
 Reverse Warning Alarm with Guarding (Conforms to SAE J994, J1446)

Required - You must select one from each category

▼ **BASE MACHINE**

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

Description	Code	Price
650K CRAWLER DOZER	02J0T	\$157,015.00

▼ **ENGINE**

Description	Code	Price
John Deere PowerTech	0940	\$2,751.00

PWS 4.5L (274 cu. in.) 4 Cyl EPA FT4/EU Stage IV Compliant

▼ **ENGINE FAN DRIVE**

Description	Code	Price
Standard Hydraulic Fan Drive	3510	No Added Cost
Automatic Reversing Hydraulic Fan	3520	\$1,509.00

▼ TRACK FRAME

Description	Code	Price
Gauge Low Ground Pressure (LGP) Track Frame 1753 mm (69 in.) (7) bottom rollers	1075	\$4,481.00
Gauge, Extra Long Track (XLT) Frame (7 Roller) 1549 mm (61 in.)	1055	(\$385.00)
Gauge Low Ground Pressure (LGP) Track Frame with Front Idler Guards (7 bottom rollers) 1753 mm (69 in.)	1076	\$4,880.00
1549 mm (61 in.) Gauge, Extra Long Track (XLT) Frame with Front Idler Guarding (7 Roller)	1056	No Added Cost

▼ TRACK SHOES AND CHAIN

Description	Code	Price
<u>Low Ground Pressure Only</u>		
Moderate Service Shoes 40 Link with 24 in. (610 mm) Moderate Service Shoes	4570	(\$7,038.00)
Maximum life Undercarriage with 40 Link-Extended Life SC2 Bushings and 24 in. (610 mm) Moderate Service Shoes	4770	\$1,193.00
Moderate Service Shoes 40 Link with 28 in. (711 mm) Clipped Corner, Closed Center	4590	(\$6,599.00)
Maximum life Undercarriage with 40 Link-Extended Life SC2 Bushings and 28 in. (711 mm) Clipped Corner, Closed Center Moderate Service Shoes	4790	\$1,780.00
Extended life Undercarriage with 40 Link-Extended Life SC2 Bushings and 24 in. (610 mm) Moderate Service Shoes	4670	(\$989.00)
Extended life Undercarriage with 40 Link-Extended Life SC2 Bushings and 28 in. (711 mm) Clipped Corner, Closed Center Moderate Service Shoes	4690	(\$334.00)
<u>Extra Long Track or Low Ground Pressure Track</u> Sealed and Lubed Tracks except as noted. Full Width and Closed Center Single Bar Grousers except as noted.		

40 Link with 18 in. (457 mm) Moderate Service Shoes	4563	(\$7,974.00)
Maximum life Undercarriage with 40 Link-Extended Life SC2 Bushings and 18 in. (457mm) Moderate Service Shoes	4763	No Added Cost
Availability for this track option is limited and may exceed standard lead time.		
40 Link Track with 20 in.(508 mm) Clipped Corner Moderate Service Shoes	4564	(\$7,764.00)
Can also be used with code 1075 LGP Track Frame		
Maximum life Undercarriage	4764	\$571.00
40 Link-Extended Life SC2 Bushings and 20 in.(508mm) Clipped Corner Moderate Service Shoes		
Extended life Undercarriage with 40 Link-Extended Life SC2 Bushings and 18 in. (457mm) Moderate Service Shoes	4663	(\$2,299.00)
Availability for this track option is limited and may exceed standard lead time.		
Extended life Undercarriage	4664	(\$1,644.00)
Availability for this track option is limited and may exceed standard lead time.		
40 Link-Extended Life SC2 Bushings and 20 in.(508mm) Clipped Corner Moderate Service Shoes		

CHAIN GUIDES OR ROCK GUARDS

Description	Code	Price
Chain Guides	4825	No Added Cost
Front Idler and Rear Sprocket		
Front, Center and Rear Track Guides	4830	\$892.00
Requires code 1055 or 1075 Recommended for slope and rocky conditions		
Full-Length Rock Guards	4850	\$1,799.00
Requires code 1055 or 1075 Recommended for slope and rocky conditions		

DOZER BLADE

Blades or C-Frames are Not Included In Base Price. All C-Frame Options Include Remote C-Frame Pivot Grease Banks and Integrally Protected Hoses with Replaceable Hoses. All Blades have Manual adjustable blade pitch.

Description	Code	Price
Heavy Duty Inside All Hydraulic C-Frame Less Blade	7015	\$11,202.00
Includes lift cylinders with Cordura-covered hoses. Includes tilt cylinder hoses with cable and Cordura covers. Includes angle cylinders and hoses with steel and Cordura covers.		

To convert an H-series blade to fit this unit, refer to instruction T205831
Does not include attaching pins and hardware. Refer to Installation
instructions T177581 to attach non-Deere attachments.
When using root rake or front attachments, recommend C Frame
Reinforcement Conversion Kit in the referral section.

115 in. X 37.6 in. (2.92 m X .96 m) Blade with All Hydraulic Heavy Duty C-Frame (Blade NOT Installed)	7065	\$16,408.00
---	------	-------------

Blade shipped with machine but not installed
Includes lift cylinders with Cordura covered hoses
Includes tilt cylinder hoses with cable and Cordura covers
Includes angle cylinders and hoses with steel and Cordura covers
When using root rake or front attachments, recommend C Frame
Reinforcement Conversion Kit in the referral section

Blade	7075	\$16,885.00
-------	------	-------------

124 in. X 35.2 in. (3.15 m X .894 m) Blade with All Hydraulic Heavy Duty C-Frame (Blade NOT Installed)
Requires Code 1075, LGP Track Frame
Blade shipped with machine but not installed
Includes lift cylinders with Cordura covered hoses
Includes tilt cylinder hoses with cable and Cordura covers
Includes angle cylinders and hoses with steel and Cordura covers
When using root rake or front attachments, recommend C Frame
Reinforcement Conversion Kit in the referral section

Blade with Inside All Hydraulic Heavy-Duty C-Frame	7055	\$16,048.00
--	------	-------------

105 in. X 42 in. (2.67 m X 1.06 m)
Requires Code 1045 or 1055 Track Only
Includes lift cylinders with Cordura-covered hoses
Includes tilt cylinder hoses with cable and Cordura covers
Includes angle cylinders and hoses with steel and Cordura covers
When using root rake or front attachments, recommend C Frame
Reinforcement Conversion Kit in the referral section

128 in. X 37.6 in. (3.25 m X .96 m) Blade with All Hydraulic Heavy Duty C-Frame (Blade NOT Installed)	7085	\$18,215.00
---	------	-------------

Requires for Code 1075, LGP Track
Blade shipped with machine but not installed
Includes lift cylinders with Cordura covered hoses
Includes tilt cylinder hoses with cable and Cordura covers
Includes angle cylinders and hoses with steel and Cordura covers
When using root rake or front attachments, recommend C Frame
Reinforcement Conversion Kit in the referral section

HYDRAULICS FOR DOZER BLADE AND ATTACHMENTS

Description	Code	Price
3 Function Hydraulic Control Valve	7725	No Added Cost

3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT)	7750	\$3,631.00
---	------	------------

Grade Control Ready (EH) Hydraulics
Grade Control Recommendations:
Topcon Ready Installation -Sales Code 2500.
Trimble Ready Installation AT455318.
Leica Ready Installation AT438592.
Note: If machine has factory installed winch (Sales Code 9401, 9402, or 9403), cannot order Sales Code 2500, AT407969 or AT408431.

4 Function Hydraulic Control for Power-Angle-Tilt (PAT)	7775	\$960.00
---	------	----------

4th function (without Float).
Does include circuit reliefs.
Work port plugged.
Includes auxiliary rear plumbing for ripper.

4 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) and Rear Attachment w/ Rear Auxiliary Plumbing	7760	\$5,071.00
--	------	------------

Grade Control Ready (EH) Hydraulics
Grade Control Recommendations:
Topcon Ready Installation - Sales Code 2500.
Trimble Ready Installation AT455318.
Leica Ready Installation AT438592.
Note: If machine has factory installed winch (Sales Code 9401, 9402, or 9403), cannot order Sales Code 2500, AT407969 or AT408431.

▼ HYDRAULIC PUMP

Description	Code	Price
Hydraulic Pump	7925	No Added Cost

for use without Winch
Does not include external spline for mechanical drive winch or auxiliary pump.

Hydraulic Pump	7975	\$453.00
----------------	------	----------

for use w/ Winch
For use with Deere 4000S Winch (mechanical drive)
Includes external spline for winch or auxiliary pump.

▼ GREASES, FUEL, OIL, & COOLANT

Description	Code	Price
Hydraulic And Hydrostatic Oil - Hydrau	8010	No Added Cost

Standard Factory Fill.
Provides All-Season Capability in Ambient Temperatures Ranging From - 25C (-13F) to 50C (122F).

Hydraulic And Hydrostatic Oil - Hydrau XR	8020	\$578.00
---	------	----------

Optional Factory Fill.
Intended for Colder Climates with Extreme Cold Ambient Temperatures down to -40C (-40F)
Provides All-Season Capability in Ambient Temperature Ranging from - 40C to 40C (-40F to 104F).

▼ OPERATOR'S STATION

Description	Code	Price
Canopy	5025	No Added Cost

If rear equipment is to be installed (winch, ripper, etc.), also order Code 9376, Less Rear Counterweight.
No Counter weights are included when ordered with Code 1055 XLT, 1075 LGP.

Cab with Roof Mounted Air Conditioner/Heater	5085	\$18,253.00
--	------	-------------

Fresh air intake 18,000 BTU heater/defroster/ pressurizer with air pre-

cleaner
 24,000 BTU air conditioner
 30,000 BTU under-seat heater
 AM/FM/WB Radio and Digital Clock
 Dome light
 Deluxe headliner
 Tinted safety glass all around
 Front windshield and doors with (3) single-speed wipers and washers
 100 amp alternator
 Pre-wired for Work Lights, rear wiper & washer
 Requires either code 5885 or 5890, Cloth Seat.

SEAT

Description	Code	Price
Air Suspension Comfort Control High Back Fabric Seat 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning Requires Cab.	5885	No Added Cost
Air Suspension Comfort Control High Back Vinyl Seat 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Requires Code 5025.	5855	No Added Cost
Heated Air Suspension Comfort Control High Back Fabric Seat 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only.	5890	\$662.00

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLink Ultimate 5 Year Subscription Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the	170C	No Added Cost

Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLink Ultimate Dual 5 Year Subscription	170J	\$1,936.00
--	------	------------

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all cellular dependent Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate Dual now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications when cellular signal is available. JD Link Ultimate Dual works with the 4G LTE MTG to automatically transmit compressed summary data over a satellite network when a cellular network is not available. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

GRADE CONTROL

Description	Code	Price
Topcon Grade Control Base Kit Installed	2500	\$7,497.00

Requires code 7750 or 7760.
Factory installed and includes additional brackets and wiring harnesses that further enhances and simplifies the addition of a Topcon grade control system. This also enables the Topcon 3D-MC2 Grade Control Systems to be ordered.

No Topcon Grade Control Base Kit Installed	2575	No Added Cost
--	------	---------------

Order for no blade control or Trimble or Leica Blade control field installations.
Requires No Topcon Radio Installation code 2775

SmartGrade Control Base Kit	2501	\$7,497.00
-----------------------------	------	------------

Only available with code 5085. Requires code 7065 or 7085 and 7750 or 7760. Includes the brackets and wiring harnesses required to enable the SmartGrade options 2801 or 2802.

TOPCON GRADE CONTROL SYSTEM

Kit includes the following equivalent parts from Topcon 3DMC2 system:

Password, MC-R3 Full Auto
OAF Bundle, MC-R3 3DMC2
Kit, GX-55 GPS
Kit, Common 3D Dozer GPS

OEM, Antenna Config Kit
Kit, OEM MC2 Sensor
Assy, MC-R3 NO-OAF
Full Assembly and Final Calibration On Site

Description	Code	Price
No Topcon Radio Installation	2775	No Added Cost
SmartGrade with UHF Radio	2801	\$89,000.00
Requires code 2501. Mastless grade control system fully integrated into the John Deere cab and crawler dozer structure. Consists of UHF transmitter/receiver, sensors, and in-cab display for configuring, monitoring, and measuring grade. Includes Topcon 3D-MC ² software compatible with Topcon file formats. Includes feature that automatically raises the blade before track slippage occurs. Also included is a calibration wizard that decreases set up time.		
SmartGrade with 915 MHZ Radio	2802	\$89,000.00
Requires code 2501. Mastless grade control system fully integrated into the John Deere cab and crawler dozer structure. Consists of 915SS transmitter/receiver, sensors, and in-cab display for configuring, monitoring, and measuring grade. Includes Topcon 3D-MC ² software compatible with Topcon file formats. Includes feature that automatically raises the blade before track slippage occurs. Also included is a calibration wizard that decreases set up time.		

▼ OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator Manual	2605	No Added Cost
Spanish Operator Manual	2610	No Added Cost
French Operator Manual	2615	No Added Cost
Australian Operator Manual & Compliance Certificate	2630	No Added Cost

Optional - Select as desired

▼ FUEL FILTRATION

Description	Code	Price
Severe-Duty Fuel Filter	9060	\$531.00

▼ EXHAUST

Description	Code	Price
Chrome Exhaust	9065	\$139.00

▼ AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	9130	\$501.00

▼ MISCELLANEOUS

Description	Code	Price
Fluid Sampling Ports	9070	\$292.00
Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes	9075	\$900.00

▼ COOLANT HEATER

Description	Code	Price
Coolant Heater, Electric	9530	\$144.00

▼ HYDRAULIC VALVE

Description	Code	Price
Hydraulic Track Adjuster Yoke Relief Valve	9400	No Added Cost
Recommended for severe operating conditions (for example, forestry or rock). Replaces grease zerk in track adjusters.		

▼ WINCH

Description	Code	Price
Model 4000 Standard Speed Winch - Power In, Free Spool Out	9401	\$19,065.00
Requires Code 7975 and either 9450 or 9455. Not for Use with Code 9187, 9350, or 9360. Cannot be used with Trimble or TopCon Interface field Kits.		
Model 4000 Standard Speed Winch - Power In, Power Out	9402	\$21,516.00
Requires Code 7975 and either 9450 or 9455. Not for Use with Code 9187, 9350, or 9360. Cannot be used with Trimble or TopCon Interface field Kits.		
Model 4000 Low Speed Winch - Power In, Power Out	9403	\$22,416.00
Requires Code 7975 and either 9450 or 9455. Not for Use with Code 9187, 9350, or 9360. Cannot be used with Trimble or TopCon Interface field Kits.		
4000 Winch Fairlead, Four Roller	9410	\$3,938.00
For use with winch. Requires Code 9401, 9402 or 9403.		
Extended Drawbar, 4000 Winch with Pin & Hardware	9440	\$1,069.00
For use with winch. Requires Code 9401, 9402 or 9403.		

▼ SEAT

Description	Code	Price
Under- Seat Canopy Heater	9125	\$1,304.00
Requires Canopy 30,000 BTU		



WASHER AND WIPER

Description	Code	Price
Rear Wiper / Washer	9380	\$684.00
Requires Code 5085		



LIGHTING

Description	Code	Price
Deluxe LED Work Lights	9168	\$343.00



RADIO

Description	Code	Price
Premium Radio with Bluetooth	9501	\$1,120.00



REAR SCREEN

Description	Code	Price
Rear Screen for Canopy (Grey)	9450	\$1,058.00
Requires code 5025.		
Rear Screen Cab (Grey)	9455	\$1,357.00
Requires code 5085.		



GRILLE

Description	Code	Price
Grille	9325	\$1,276.00
Extreme-Duty Grille with Hose Protection Heavy gauge plate grille also protects lights Protects fittings on both ends of front hydraulic hoses Replaces heavy-duty grille		



RIPPER

Description	Code	Price
Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth	9187	\$11,153.00
Requires code 7775 or 7760 Hydraulics. Cannot be used with 9350 or 9360.		



HITCHES

Description	Code	Price
Retrieval Hitch with Pin for XLT or LGP Track	9350	\$238.00
Recommended for pull-type implements - drawbar extends 6.1 in. (155 mm) to rear. Not For Use With Codes 9187 or 9360. Cannot be used with 4000S Winch. Can be used with rear counterweight.		



MISCELLANEOUS

Description	Code	Price
Extended Rigid Drawbar with Pin for LGP or Long Track and Cab	9360	\$506.00

Recommended for pull-type implements that require turning clearance - extends 11.3 in. (288 mm) to rear.
 Not For Use With Codes 9187 or 9350.
 Cannot be used with 4000S Winch.
 Can be used with rear counterweight.

▼ RUST PROTECTION

Description	Code	Price
Non-Export Rust Preventive Coating	9909	\$151.00

Coating protects exposed unpainted surfaces from road salt during shipment.

▼ ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeereinfo.com and clicking on Library, or by clicking on this Hyperlink ([Installation Bulletin Search](#)), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts.
 Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
<u>Cold Start</u>		
110 Volt Engine Coolant Heater (1000 Watt)	AT211191	\$97.00
Average installation, 0.5 hour		
<u>Frame Attachment</u>		
C-Frame Steps	AT310522	\$211.00
For use on units S/N 106533 and below. Installation instructions T208092 Average installation, 1.0 hour		
C-Frame Tilt Clevis Kit	AT311768	\$368.00
Extended Drawbar, 4000 Winch with Pin and Hardware	AT222827	\$878.00
For use with Winch Fairlead Average installation, 1 hour Requires 4000S Winch Extends 32 In. to rear		
Front Counterweight, 94 kg. (207 lb.)	AT451157	\$507.00
Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth	AT451797	\$12,368.00
Requires 4 Function Hydraulics and Auxiliary Plumbing.		
Reinforcement Blade Kit	AT225884	\$91.00

Installation instructions T182677.
Recommended for severe conditions by reinforcing lower blade corners.
For straight end bits order parts T182281 and T182280.
For cupped end bits order parts T182253 and T182304.

Grade Control

Leica Grade Control Interface Package, Paladin-Installed for Cab or Canopy	AT438592	\$7,243.00
---	----------	------------

Requires code 7750 or 7760.

Trimble Grade Control Interface Package, Paladin-Installed	AT455318	\$6,892.00
--	----------	------------

Requires code 7750 or 7760.

Guards

Tank Guards, LT and XLT	BYT10770	\$2,509.00
-------------------------	----------	------------

Hydraulics

Auxiliary Fifth Function Valve (without Float), Lever and Linkage	AT219741	\$477.00
--	----------	----------

Installation instructions T177350.
Average installation, 5 hours.
Converts four function control valve to five function.
Can be used with AT207568, Auxiliary Fourth Function Valve Section, to
convert three function control valve to five function.
Work ports plugged, without circuit reliefs.

Auxiliary Fourth Function Valve Section (without Float), Lever and Linkage	AT385271	\$477.00
---	----------	----------

Average installation, 5 hours.
Converts three function control valve to four function.
Work ports plugged without circuit reliefs.

Electro-Hydraulics (EH) Auxiliary Hydraulic Function kit	AT451993	\$1,360.00
--	----------	------------

Kit Will Convert Code 7750 3 hyd. functions to a 4 hyd.Functions.

Hydraulics

Rear Auxiliary Plumbing	AT451249	\$120.00
-------------------------	----------	----------

For Crawler Tractors with 3 function hydraulics.
Average installation, 1 hour.
For use with rear mounted or pull type equipment.
Includes two hoses and fittings from fourth or fifth function auxiliary valve
to rear cover plate.

Rear Auxiliary Plumbing for use with 4000 Winch	AT451247	\$477.00
---	----------	----------

For Crawler Tractors with 3 function hydraulics.
Average installation, 1 hour.
For use with rear mounted or pull type equipment.
Includes two hoses and fittings from fourth or fifth function auxiliary valve
to rear cover plate.
Not for use with Paccar winch.

Miscellaneous

Automatic Reversing Hydraulic Fan	AT451207	\$1,449.00
Mounting Bracket and Hardware for Model 4000S Winch on 450K, 550K and 650K Only	AT460042	\$1,429.00
Requires AT460040 and AT411564 or AT411565. 450K: (S.N. 304771-) 550K: (S.N. 305398-) 650K: (S.N. 305399-)		
Severe Duty Fuel Filter kit	AT466342	\$358.00
SmartGrade Radio Board Swap Kit (915 MHZ to UHF)	BYT10389	\$2,150.00
Kit includes UHF Radio Board, UHF Antenna, Label, and Instructions to remove 915 SS radio board and install UHF radio board.		
SmartGrade Radio Board Swap Kit (UHF to 915 MHZ)	BYT10390	\$2,193.00
Kit includes 915 SS Radio Board, 915 SS Antenna, Label, and Instructions to remove UHF radio board and install 915 SS radio board.		
<u>Operator Environment</u>		
LED Cab Light Field Kit	BYT10774	\$327.00
Universal XM-Tuner Installation Kit	BYT11328	\$354.00
Includes hardware and brackets to add XM capability to radio.		
<u>Overall Vehicle</u>		
LED Grille Light Field Kit	BYT10775	\$235.00
Rear Counterweight, 330 Lb. (150 Kg)	T174346	\$675.00
<u>Powertrain & Cooling</u>		
Automatic Reversing Hydraulic Fan	AT455545	\$1,449.00
For use on units above SN 305399.		
Quick Service Bank for Transmission, Hydraulic, Engine Oil & Engine Coolant Fluid Changes	AT451244	\$724.00
Remote Service Bank is inside engine compartment and includes Industry Standard Quick Disconnect Couplers.		
<u>Winches</u>		
External lines with Accumulator for Power In/Power Out Winches on 450K, 550K and 650K Only	AT460040	\$1,155.00
Requires AT460042 and AT4311564 or AT411565. 450K: (S.N. 304771-) 550K: (S.N. 305398-) 650K: (S.N. 305399-)		
External lines with Accumulator for Power In/Power Out Winches on 460J, 500J and 650J Only	AT182314	\$1,202.00
Fairlead, 4000 Winch Four Roller	AT175529	\$2,954.00
Average installation, 1 hour Bolt-on		

Can be used with Extended Winch Drawbar
Requires 4000S Winch

Linkage and Controls for Power In/Free Spool Out Winches	AT411564	\$442.00
--	----------	----------

For use on 450K, 550K & 650K models only. Requires AT460040 and AT460042.

Linkage and Controls for Power In/Power Out Winches	AT411565	\$442.00
---	----------	----------

For use on 450K, 550K & 650K models only. Requires AT460040 and AT460042.

▼ REFERRAL ATTACHMENTS

Description	Code	Price
-------------	------	-------

G.r.mfg.

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

41" Center Brush Guard for the 450J, 550J, and 650J	AT343937	\$706.00
---	----------	----------

Fits blades up to 115" length.

For J crawlers above S/N 139432, and all K's.

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Brush Guard, Full Width for 115 in. X 37.6 in. (2.92 m X .96 m) Blade	AT364288	\$1,250.00
---	----------	------------

For J-Series crawler S/N 139433 and above.

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Brush Guard, Full Width, 105 in.(2667mm) Blade	AT343936	\$1,250.00
--	----------	------------

For J-Series crawler S/N 139433 and above.

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Brush Guard, Full Width, 90 - 97" Blade	AT343935	\$1,012.00
---	----------	------------

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John

Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Front Enclosure, Cab	BYT10411	\$2,275.00
----------------------	----------	------------

XLT only

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Full Enclosure, Cab (FT4)	BYT10167	\$7,679.00
---------------------------	----------	------------

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Full Enclosure, Canopy	BYT10410	\$6,393.00
------------------------	----------	------------

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005
Note: For SN 3305399--

Heavy Duty 124 in.(3.15m) Root Rake for S/n above 139433	AT369894	\$5,878.00
--	----------	------------

For 124 in blade crawlers with S/n 139433 and above.

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Heavy Duty Root Rake w/ Brush Guard, 114"	AT343939	\$6,011.00
---	----------	------------

For use with 115" blades

For crawler S/N 139433 and above

Root rake has integral guarding which prohibits use w/ blade equipped w/ brush guard

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Heavy Duty Root Rake w/ Brush Guard, 98"	AT343938	\$5,694.00
--	----------	------------

For use with 97" and 105" blades
 For crawler S/N 139433 and above
 Root rake has integral guarding which prohibits use w/ blade equipped w/ brush guard
 G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Lift Cylinder Guards (FT4)	AT320934	\$262.00
----------------------------	----------	----------

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005
 Average installation, 1 hour.
 Bolt-on.
 Formed plates bolt to top of lift cylinders and protect the hydraulic hose and fittings.

Limb Risers, Arched (Curved) - ROPS Canopy and Cab Tractors	AT435075	\$1,935.00
---	----------	------------

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Point to Point Limb Riser (GR#705561)	AT435076	\$2,240.00
---------------------------------------	----------	------------

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Rear Screen, Cab	AT413183	\$1,208.00
------------------	----------	------------

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Rear Screen, Canopy	AT413184	\$942.00
---------------------	----------	----------

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive

Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Root Rake for 115 in. blade with S/N 139433 and above	AT353099	\$4,128.00
---	----------	------------

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Screens, Cab Guard for A/C	AT446908	\$929.00
----------------------------	----------	----------

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005
Average installation, 1 hour.

Bolt-on.

Plate covers top, rear and sides of A/C module for complete protection in forestry applications.

Requires cab rear screen.

Side Screens, Cab	AT413011	\$1,332.00
-------------------	----------	------------

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Side Screens, Canopy	AT413012	\$1,244.00
----------------------	----------	------------

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Standard Duty 124 in.(3.15m) Root Rake for S/n above 139433	AT369893	\$4,290.00
---	----------	------------

For 124 in blade crawlers with S/n 139433 and above.

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Tank Guard LGP (FT4)	BYT10413	\$2,457.00
----------------------	----------	------------

For units with S/N 305399 and above.

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R.

Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Paccar Winch Div

3 Roller Fairlead Kit for Hydraulic Winch	AT336215	\$3,662.00
---	----------	------------

Contact PACCAR for below Winch installation instructions
(Carco Winch)
800 E. Dallas, P.O. Box 547
Broken Arrow, OK 74013-0547
Phone: 918-251-8511
www.paccarwinch.com
For use with PACCAR winch

4th Roller Kit for Hydraulic Winch Fairlead	AT336216	\$924.00
---	----------	----------

Contact PACCAR for below Winch installation instructions
(Carco Winch)
800 E. Dallas, P.O. Box 547
Broken Arrow, OK 74013-0547
Phone: 918-251-8511
www.paccarwinch.com
Requires 3 Roller Fairlead Kit for Hydraulic Winch

STANDARD WARRANTY FOR NEW JOHN DEERE CONSTRUCTION, UTILITY, CCE AND FORESTRY PRODUCTS – US & Canada

- **Construction, Forestry & Compact Construction Equipment (CCE) Products***: 12 months Full Machine Standard Warranty
- *** Compact Construction Equipment Products** Delivered and settled on or after 01 June 2018: 24 months or 2000 hours (whichever comes first) Full Machine Standard Warranty
- **C&E Series Pull-Type Scrapers**: 6 months Full Machine Standard Warranty
- **DC & DE Series Pull-Type Scrapers**: 12 months Full Machine Standard Warranty
- **Scraper Tractors**: 24 Months or 2000 Hours (whichever occurs first) Full Machine Standard Warranty
- **Forestry Attachments**: 12 Months or 2000 Hours (whichever occurs first) Full Machine Standard Warranty
- **Frontier Equipment**: 6 months Full Machine Standard Warranty (90 days in rental applications)

The "Standard Warranty" is part of the warranty protection package available from John Deere Construction & Forestry Company (John Deere Limited in Canada) ("John Deere") to purchasers of new John Deere products ("product"):

STANDARD Warranty is John Deere's standard new product warranty, described in this document, provided at no additional charge to the purchaser.

EXTENDED Warranty is a separate repair contract made available by John Deere for purchasers who wish to complement their Standard Warranty coverage. Complete Extended Warranty details, including coverage options and limitations, are set forth in the Application for Extended Warranty, which is available from authorized John Deere dealers.

STRUCTURALL Warranty applies to certain structural components as listed below and as described in this document.

FACTORY-INSTALLED UNDERCARRIAGE Warranty applies to certain undercarriage components as listed below and as described in this document.

A. STANDARD WARRANTY - GENERAL PROVISIONS

John Deere will repair or replace, at its option, any parts (except those specified below) of a new John Deere product that, as delivered to the original retail purchaser(s), are defective in material or workmanship. Performance of this warranty will be free of charge for parts and labor/labour, except as otherwise stated below. Standard Warranty applies only to purchases from John Deere and authorized John Deere dealers and, except as otherwise provided in the next sentence and section L below, is extended only to the original retail purchaser of the product. Remaining Standard Warranty applicable to a used John Deere product is transferred to a subsequent purchaser of the product only if the subsequent purchaser requests a transfer from an authorized John Deere dealer before the product's Standard Warranty expires. Coverage begins on the date of delivery of the product to the original retail purchaser. For purposes of this warranty, a product that has been rented, used for demonstration purposes for 150 or more hours, or otherwise used prior to its original retail purchase has been "used" for the total duration of such use. Warranty statements required by law covering engine emissions-related parts and components are found on a separate written warranty certificate provided to the purchaser at the time of the original retail purchase.

B. WHAT IS COVERED BY STANDARD WARRANTY -

All parts of a new John Deere product (except those noted in Sections D and E below) are covered during the Standard Warranty period set out above.

C. EXCLUSIVE REMEDY -

The repair or replacement of covered parts or components that are defective, as provided in Sections A, B, D.2 and D.3 herein, shall be the purchaser's exclusive remedy for any defect in the product. However, if after repeated attempts such repair or replacement fails to correct the performance problem caused by the defect, the purchaser's sole remedy shall be a refund of the amount paid for the product (in exchange for a return of the product), excluding any transportation charges, license fees, taxes and insurance premiums, and less a reasonable allowance for use of the product prior to its return. In no event will the dealer, John Deere or any company affiliated with John Deere be liable for any incidental or consequential damages, including but not limited to loss of profits, rental of substitute equipment or other commercial loss. Correction of defects in the manner provided above shall constitute fulfillment of all liabilities of the Dealer, John Deere, or any company affiliated with John Deere to the purchaser or any other

person, whether based upon contract, tort, strict liability, or otherwise. This limitation does not apply to claims for personal injury.

D. ITEMS COVERED SEPARATELY -

1. Standard Warranty does not apply to batteries, radios, tires, cameras, or to Cummins, MTU or Detroit Diesel Engines installed in John Deere products, which are covered by separate written warranties.
2. Factory-Installed Undercarriage Warranty covers all non-rubberized factory-installed undercarriage wear components for 3 years or 4,000 hours from the date of delivery to the original retail purchaser, whichever occurs first (unless terminated earlier under Section F, below). For purposes of this warranty, a product that has been rented, used for demonstration purposes for 150 or more hours, or otherwise used prior to its original retail purchase has been "used" for the total duration of such use. In addition to the items listed in section E below, Factory-Installed Undercarriage Warranty does not cover: failures due to wear, machine application, maintenance practices, or improper machine configuration; removal and installation labor/labour; transportation or hauling costs; unapproved parts; non-wear items; and rubberized undercarriage components such as rubber tracks. Warranty claims will be pro-rated based upon wear of the failed component and whether track shoe width is approved by John Deere. Factory-Installed Undercarriage Warranty does not apply to Scraper Tractors.
3. StructurALL Warranty for new John Deere Products (except Compact Excavators & Loaders, Skid-Steer Loaders, Compact Track Loaders, Scraper Tractors, Pull-Type Scrapers, and Forestry Attachments, which are not eligible for StructurALL Warranty) begins at the date of delivery to the original retail purchaser and ends (unless terminated earlier under Section F, below) after three (3) years, or 10,000 hours (whichever occurs first). For purposes of this warranty, a product that has been rented, used for demonstration purposes for 150 or more hours, or otherwise used prior to its original retail purchase has been "used" for the total duration of such use. **StructurALL Warranty applies only to the following structural components listed below as installed on the product at the time of original manufacture.** If a particular component is not listed below it is not covered by StructurALL Warranty.

Arm; Articulation Joint (incl. pins & bushings); Bin Frame; Boom; Carbody; C-Frame*; Circle Frame; Coupler (John Deere built ONLY); Dipperstick; Draft Frame; Engine Frame; Equipment Frame; Grapple Arch and Grapple Boom; Loader Arm; Loader Frame; Mainframe; Moldboard Lift Arm; NeverGrease™ Pin Joints [Includes steering pin and bushing joints (standard equipment), roller elements (roller bearings) in bucket to boom joints and sliding elements (bushing) for boom and linkage joints (optional equipment)]; Rollover Protection Structure (ROPS); Side Frame; Swing Frame; Track Frame; Undercarriage Frame; X-Frame; Z-bar loader linkage (including bell crank and bucket driver link); Specialty booms and arms marketed as "heavy duty" by John Deere.

Items Covered by StructurALL for Cut-to-Length Forestry Machines: Front frame (welded assembly); Rear frame (welded assembly); Crane king post with basement; Middle joint frame; Cabin swing frame; Main Boom

StructurALL Warranty does not apply to:

1. Any product used primarily in extreme duty or severe duty applications such as but not limited to: demolition and wrecking, chemical plant (including fertilizer plants), salt mines, steel mill, land fill and transfer stations, scrap handling, scarifying and other applications that are similarly destructive or similarly heavy duty except specialty booms and arms as stated in Section D.3 above.
2. C-Frames on H-Series & J-Series Crawlers equipped with root rakes or used in forestry applications unless equipped with an "extreme duty" reinforcement package.
3. Cut-to-Length Forestry Heads and Slash Bundler Units.
4. Crawlers equipped with optional side booms.
5. Cut-to-Length Forestry, Excavator, and Log Loader swing bearings.
6. Motor Graders equipped with front- or rear-mounted snow wings.

E. ITEMS NOT COVERED -

John Deere is NOT responsible for the following:

1. Freight
2. Adjustments to compensate for wear, for periodic maintenance or adjustments that result from normal wear and tear.
3. Damage caused by unapproved adjustments (electronic or mechanical) to machine or machine components outside of published specifications including but not limited to engine, hydraulic components and relief valves.
4. Program updates, calibrations, and pressure adjustments.
5. Diagnostic Time
6. Additional Labor/Labour Time - Above SPG/Labor/Labour Rate
7. Additional Cleaning - Above SPG/Labor/Labour Rate
8. Rental Fees
9. Depreciation or damage caused by normal wear or application, lack of reasonable and proper maintenance, failure to follow operating instructions, misuse, negligence, collision or other accidents.
10. Premiums charged for Overtime Labor/Labour
11. Transportation to and from the dealership.
12. Travel time, mileage or service calls by the dealer.
13. Non-John Deere components or modifications, Rotobec grapples, and attachments installed aftermarket.
14. Shop supplies and maintenance items such as, but not limited to: filters, fuels, oil, hydraulic fluid, lubricants, coolants, conditioners, shop towels, cleaners and degreasers. Note: Reimbursement for refills of oils/coolants lost due to a warrantable failure is covered when a system failure occurs outside the boundaries of a normal oil change (within 25% of specified change interval as provided in the Operator's Manual).
15. Torn, cut, or worn hoses.
16. Wear items, such as, but not limited to: body liner, belts, blades, bulbs, lubricated joints (including pins and bushings), dry brakes, brake linings, dry clutch linings, saw blades, chains, skidder grapple shocks, color marking nozzles, and articulation bumpers.
17. Items such as cutting-edge parts, delimbing knives, bucket teeth and rubber track are not warranted for depreciation or damage caused by normal wear, lack of proper maintenance, misuse, failure to follow operating instructions, the elements or accident.
18. Any defect in a non-covered component, or damage to or failure of a covered component caused by a defect in a non-covered component.
19. Secondary damage which occurs from continued operation of a product after recognition of the occurrence of a failure.
20. Parts supplied or modifications done by third party suppliers.
21. Topping off fluids when fluid levels fall in the range between low and full
22. Parts/Kits not ordered on machine and installed aftermarket. These parts will be covered by any applicable parts warranty.
23. Attachments installed aftermarket – i.e. Winch not installed at factory.
24. Custom options installed outside the factory – i.e. G.R. Manufacturing option packages.
25. Used Products (except as otherwise provided in section L below).

F. TERMINATION OF WARRANTY-

John Deere is relieved of its obligations under Standard Warranty, StructurALL Warranty, Factory-Installed Undercarriage Warranty and/or Extended Warranty if:

1. Service (other than normal maintenance and replacement of service items) is performed by someone other than an authorized John Deere dealer; or
2. The product is modified or altered in ways not approved by John Deere; or
3. Any unapproved or improperly sized attachment is installed on the product. Approval and attachment size shall be at John Deere's sole discretion. (Consult dealer prior to installing attachments or product modification).
4. The product is moved outside the US and/or Canada.

G. PARTS REPLACED UNDER WARRANTY -

Only new or remanufactured parts or components furnished or approved by John Deere, will be used if John Deere elects to repair the product. If any such part or component is defective in material or workmanship when installed in the product, John Deere will repair or replace, as it elects, such defective part or component, provided the defect is

reported to an authorized John Deere dealer within 90 days of installation or before expiration of the applicable Standard Warranty, Factory-Installed Undercarriage Warranty and/or StructurALL Warranty whichever is later.

H. TELEMATICS

NOTICE: Products may be equipped with telematics hardware and software ("Telematics") that transmit data to John Deere/ Dealer. Purchaser may deactivate Telematics at www.jdlink.com.

Notwithstanding Purchaser's right, title or interest in the Products, Purchaser agrees that John Deere and Dealer (their affiliates, successors and assigns), without further notice to Purchaser have the right to:

1. Access, use, collect and disclose any data generated by, collected by, or stored in, Products or any hardware or devices interfacing with Products ("Machine Data");
2. Access Machine Data directly through data reporting devices integrated within, or attached to, Products, including Telematics ("Data Reporting Systems"); and
3. Update the Data Reporting Systems software from time to time. Machine Data will only be used in accordance with John Deere's Machine Data Policy, located at www.JohnDeere.com/MachineDataPolicy.

I. OBTAINING WARRANTY SERVICE -

To obtain warranty service, the purchaser must request warranty service from a John Deere dealer authorized to sell the product to be serviced. When making such a request, the purchaser must present evidence of the product's delivery date, make the product available at the dealer's place of business, and inform the dealer in what way the purchaser believes the product to be defective. Standard Warranty, Factory-Installed Undercarriage Warranty and/or StructurALL Warranty repairs may be made in the field if the purchaser and servicing dealer so desire. However, John Deere will not be responsible for any charges (such as dealer travel time, mileage or extra labor/labour) that would not have been incurred had the product been repaired at the dealer's place of business.

J. NO IMPLIED WARRANTY, CONDITIONS OR OTHER REPRESENTATION -

Where permitted by law, neither John Deere nor any company affiliated with it makes any warranties, representations, conditions or promises, express or implied, as to the quality, performance, or freedom from defect of its products, other than those set forth in this document and **NO IMPLIED WARRANTY OF MERCHANTABILITY, CONDITIONS OR FITNESS IS MADE.**

K. NO DEALER WARRANTY -

The selling dealer makes no warranty of its own on any item covered by this warranty, and makes no warranty on other items unless the dealer delivers to the purchaser a separate written warranty certificate specifically warranting the item. **The dealer has no authority to make any representation or promise on behalf of John Deere, or to modify the terms or limitations of this warranty in any way.**

L. USED JOHN DEERE PRODUCTS ONLY -

John Deere will transfer remaining Standard Warranty, Factory-Installed Undercarriage Warranty and/or StructurALL Warranty to the purchaser of a used John Deere construction and/or forestry product that has been used for less than the full warranty period provided at the product's original retail purchase. This transfer is not effective until change of ownership is registered by a John Deere dealer. **ALL THE TERMS, INCLUDING LIMITATIONS AND EXCLUSIONS, OF THE JOHN DEERE STANDARD WARRANTY, FACTORY-INSTALLED UNDERCARRIAGE WARRANTY, AND/OR STRUCTURALL WARRANTY ORIGINALLY PROVIDED FOR THE PRODUCT REMAIN IN EFFECT AND APPLICABLE.**



Company ID Number: 513478

THE E-VERIFY PROGRAM FOR EMPLOYMENT VERIFICATION MEMORANDUM OF UNDERSTANDING

ARTICLE I

PURPOSE AND AUTHORITY

This Memorandum of Understanding (MOU) sets forth the points of agreement between the Department of Homeland Security (DHS) and Warrior Tractor & Equipment Co., Inc. (Employer) regarding the Employer's participation in the Employment Eligibility Verification Program (E-Verify). This MOU explains certain features of the E-Verify program and enumerates specific responsibilities of DHS, the Social Security Administration (SSA), and the Employer. E-Verify is a program that electronically confirms an employee's eligibility to work in the United States after completion of the Employment Eligibility Verification Form (Form I-9). For covered government contractors, E-Verify is used to verify the employment eligibility of all newly hired employees and all existing employees assigned to Federal contracts or to verify the entire workforce if the contractor so chooses.

Authority for the E-Verify program is found in Title IV, Subtitle A, of the Illegal Immigration Reform and Immigrant Responsibility Act of 1996 (IIRIRA), Pub. L. 104-208, 110 Stat. 3009, as amended (8 U.S.C. § 1324a note). Authority for use of the E-Verify program by Federal contractors and subcontractors covered by the terms of Subpart 22.18, "Employment Eligibility Verification", of the Federal Acquisition Regulation (FAR) (hereinafter referred to in this MOU as a "Federal contractor with the FAR E-Verify clause") to verify the employment eligibility of certain employees working on Federal contracts is also found in Subpart 22.18 and in Executive Order 12989, as amended.

ARTICLE II

FUNCTIONS TO BE PERFORMED

A. RESPONSIBILITIES OF SSA

1. SSA agrees to provide the Employer with available information that allows the Employer to confirm the accuracy of Social Security Numbers provided by all employees verified under this MOU and the employment authorization of U.S. citizens.
2. SSA agrees to provide to the Employer appropriate assistance with operational problems that may arise during the Employer's participation in the E-Verify program. SSA agrees to provide the Employer with names, titles, addresses, and telephone numbers of SSA representatives to be contacted during the E-Verify process.
3. SSA agrees to safeguard the information provided by the Employer through the E-Verify program procedures, and to limit access to such information, as is appropriate by law, to individuals responsible for the verification of Social Security Numbers and for evaluation of the E-Verify program or such other persons or entities who may be authorized by SSA as governed

Company ID Number: 513478

by the Privacy Act (5 U.S.C. § 552a), the Social Security Act (42 U.S.C. 1306(a)), and SSA regulations (20 CFR Part 401).

4. SSA agrees to provide a means of automated verification that is designed (in conjunction with DHS's automated system if necessary) to provide confirmation or tentative nonconfirmation of U.S. citizens' employment eligibility within 3 Federal Government work days of the initial inquiry.

5. SSA agrees to provide a means of secondary verification (including updating SSA records as may be necessary) for employees who contest SSA tentative nonconfirmations that is designed to provide final confirmation or nonconfirmation of U.S. citizens' employment eligibility and accuracy of SSA records for both citizens and non-citizens within 10 Federal Government work days of the date of referral to SSA, unless SSA determines that more than 10 days may be necessary. In such cases, SSA will provide additional verification instructions.

B. RESPONSIBILITIES OF DHS

1. After SSA verifies the accuracy of SSA records for employees through E-Verify, DHS agrees to provide the Employer access to selected data from DHS's database to enable the Employer to conduct, to the extent authorized by this MOU:

- Automated verification checks on employees by electronic means, and
- Photo verification checks (when available) on employees.

2. DHS agrees to provide to the Employer appropriate assistance with operational problems that may arise during the Employer's participation in the E-Verify program. DHS agrees to provide the Employer names, titles, addresses, and telephone numbers of DHS representatives to be contacted during the E-Verify process.

3. DHS agrees to make available to the Employer at the E-Verify Web site and on the E-Verify Web browser, instructional materials on E-Verify policies, procedures and requirements for both SSA and DHS, including restrictions on the use of E-Verify. DHS agrees to provide training materials on E-Verify.

4. DHS agrees to provide to the Employer a notice, which indicates the Employer's participation in the E-Verify program. DHS also agrees to provide to the Employer anti-discrimination notices issued by the Office of Special Counsel for Immigration-Related Unfair Employment Practices (OSC), Civil Rights Division, U.S. Department of Justice.

5. DHS agrees to issue the Employer a user identification number and password that permits the Employer to verify information provided by employees with DHS's database.

6. DHS agrees to safeguard the information provided to DHS by the Employer, and to limit access to such information to individuals responsible for the verification of employees' employment eligibility and for evaluation of the E-Verify program, or to such other persons or entities as may be authorized by applicable law. Information will be used only to verify the accuracy of Social Security Numbers and employment eligibility, to enforce the Immigration and



Company ID Number: 513478

Nationality Act (INA) and Federal criminal laws, and to administer Federal contracting requirements.

7. DHS agrees to provide a means of automated verification that is designed (in conjunction with SSA verification procedures) to provide confirmation or tentative nonconfirmation of employees' employment eligibility within 3 Federal Government work days of the initial inquiry.

8. DHS agrees to provide a means of secondary verification (including updating DHS records as may be necessary) for employees who contest DHS tentative nonconfirmations and photo non-match tentative nonconfirmations that is designed to provide final confirmation or nonconfirmation of the employees' employment eligibility within 10 Federal Government work days of the date of referral to DHS, unless DHS determines that more than 10 days may be necessary. In such cases, DHS will provide additional verification instructions.

C. RESPONSIBILITIES OF THE EMPLOYER

1. The Employer agrees to display the notices supplied by DHS in a prominent place that is clearly visible to prospective employees and all employees who are to be verified through the system.

2. The Employer agrees to provide to the SSA and DHS the names, titles, addresses, and telephone numbers of the Employer representatives to be contacted regarding E-Verify.

3. The Employer agrees to become familiar with and comply with the most recent version of the E-Verify User Manual.

4. The Employer agrees that any Employer Representative who will perform employment verification queries will complete the E-Verify Tutorial before that individual initiates any queries.

A. The Employer agrees that all Employer representatives will take the refresher tutorials initiated by the E-Verify program as a condition of continued use of E-Verify.

B. Failure to complete a refresher tutorial will prevent the Employer from continued use of the program.

5. The Employer agrees to comply with current Form I-9 procedures, with two exceptions:

- If an employee presents a "List B" identity document, the Employer agrees to only accept "List B" documents that contain a photo. (List B documents identified in 8 C.F.R. § 274a.2(b)(1)(B)) can be presented during the Form I-9 process to establish identity.) If an employee objects to the photo requirement for religious reasons, the Employer should contact E-Verify at 888-464-4218.

- If an employee presents a DHS Form I-551 (Permanent Resident Card) or Form I-766 (Employment Authorization Document) to complete the Form I-9, the Employer agrees to make a photocopy of the document and to retain the photocopy with the employee's Form I-9. The photocopy must be of sufficient quality to allow for verification of the photo

Company ID Number: 513478

and written information. The employer will use the photocopy to verify the photo and to assist DHS with its review of photo non-matches that are contested by employees. Note that employees retain the right to present any List A, or List B and List C, documentation to complete the Form I-9. DHS may in the future designate other documents that activate the photo screening tool.

6. The Employer understands that participation in E-Verify does not exempt the Employer from the responsibility to complete, retain, and make available for inspection Forms I-9 that relate to its employees, or from other requirements of applicable regulations or laws, including the obligation to comply with the antidiscrimination requirements of section 274B of the INA with respect to Form I-9 procedures, except for the following modified requirements applicable by reason of the Employer's participation in E-Verify: (1) identity documents must have photos, as described in paragraph 5 above; (2) a rebuttable presumption is established that the Employer has not violated section 274A(a)(1)(A) of the Immigration and Nationality Act (INA) with respect to the hiring of any individual if it obtains confirmation of the identity and employment eligibility of the individual in good faith compliance with the terms and conditions of E-Verify; (3) the Employer must notify DHS if it continues to employ any employee after receiving a final nonconfirmation, and is subject to a civil money penalty between \$550 and \$1,100 for each failure to notify DHS of continued employment following a final nonconfirmation; (4) the Employer is subject to a rebuttable presumption that it has knowingly employed an unauthorized alien in violation of section 274A(a)(1)(A) if the Employer continues to employ an employee after receiving a final nonconfirmation; and (5) no person or entity participating in E-Verify is civilly or criminally liable under any law for any action taken in good faith based on information provided through the confirmation system. DHS reserves the right to conduct Form I-9 and E-Verify system compliance inspections during the course of E-Verify, as well as to conduct any other enforcement activity authorized by law.

7. The Employer agrees to initiate E-Verify verification procedures for new employees within 3 Employer business days after each employee has been hired (but after the Form I-9 has been completed), and to complete as many (but only as many) steps of the E-Verify process as are necessary according to the E-Verify User Manual, or in the case of Federal contractors with the FAR E-Verify clause, the E-Verify User Manual for Federal Contractors. The Employer is prohibited from initiating verification procedures before the employee has been hired and the Form I-9 completed. If the automated system to be queried is temporarily unavailable, the 3-day time period is extended until it is again operational in order to accommodate the Employer's attempting, in good faith, to make inquiries during the period of unavailability. Employers may initiate verification by notating the Form I-9 in circumstances where the employee has applied for a Social Security Number (SSN) from the SSA and is waiting to receive the SSN, provided that the Employer performs an E-Verify employment verification query using the employee's SSN as soon as the SSN becomes available.

8. The Employer agrees not to use E-Verify procedures for pre-employment screening of job applicants, in support of any unlawful employment practice, or for any other use not authorized by this MOU. Employers must use E-Verify for all new employees, unless an Employer is a Federal contractor that qualifies for the exceptions described in Article II.D.1.c. Except as provided in Article II.D, the Employer will not verify selectively and will not verify employees hired before the effective date of this MOU. The Employer understands that if the Employer

Company ID Number: 513478

uses the E-Verify system for any purpose other than as authorized by this MOU, the Employer may be subject to appropriate legal action and termination of its access to SSA and DHS information pursuant to this MOU.

9. The Employer agrees to follow appropriate procedures (see Article III. below) regarding tentative nonconfirmations, including notifying employees in private of the finding and providing them written notice of the findings, providing written referral instructions to employees, allowing employees to contest the finding, and not taking adverse action against employees if they choose to contest the finding. Further, when employees contest a tentative nonconfirmation based upon a photo non-match, the Employer is required to take affirmative steps (see Article III.B. below) to contact DHS with information necessary to resolve the challenge.

10. The Employer agrees not to take any adverse action against an employee based upon the employee's perceived employment eligibility status while SSA or DHS is processing the verification request unless the Employer obtains knowledge (as defined in 8 C.F.R. § 274a.1(l)) that the employee is not work authorized. The Employer understands that an initial inability of the SSA or DHS automated verification system to verify work authorization, a tentative nonconfirmation, a case in continuance (indicating the need for additional time for the government to resolve a case), or the finding of a photo non-match, does not establish, and should not be interpreted as evidence, that the employee is not work authorized. In any of the cases listed above, the employee must be provided a full and fair opportunity to contest the finding, and if he or she does so, the employee may not be terminated or suffer any adverse employment consequences based upon the employee's perceived employment eligibility status (including denying, reducing, or extending work hours, delaying or preventing training, requiring an employee to work in poorer conditions, refusing to assign the employee to a Federal contract or other assignment, or otherwise subjecting an employee to any assumption that he or she is unauthorized to work) until and unless secondary verification by SSA or DHS has been completed and a final nonconfirmation has been issued. If the employee does not choose to contest a tentative nonconfirmation or a photo non-match or if a secondary verification is completed and a final nonconfirmation is issued, then the Employer can find the employee is not work authorized and terminate the employee's employment. Employers or employees with questions about a final nonconfirmation may call E-Verify at 1-888-464-4218 or OSC at 1-800-255-8155 or 1-800-237-2515 (TDD).

11. The Employer agrees to comply with Title VII of the Civil Rights Act of 1964 and section 274B of the INA, as applicable, by not discriminating unlawfully against any individual in hiring, firing, or recruitment or referral practices because of his or her national origin or, in the case of a protected individual as defined in section 274B(a)(3) of the INA, because of his or her citizenship status. The Employer understands that such illegal practices can include selective verification or use of E-Verify except as provided in part D below, or discharging or refusing to hire employees because they appear or sound "foreign" or have received tentative nonconfirmations. The Employer further understands that any violation of the unfair immigration-related employment practices provisions in section 274B of the INA could subject the Employer to civil penalties, back pay awards, and other sanctions, and violations of Title VII could subject the Employer to back pay awards, compensatory and punitive damages. Violations of either section 274B of the INA or Title VII may also lead to the termination of its participation in E-

Company ID Number: 513478

Verify. If the Employer has any questions relating to the anti-discrimination provision, it should contact OSC at 1-800-255-8155 or 1-800-237-2515 (TDD).

12. The Employer agrees to record the case verification number on the employee's Form I-9 or to print the screen containing the case verification number and attach it to the employee's Form I-9.

13. The Employer agrees that it will use the information it receives from SSA or DHS pursuant to E-Verify and this MOU only to confirm the employment eligibility of employees as authorized by this MOU. The Employer agrees that it will safeguard this information, and means of access to it (such as PINS and passwords) to ensure that it is not used for any other purpose and as necessary to protect its confidentiality, including ensuring that it is not disseminated to any person other than employees of the Employer who are authorized to perform the Employer's responsibilities under this MOU, except for such dissemination as may be authorized in advance by SSA or DHS for legitimate purposes.

14. The Employer acknowledges that the information which it receives from SSA is governed by the Privacy Act (5 U.S.C. § 552a(i)(1) and (3)) and the Social Security Act (42 U.S.C. 1306(a)), and that any person who obtains this information under false pretenses or uses it for any purpose other than as provided for in this MOU may be subject to criminal penalties.

15. The Employer agrees to cooperate with DHS and SSA in their compliance monitoring and evaluation of E-Verify, including by permitting DHS and SSA, upon reasonable notice, to review Forms I-9 and other employment records and to interview it and its employees regarding the Employer's use of E-Verify, and to respond in a timely and accurate manner to DHS requests for information relating to their participation in E-Verify.

D. RESPONSIBILITIES OF FEDERAL CONTRACTORS WITH THE FAR E-VERIFY CLAUSE

1. The Employer understands that if it is a subject to the employment verification terms in Subpart 22.18 of the FAR, it must verify the employment eligibility of any existing employee assigned to the contract and all new hires, as discussed in the Supplemental Guide for Federal Contractors. Once an employee has been verified through E-Verify by the Employer, the Employer may not reverify the employee through E-Verify.

a. Federal contractors with the FAR E-Verify clause agree to become familiar with and comply with the most recent versions of the E-Verify User Manual for Federal Contractors and the E-Verify Supplemental Guide for Federal Contractors.

b. Federal contractors with the FAR E-Verify clause agree to complete a tutorial for Federal contractors with the FAR E-Verify clause.

c. Federal contractors with the FAR E-Verify clause not enrolled at the time of contract award: An Employer that is not enrolled in E-Verify at the time of a contract award must enroll as a Federal contractor with the FAR E-Verify clause in E-Verify within 30 calendar days of contract award and, within 90 days of enrollment, begin to use E-Verify to initiate verification of employment eligibility of new hires of the Employer who are working in the United States,

Company ID Number: 513478

whether or not assigned to the contract. Once the Employer begins verifying new hires, such verification of new hires must be initiated within 3 business days after the date of hire. Once enrolled in E-Verify as a Federal contractor with the FAR E-Verify clause, the Employer must initiate verification of employees assigned to the contract within 90 calendar days from the time of enrollment in the system and after the date and selecting which employees will be verified in E-Verify or within 30 days of an employee's assignment to the contract, whichever date is later.

d. Employers that are already enrolled in E-Verify at the time of a contract award but are not enrolled in the system as a Federal contractor with the FAR E-Verify clause: Employers enrolled in E-Verify for 90 days or more at the time of a contract award must use E-Verify to initiate verification of employment eligibility for new hires of the Employer who are working in the United States, whether or not assigned to the contract, within 3 business days after the date of hire. Employers enrolled in E-Verify as other than a Federal contractor with the FAR E-Verify clause, must update E-Verify to indicate that they are a Federal contractor with the FAR E-Verify clause within 30 days after assignment to the contract. If the Employer is enrolled in E-Verify for 90 calendar days or less at the time of contract award, the Employer must, within 90 days of enrollment, begin to use E-Verify to initiate verification of new hires of the contractor who are working in the United States, whether or not assigned to the contract. Such verification of new hires must be initiated within 3 business days after the date of hire. An Employer enrolled as a Federal contractor with the FAR E-Verify clause in E-Verify must initiate verification of each employee assigned to the contract within 90 calendar days after date of contract award or within 30 days after assignment to the contract, whichever is later.

e. Institutions of higher education, State, local and tribal governments and sureties: Federal contractors with the FAR E-Verify clause that are institutions of higher education (as defined at 20 U.S.C. 1001(a)), State or local governments, governments of Federally recognized Indian tribes, or sureties performing under a takeover agreement entered into with a Federal agency pursuant to a performance bond may choose to only verify new and existing employees assigned to the Federal contract. Such Federal contractors with the FAR E-Verify clause may, however, elect to verify all new hires, and/or all existing employees hired after November 6, 1986. The provisions of Article II.D, paragraphs 1.a and 1.b of this MOU providing timeframes for initiating employment verification of employees assigned to a contract apply to such institutions of higher education, State, local and tribal governments, and sureties.

f. Verification of all employees: Upon enrollment, Employers who are Federal contractors with the FAR E-Verify clause may elect to verify employment eligibility of all existing employees working in the United States who were hired after November 6, 1986, instead of verifying only new employees and those existing employees assigned to a covered Federal contract. After enrollment, Employers must elect to do so only in the manner designated by DHS and initiate E-Verify verification of all existing employees within 180 days after the election.

g. Form I-9 procedures for existing employees of Federal contractors with the FAR E-Verify clause: Federal contractors with the FAR E-Verify clause may choose to complete new Forms I-9 for all existing employees other than those that are completely exempt from this process. Federal contractors with the FAR E-Verify clause may also update previously completed Forms I-9 to initiate E-Verify verification of existing employees who are not completely exempt as long as that Form I-9 is complete (including the SSN), complies with

Company ID Number: 513478

Article II.C.5, the employee's work authorization has not expired, and the Employer has reviewed the information reflected in the Form I-9 either in person or in communications with the employee to ensure that the employee's stated basis in section 1 of the Form I-9 for work authorization has not changed (including, but not limited to, a lawful permanent resident alien having become a naturalized U.S. citizen). If the Employer is unable to determine that the Form I-9 complies with Article II.C.5, if the employee's basis for work authorization as attested in section 1 has expired or changed, or if the Form I-9 contains no SSN or is otherwise incomplete, the Employer shall complete a new I-9 consistent with Article II.C.5, or update the previous I-9 to provide the necessary information. If section 1 of the Form I-9 is otherwise valid and up-to-date and the form otherwise complies with Article II.C.5, but reflects documentation (such as a U.S. passport or Form I-551) that expired subsequent to completion of the Form I-9, the Employer shall not require the production of additional documentation, or use the photo screening tool described in Article II.C.5, subject to any additional or superseding instructions that may be provided on this subject in the Supplemental Guide for Federal Contractors. Nothing in this section shall be construed to require a second verification using E-Verify of any assigned employee who has previously been verified as a newly hired employee under this MOU, or to authorize verification of any existing employee by any Employer that is not a Federal contractor with the FAR E-Verify clause.

2. The Employer understands that if it is a Federal contractor with the FAR E-Verify clause, its compliance with this MOU is a performance requirement under the terms of the Federal contract or subcontract, and the Employer consents to the release of information relating to compliance with its verification responsibilities under this MOU to contracting officers or other officials authorized to review the Employer's compliance with Federal contracting requirements.

ARTICLE III

REFERRAL OF INDIVIDUALS TO SSA AND DHS

A. REFERRAL TO SSA

1. If the Employer receives a tentative nonconfirmation issued by SSA, the Employer must print the notice as directed by the E-Verify system and provide it to the employee so that the employee may determine whether he or she will contest the tentative nonconfirmation. The Employer must review the tentative nonconfirmation with the employee in private.

2. The Employer will refer employees to SSA field offices only as directed by the automated system based on a tentative nonconfirmation, and only after the Employer records the case verification number, reviews the input to detect any transaction errors, and determines that the employee contests the tentative nonconfirmation. The Employer will transmit the Social Security Number to SSA for verification again if this review indicates a need to do so. The Employer will determine whether the employee contests the tentative nonconfirmation as soon as possible after the Employer receives it.

3. If the employee contests an SSA tentative nonconfirmation, the Employer will provide the employee with a system-generated referral letter and instruct the employee to visit an SSA office within 8 Federal Government work days. SSA will electronically transmit the result of the referral to the Employer within 10 Federal Government work days of the referral unless it

Company ID Number: 513478

determines that more than 10 days is necessary. The Employer agrees to check the E-Verify system regularly for case updates.

4. The Employer agrees not to ask the employee to obtain a printout from the Social Security Number database (the Numident) or other written verification of the Social Security Number from the SSA.

B. REFERRAL TO DHS

1. If the Employer receives a tentative nonconfirmation issued by DHS, the Employer must print the tentative nonconfirmation notice as directed by the E-Verify system and provide it to the employee so that the employee may determine whether he or she will contest the tentative nonconfirmation. The Employer must review the tentative nonconfirmation with the employee in private.

2. If the Employer finds a photo non-match for an employee who provides a document for which the automated system has transmitted a photo, the employer must print the photo non-match tentative nonconfirmation notice as directed by the automated system and provide it to the employee so that the employee may determine whether he or she will contest the finding. The Employer must review the tentative nonconfirmation with the employee in private.

3. The Employer agrees to refer individuals to DHS only when the employee chooses to contest a tentative nonconfirmation received from DHS automated verification process or when the Employer issues a tentative nonconfirmation based upon a photo non-match. The Employer will determine whether the employee contests the tentative nonconfirmation as soon as possible after the Employer receives it.

4. If the employee contests a tentative nonconfirmation issued by DHS, the Employer will provide the employee with a referral letter and instruct the employee to contact DHS through its toll-free hotline (as found on the referral letter) within 8 Federal Government work days.

5. If the employee contests a tentative nonconfirmation based upon a photo non-match, the Employer will provide the employee with a referral letter to DHS. DHS will electronically transmit the result of the referral to the Employer within 10 Federal Government work days of the referral unless it determines that more than 10 days is necessary. The Employer agrees to check the E-Verify system regularly for case updates.

6. The Employer agrees that if an employee contests a tentative nonconfirmation based upon a photo non-match, the Employer will send a copy of the employee's Form I-551 or Form I-766 to DHS for review by:

- Scanning and uploading the document, or
- Sending a photocopy of the document by an express mail account (paid for at employer expense).

7. If the Employer determines that there is a photo non-match when comparing the photocopied List B document described in Article II.C.5 with the image generated in E-Verify, the Employer must forward the employee's documentation to DHS using one of the means described in the preceding paragraph, and allow DHS to resolve the case.

Company ID Number: 513478

ARTICLE IV

SERVICE PROVISIONS

SSA and DHS will not charge the Employer for verification services performed under this MOU. The Employer is responsible for providing equipment needed to make inquiries. To access E-Verify, an Employer will need a personal computer with Internet access.

ARTICLE V

PARTIES

A. This MOU is effective upon the signature of all parties, and shall continue in effect for as long as the SSA and DHS conduct the E-Verify program unless modified in writing by the mutual consent of all parties, or terminated by any party upon 30 days prior written notice to the others. Any and all system enhancements to the E-Verify program by DHS or SSA, including but not limited to the E-Verify checking against additional data sources and instituting new verification procedures, will be covered under this MOU and will not cause the need for a supplemental MOU that outlines these changes. DHS agrees to train employers on all changes made to E-Verify through the use of mandatory refresher tutorials and updates to the E-Verify User Manual, the E-Verify User Manual for Federal Contractors or the E-Verify Supplemental Guide for Federal Contractors. Even without changes to E-Verify, DHS reserves the right to require employers to take mandatory refresher tutorials. An Employer that is a Federal contractor with the FAR E-Verify clause may terminate this MOU when the Federal contract that requires its participation in E-Verify is terminated or completed. In such a circumstance, the Federal contractor with the FAR E-Verify clause must provide written notice to DHS. If an Employer that is a Federal contractor with the FAR E-Verify clause fails to provide such notice, that Employer will remain a participant in the E-Verify program, will remain bound by the terms of this MOU that apply to participants that are not Federal contractors with the FAR E-Verify clause, and will be required to use the E-Verify procedures to verify the employment eligibility of all newly hired employees.

B. Notwithstanding Article V, part A of this MOU, DHS may terminate this MOU if deemed necessary because of the requirements of law or policy, or upon a determination by SSA or DHS that there has been a breach of system integrity or security by the Employer, or a failure on the part of the Employer to comply with established procedures or legal requirements. The Employer understands that if it is a Federal contractor with the FAR E-Verify clause, termination of this MOU by any party for any reason may negatively affect its performance of its contractual responsibilities.

C. Some or all SSA and DHS responsibilities under this MOU may be performed by contractor(s), and SSA and DHS may adjust verification responsibilities between each other as they may determine necessary. By separate agreement with DHS, SSA has agreed to perform its responsibilities as described in this MOU.

Company ID Number: 513478

D. Nothing in this MOU is intended, or should be construed, to create any right or benefit, substantive or procedural, enforceable at law by any third party against the United States, its agencies, officers, or employees, or against the Employer, its agents, officers, or employees.

E. Each party shall be solely responsible for defending any claim or action against it arising out of or related to E-Verify or this MOU, whether civil or criminal, and for any liability wherefrom, including (but not limited to) any dispute between the Employer and any other person or entity regarding the applicability of Section 403(d) of IIRIRA to any action taken or allegedly taken by the Employer.

F. The Employer understands that the fact of its participation in E-Verify is not confidential information and may be disclosed as authorized or required by law and DHS or SSA policy, including but not limited to, Congressional oversight, E-Verify publicity and media inquiries, determinations of compliance with Federal contractual requirements, and responses to inquiries under the Freedom of Information Act (FOIA).

G. The foregoing constitutes the full agreement on this subject between DHS and the Employer.

H. The individuals whose signatures appear below represent that they are authorized to enter into this MOU on behalf of the Employer and DHS respectively.



Company ID Number: 513478

To be accepted as a participant in E-Verify, you should only sign the Employer's Section of the signature page. If you have any questions, contact E-Verify at 888-464-4218.

Employer Warrior Tractor & Equipment Co., Inc.	
Stanley McCracken	
Name (Please Type or Print)	Title
Electronically Signed	03/01/2012
Signature	Date
Department of Homeland Security – Verification Division	
USCIS Verification Division	
Name (Please Type or Print)	Title
Electronically Signed	03/01/2012
Signature	Date

Information Required for the E-Verify Program

Information relating to your Company:

Company Name:	Warrior Tractor & Equipment Co., Inc.
Company Facility Address:	6801 McFarland Blvd
	Northport, AL 35476
Company Alternate Address:	P O Box 412
	Northport, AL 35476
County or Parish:	TUSCALOOSA
Employer Identification Number:	630588737

Company ID Number: 513478

North American Industry Classification Systems Code:	423
Administrator:	Warrior Tractor and Equipment Co., Inc.
Number of Employees:	100 to 499
Number of Sites Verified for:	1
Are you verifying for more than 1 site? If yes, please provide the number of sites verified for in each State:	
<ul style="list-style-type: none">• ALABAMA 1 site(s)	

Information relating to the Program Administrator(s) for your Company on policy questions or operational problems:

Name:	Stanley N McCracken	Fax Number:	(205) 333 - 0101
Telephone Number:	(205) 339 - 0300		
E-mail Address:	wte024@warriortractor.com		

450K/550K/650K CRAWLER DOZERS

60–78 kW (80–104 hp)



JOHN DEERE

