

**BID SUBMITTAL FORM**  
**Alabama County Joint Bid Program**  
**BID ITEM – Rubber Tire Roller**

Company Name: Tractor & Equipment Company  
Address: P.O. Box 12326  
Birmingham, AL 35212  
Bid Submitted by: Antony McMillan Jr.  
(Name of company representative)  
Title: V.P. E-mail address: amcmillan@TEC1943.com  
Phone: 205-591-2131 Fax: 205-591-8321

By submitting this bid, we agree:

Initials

The equipment model number identified below meets the bid specs for this bid item

Am

That the bid price will be honored for all counties for the period from Jan. 1, 2022 to Dec. 31, 2022.

Am

The equipment will be delivered at the bid price to all counties participating in the joint bid program

Am

The company representative listed above will be the contact person for purchasing this bid item under the joint bid program

Am

The bid is accompanied by a current catalog or model specification document for the model number identified below

Am

The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications

Am

The bid includes the e-verify documentation required by Alabama law

Am

If awarded the bid, a performance bond will be provided upon request

Am

The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine**

Am

## Rubber Tire Roller

Total Bid Price for Standard Machine: \$ 132,400<sup>00</sup>

(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) \*

Freight Preparation and Delivery: \$ 4,500<sup>00</sup>  
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 153,700<sup>00</sup>

Equipment Model #: Hamm HP180

Description: rubber tire roller

Signature of company representative submitting bid: 

Title: V.P.

\* **NOTE:** Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

## BID SUBMITTAL FORM: OPTION COST SHEET

### Rubber Tire Roller

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine\*

An


The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) with **any available Options** for the Standard Machine

An

Equipment Model #: Hamm HP180

Description: rubber Tire roller

Signature of company representative submitting bid: \_\_\_\_\_



Title: \_\_\_\_\_

**\*Note:** The percent difference between the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the standard machine as specified by these **Bid Specifications** and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation, delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.



## **BID SPECIFICATIONS FOR RUBBER TIRE ROLLER**

### **GENERAL**

These specifications shall be construed as the minimum acceptable standards for a **Rubber Tire Roller**. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The roller must be a new current production model. The roller must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

### **BID SUBMITTAL FORM**

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

### **BID PRICE**

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

### **MANUALS**

Each unit shall be provided with one (1) copy of the operator's manual, (1) copy of the repair manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

### **REPLACEMENT PARTS AVAILABILITY**

Parts must be available for 5 years or 7,500 hours of use for the piece of equipment bid. If replacement parts are not delivered within three (3) working days of an order being placed, the bidder will deliver an equivalent machine for the county to use at no cost to the county until such time as the parts are delivered to the county so it can affect repairs to its machine.

### **WARRANTY**

Bidders shall submit a copy of the manufacturer's standard warranty. Warranty shall include service response time of maximum of 36 hours within notification by county.

Yes ☒ No ☐  
Page#   
or  
Attachment ☒

*Dancer*

**ENGINE**

Four (4) cylinder, four (4) stroke cycle, water cooled and turbocharged diesel engine, capable of developing a minimum of 70 horsepower.

Minimum 60 gal. fuel tank.

Yes ☒ No ☐  
Page # 2

**WEIGHT (STANDARD OPERATING)**

The factory specified operating weight only. No additional weights may be added for the purpose of meeting these specifications.

Minimum 19,000 lbs. standard with ROPS.

Yes ☒ No ☐  
Page # 2

**STARTING SYSTEM**

Unit shall be equipped with a 12-volt electrical system.

Yes ☒ No ☐  
Page # 2

**DRIVE**

Infinitely variable hydrostatic drive system. 0-9 mph.

Yes ☒ No ☐  
Page # 2

**Tires**

4 front and 4 rear tires. 11.00-R20 front and rear. Width over tires min. 72 inches.

Yes ☒ No ☐  
Page# 2

**BRAKES**

Service brakes – Hydrostatic

Yes ☒ No ☐  
Page # 2

Parking brake.

Yes ☒ No ☐  
Page # 2

**OPERATOR'S PLATFORM**

Unit shall include: ROPS Canopy; vibration isolated, anti-slip operator platform; lockable instrument panel cover; emergency stop; horn; hour meter; Gauges and/or warning lights for fuel level, coolant temperature, engine oil pressure, engine temperature, and charging system; adjustable seat with seatbelt; rear view mirrors; and safety rail.

Yes ☒ No ☐  
Page # 2

### OTHER FEATURES

Lockable hood;

Yes ☒ No ☐  
Page # 2

Oil level sight gauges;

Yes ☒ No ☐  
Page # 2

Backup alarm;

Yes ☒ No ☐  
Page # 2

Battery master switch;

Yes ☒ No ☐  
Page # 2

Slow moving vehicle sign;

Yes ☒ No ☐  
Page # 2

Water Tank min. 50 gallons

Yes ☒ No ☐  
Page # 2

Rotating beacon mounted on ROPS.

Yes ☒ No ☐  
Page # 2



# INVITATION TO BID

## HEAVY EQUIPMENT

### NOTICE OF BID OPENING

**NOTICE IS HEREBY GIVEN** that the Association of County Commissions of Alabama, which administers the Alabama County Joint Bid Program on behalf of Alabama's county governing bodies, shall receive and open bids for the purchase of zero (0) or more items of heavy road equipment at its office located at 2 North Jackson Street, Montgomery, Alabama, at **10:00 a.m. on Friday, October 22, 2021**. Bid specifications are available at <http://www.alabamacounties.org/heavy-equipment/> for each of the following items:

Asphalt Milling Attachments	125 HP Heavy Duty Hydrostatic Bulldozer – Option A
Light Duty Backhoe	125 HP Heavy Duty Hydrostatic Bulldozer – Option B
Medium Duty Backhoe	Mulching Dozer
Heavy Duty Backhoe Option A	3 CY Wheel Loader Option A
Heavy Duty Backhoe Option C	3 CY Wheel Loader Option B
85 PTO Tractor Option A	3 CY Wheel Loader Option C
85 PTO Tractor Option B	3.65 CY Wheel Loader Option A
95 PTO Tractor Option A	3.65 CY Wheel Loader Option B
95 PTO Tractor Option B	Heavy Duty Dump Chassis – Option A
Track Mount Excavator Option A-1	Heavy Duty Dump Chassis – Option C
Track Mount Excavator Option A-2	Heavy Duty Dump Chassis – Option D
Track Mount Excavator Option A-3	Heavy Duty Dump Chassis – Option F
Track Mount Excavator Option B-1	Lowboy Tractor Option – A
Track Mount Excavator Option B-2	Lowboy Tractor Option – B
Track Mount Excavator Option B-3	Lowboy Tractor Option – E
Track Mount Excavator Option C-1	Skid Steer Loader w/no attachments
Track Mount Excavator Option C-2	Skid Steer Attachments
Compact Track Mount Excavator Option D-1	Ride-on Industrial Boom Mower
Compact Track Mount Excavator Option D-2	Asphalt Distributor Truck
Compact Track Mount Excavator Option D-3	Chip Spreader
Mini Track Excavator Option E-1	Rubber Tire Roller
19 Ton Wheeled Excavator	7.5 Ton Single Drum Vibratory Roller
21 Ton Wheeled Excavator	One-man Pothole Patcher Option A
2WD Highway Speed Truck Excavator	One-man Pothole Patcher Option B
4WD Highway Speed Truck Excavator	Trailer Mounted Patcher – Diesel
Light Duty Motor Grader – Option A	Trailer Mounted Patcher – Air Compressor/Tools
Light Duty Motor Grader – Option B	Trailer Mount Mastic Patcher/Crack Sealer
Heavy Duty Motor Grader – Option A	Asphalt Storage Tanks
Heavy Duty Motor Grader – Option B	Half Round End Dump Trailer
Medium Duty Motor Grader – Option A	Lowboy Trailers – 35 Ton/55 Ton
Medium Duty Motor Grader – Option B	Tag Trailer – 20 Ton
Medium Duty Motor Grader – AWD	Road Wideners and Attachments
100 HP Heavy Duty Hydrostatic Bulldozer – Option B	16' Steel Dump Bodies Options B, D, E, F (Automatic and Manual)
100 HP Heavy Duty Hydrostatic Bulldozer – Option C	
100 HP Heavy Duty Hydrostatic Bulldozer – Option D	

**Time is of the essence in submitting bids and only bids received in the Association office by 10:00 a.m. Central Time on Friday, October 22, 2021 will be opened and considered.** Bidders and any other interested individuals are invited to attend the bid opening.

### **THE INVITATION PACKAGE**

The invitation package for each item to be bid includes: this invitation to bid, the written bid specifications for the particular item of heavy road equipment, and a Bid Submittal Form to be used in submitting a bid for that particular item. Bidders should verify that they have received all pages of the invitation package. If there are any omissions, the bidder should contact **Kenya Howard** in the Association office by mail, fax, or e-mail ([jointbid@alabamacounties.org](mailto:jointbid@alabamacounties.org)) to request missing pages. It is the responsibility of the bidder to make this request in sufficient time to prepare and submit the bid in time for the bid opening. Bidders should carefully read and comply with all parts of the invitation package, including all attachments and/or any addendum.

### **PREPARING AND SUBMITTING BIDS**

All bids must be typed or hand written in ink on the attached Bid Submittal Form. **The completed Bid Submittal Form shall be placed in front of and separated from all other documents included in the bid packet, such that it will be the first document viewed upon opening the bid packet.**

Bids submitted in pencil and bids not submitted on the Bid Submittal Form will **not** be considered. All bids shall include a current catalog or model specification document for the equipment model number being offered for consideration. Bids submitted without such documentation will **not** be considered. Only information contained on the attached Bid Submittal Form and in the model specification document will be considered in evaluating bids.

Each separate requirement in the bid specification includes a block for indicating whether or not the item bid meets the specification. The bidder shall indicate compliance with each requirement by checking "Yes" or "No" in the block to the right of each bid specification. In addition, the bidder shall indicate the page number in the supplied manufacturer's equipment literature on which compliance with the specification can be verified. Failure to complete this portion of the bid form may result in the subject bid not being considered.

Each bid for one of the heavy equipment items included in the bid package must be submitted on the Bid Submittal Form for that item and forwarded in a separate envelope with the bid item and item number clearly identified on the outside of the envelope. Envelopes containing a "no bid" shall also include the words "NO BID" on the outside of the envelope. Facsimiles and e-mails will not be accepted. Bids submitted by "Express/Overnight" services must be in a separate inner envelope or package sealed and identified as stated above. All bids must be received in the Association office prior to the bid opening. Bids received after the deadline will be returned unopened.

The County Joint Bid Program reserves the right to require a performance bond from successful bidders as permitted under Alabama law. However, **no bid bond is required for this bid offering.**



All bids should be mailed or hand-delivered to:

**Attn: Joint Bid Program**  
**Association of County Commissions of Alabama**  
**2 North Jackson Street Montgomery, Alabama 36104 (Physical Address)**  
**P.O. Box 5040, Montgomery, Alabama 36103 (Mailing Address)**

## **BID SPECIFICATIONS**

Please note that each piece of heavy equipment available for bid may include several different sizes and categories of machines. You should read each set of specifications very carefully as the differences vary depending upon the piece and size of equipment.

The award will be based on the total cost of the **Standard Machine** bid by the lowest responsible bidder. Each Bid shall include a **Manufacturer's Suggested Retail Price Sheet (MSRP)** for each machine bid. The percent difference between the Manufacturer's Suggested Retail Price (MSRP) for the standard machine as specified by these bid specifications and the actual price bid by the vendor will be calculated and that percentage discount shall be applied to any options an individual county may choose to add to the machine.

Once the bids have been awarded, any county participant purchasing under this program may, at its discretion, add any of the vendor's available options at the same discount off the Manufacturer's Suggested Retail Price Sheet as was applied to the Standard Machine Price Bid.

Any use of specific names and/or model numbers in the attached specifications is not intended to restrict the bidder or any seller or manufacturer, but is included solely for the purpose of indicating the type, size, and quality of materials, product services, or equipment considered best adapted to the use of the counties participating in the joint bid program.

## **ACQUISITION AND FINANCING OPTIONS**

The awarded Vendor will provide the equipment, including any options required by the purchaser, at the awarded price as contracted through the Joint Bid Program. The purchaser may secure its own financing to acquire the equipment or execute any financial options available under Alabama law with the awarded Vendor in order to acquire the equipment.

## **BIDDER QUALIFICATIONS**

All bidders and all program participants must be in compliance with any applicable federal, state, county and municipal laws, regulations, resolutions and ordinances, including but not limited to, licensing, permitting, and taxation requirements. All bidders should be prepared to submit evidence or documentation as proof that they are properly licensed and permitted under any applicable laws upon request. Such evidence or documentation may be submitted with the bid. Additionally, all bidders shall provide proof that they are in compliance with the e-verify requirements of Alabama's Immigration Law (Ala. Code § 31-13-1 et seq., as amended by Act No. 2012-491).

## **BID AWARD**

The Houston County Commission will serve as the awarding authority for all bids and will award all contracts at a regular meeting of the Houston County Commission. Any and all bids submitted in compliance with this invitation to bid shall be considered, and award will be made to the lowest responsible bidder meeting bid specifications as determined by the awarding authority in compliance with Alabama law. All bids will be reviewed and evaluated by a committee created for that purpose, which committee will make comments and recommendations to the awarding authority regarding the award. All factors contained in each invitation package will be evaluated in determining the successful bidder, and any omissions of the stated requirements may be cause for rejection of the bid submitted. The awarding authority reserves the

right to reject any and all bids, to waive any informality in bids, and to accept in whole or in part such bid or bids solely at its discretion.

The contract period will be one year with an option to renew for a second and third year under identical price, terms, and conditions upon the mutual consent of the vendor and the awarding authority. Any renewal contract shall be approved in writing by the vendor and the awarding authority no later than 90 days prior to the expiration of the existing contract.

### **CONTACT REGARDING BIDS AND INVITATION**

Contact initiated by a potential bidder with any county official, county employee, or member of the Association staff shall only be as specifically set out in this Invitation to Bid. Any questions related to the bid or the County Joint Bid Program shall be directed to Association staff in writing under the procedures set out in this Invitation to Bid. Additionally, a bidder may contact the Association in writing to request an appointment to review bid specifications following the bid opening. **However, there shall be no communication with any county official or county employee regarding this bid between the date of this invitation and the date of bid award.** Any contact other than as set out here shall be deemed as an attempt to unduly influence the bid award, and shall be grounds for rejection of the bid submitted by the bidder initiating such other contact.

Any questions or problems related to downloading or obtaining copies of this Invitation to Bid should be directed to **Kenya Howard** at [jointbid@alabamacounties.org](mailto:jointbid@alabamacounties.org) or **334-263-7594**.

Any other questions or requests for additional information regarding this invitation or the bid specifications shall be submitted **in writing** no later than five (5) days prior to bid opening to:

**ATTN: Patrick McDougald**  
**Association of County Commissions of Alabama**  
**P.O. Box 5040**  
**Montgomery, Alabama 36103**

**E-mail: [barbeng@bellsouth.net](mailto:barbeng@bellsouth.net)**



# HP 180i

Pneumatic tire roller

Pneumatic tire rollers Series HP / Series H250





## HIGHLIGHTS HP

- > Simple, intuitive and language-neutral control
- > Excellent view of tires, machine and construction site
- > High compaction and surface quality due to even weight distribution and tire overlap of the front and rear wheel pairs
- > Intelligent ballasting concept for flexible adjustment of the machine weight to the application
- > Seat-operating unit can be moved and rotated












### Machine dimensions

Total length (L)	mm • in	4970 • 195.7
Width (B)	mm • in	2166 • 85.3
Total height (H)	mm • in	3000 • 118.1
Width over tires (Y)	mm • in	1830/1830 • 72.0/72.0
Height, loading, min. (Hl)	mm • in	2320 • 91.3



EU Stage V /  
EPA Tier 4

TECHNICAL DATA		Unit	HP 180i
	<b>Weights</b>		
	Operating weight with cab	kg • lbs	8515 • 18,776
	Operating weight with ROPS	kg • lbs	8265 • 18,224
	Basic weight no cab, without ROPS	kg • lbs	7295 • 16,085
	Operating weight, max.	kg • lbs	17180 • 37,882
	French classification min., value/category		11,3/PLO
	French classification max. value/category		21,6/PO
	Min. wheel load per tire, front/rear	kg • lbs	1000/1129 • 2,205/2,489
	Max. wheel load per tire, front/rear	kg • lbs	2160/1969 • 4,763/4,342
	<b>Machine dimensions</b>		
	Total length	mm • in	4970 • 195.7
	Total height with cab	mm • in	3000 • 118.1
	Total height with ROPS	mm • in	2986 • 117.6
	Height, loading, min.	mm • in	2320 • 91.3
	Wheelbase	mm • in	3900 • 153.5
	Total width with cab	mm • in	2166 • 85.3
	Max. working width	mm • in	2084 • 82.0
	Ground clearance, center	mm • in	300 • 11.8
	Turning radius, inside	mm • in	6200 • 244.1
	<b>Wheel dimensions</b>		
	Size of tires, front/rear		11.00-R20/11.00-R20
	Width over tires, front/rear	mm • in	1830/1830 • 72.0/72.0
	Number of tires, front/rear		4/4
	<b>Diesel engine</b>		
	Manufacturer		DEUTZ
	Type		TCD 3.6 L4
	Number of cylinders		4
	Power rat. ISO 14396, kW/PS/rpm		55,4/75,3/2200
	Power rating SAE J1995, kW/HP/rpm		55,5/74,2/2200
	Emission standard		EU Stage V / EPA Tier 4
	Exhaust gas after-treatment		DOC-DPF
	<b>Drive</b>		
	Speed, infinitely variable	km/h • mph	0-19,0 • 0.0-11.8
	Regulation, infinitely variable		Hammtronic
	Climbing ability, with/no ballast	%	25/35
	<b>Steering</b>		
	Oscillation angle +/-	°	2
	Steering, type		Two-point steering
	<b>Sprinkler system</b>		
	Water sprinkler, type		Pressure
	<b>Tank capacity/Fill capacity</b>		
	Fuel tank, capacity	L • Gal	235 • 62.1
	Water tank, capacity	L • Gal	650 • 171.7
	Additive tank, capacity	L • Gal	28 • 7.4
	<b>Sound level</b>		
	Acoustic power LW(A), sticker		101
	Acoustic power LW(A), measured		97

#### EQUIPMENT

12 V outlets (double), 2 large working and rear view mirrors, Dashboard with displays, Indicator lights and function key, Tilttable dashboard, Operating concept Easy Drive, Pressure water sprinkling with interval switch, ECO mode, Operator's platform with entry from both sides, Speed-controlled water sprinkling system, Leveling of front wheelset, Maintenance platform, Spray system with spray bars front and rear, Water filtering (triple), Water tank at front, Central water drain, Lighting package as per road traffic regulations

#### OPTIONAL EQUIPMENT

Machine with 10 tons operating weight and additional water tank, Brush scraper, collapsible, ROPS cabin with split doors, Heating and air conditioning, Seat operating unit, sideways adjustable and rotatable, Radio, Tachograph, HCQ navigator, Fire extinguisher, Dashboard cover, Protective roof, Edge pressing and cutting equipment, Cutting disc, Thermal aprons, Tire inflation system, HAMM Temperature Meter (HTM), Working light, Rotating beacon

#### WIRTGEN AMERICA

6030 Dana Way  
Antioch, TN 37013  
Phone +1 615-501-0600  
Fax +1 615-501-0691  
info.america@wirtgen-group.com  
www.wirtgen-group.com/america

#### HAMM AG

Hammstraße 1  
D-95643 Tirschenreuth  
Tel +49 9631 80-0  
Fax +49 9631 80-111  
www.hamm.eu





## HAMM EXTENDED POWERTRAIN WARRANTY

### OUR PROMISE

Tractor & Equipment Company, Inc. will provide an extended powertrain warranty as described herein on the below registered machine.

Model HAMM HP180I

Serial Number \_\_\_\_\_

The standard warranty on this machine is:

☐  
☐

Six Months or 1,500 hour

☒  
☐

Twelve Months unlimited hours

The extended powertrain warranty begins at the start of the standard factory warranty and is a total of:

☐

24 months/4,000 hours, whichever occurs first

☐

36 months/5,000 hours, whichever occurs first

☐

60 months/6,000 hours, whichever occurs first

From the delivery date shown below:

Delivery Date: \_\_\_\_\_

The specific powertrain components covered by this warranty are:

- a. Engine - Cylinder block, cylinder heads, pistons, piston rings and pins, connecting rods, crankshaft, crankshaft main and rod bearings, camshaft and camshaft bearings, water pump, fuel pump, turbo charger, valves and guides, rocker arms, oil pump and accessory drive gears, flywheel and housing, front cover, manifolds, oil pan, gaskets and oil coolers which are integral with the engine.
- b. Torque converter, except control valves.
- c. Transmission (except non-integral control valves), transfer case.
- d. Bevel gear and shaft.
- e. Planetary steering units, excluding valves.
- f. Final drives, excluding sprockets.
- g. Piston pump and motors (PPM), (excluding valves), PTO.
- h. Axle assemblies, (excluding external brakes).
- i. Tandem drives, excluding brakes and drive chain.
- j. Drive shaft and its bearings.
- k. Swing gear assemblies.



**EXCLUDED**

External hardware and parts of these specified powertrain components such as hoses, tubes, pumps, filters, and oil coolers are not covered by this extended warranty. All other components not mentioned above are also excluded such as braking, and steering components on rubber tired loaders and heat exchangers and equipment hydraulic systems on all machines.

This optional extended powertrain warranty offered by Tractor & Equipment Co., Inc. is an addition to the GRADALL Company standard new machinery warranty and has no effect on that standard warranty.

This optional extended powertrain warranty is limited to the repair or the replacement of inspected parts determined to have failed due to defects in material or workmanship without charge for either parts or labor, during this extended period.

All extended powertrain warranty repairs must be performed by Tractor & Equipment Co., Inc. at their nearest service facility. Tractor & Equipment Co., Inc. will provide any necessary instruction in the performance of the scheduled and required maintenance procedures defined in the applicable operators manual.

**WHAT YOU MUST DO**

To keep this extended powertrain warranty coverage in effect; \_\_\_\_\_  
agrees to the following conditions:

- a. The scheduled and required maintenance procedures defined in the applicable operator's manual must be followed.
- b. Make the machine available to Tractor & Equipment Co., Inc. for inspections or any necessary warranty repairs during normal working hours and days. Monday thru Friday 7:30 AM to 4:00 PM except holidays.
- c. Use only genuine GRADALL Company parts in the maintenance and repair of the machine subject to this extended warranty during the period this optional coverage is in effect.
- d. The machine hour meter must be kept in operating condition for the period of coverage.
- e. Provide oil sampling as required:
  - Every 500 hours, or when ever oil is drained in each system.
  - Engine sample every 250 hours.

**FAILURE TO COMPLY WITH ANY OF THE ABOVE CONDITIONS WILL VOID COVERAGE.**  
This warranty does not apply to normal maintenance service (such as engine tune-up) or normal replacement of service of wear items. Tractor & Equipment Co., Inc. will designate the place and method of repair (i.e. shop or field repair, replacement or exchange).

**ACKNOWLEDGEMENT:**

I have read the above terms and conditions and agree to abide by them for the period of coverage, starting as of the delivery date shown below.

\_\_\_\_\_  
(Owner's Signature)

\_\_\_\_\_  
(Delivery Date)

\_\_\_\_\_  
(Owner's Name)

\_\_\_\_\_  
(Expiration Date)

\_\_\_\_\_  
(Address)

**ISSUED BY:**

\_\_\_\_\_  
(City, State, Zip)

**TRACTOR & EQUIPMENT COMPANY, INC.**

\_\_\_\_\_  
(Distributor/Branch)

\_\_\_\_\_  
(Machine Model)

**5336 Airport Highway**

\_\_\_\_\_  
(Address)

\_\_\_\_\_  
(Product Identification Number)

**Birmingham, Alabama 35212**

\_\_\_\_\_  
(City, State, Zip)

\_\_\_\_\_  
(Engine Identification Number)

\_\_\_\_\_  
(Distributor / Branch Signature)



## Machine equipment

Pos.	Material No.	Description	USD
0010	H25000	HP 180i Pneumatic tire roller	153,700.00
0020		Country of operation United States	
0030	2870589	Machine with 10 sh. tn. (US) operating weight, upon delivery	
0040	2757061	Hydraulics package, standard	
0050	2352823	1 set of wheels with smooth tires	
0060	2611578	Brush scraper, foldable	
0070	2142271	standard color (RAL 2004 + RAL 7015)	
0080	2627079	Version with CE conformity	
0090	2076768	Warning labels according to ANSI	
0100	2606839	Display of the units of measurement, US units	
0110	2571290	Electrics package standard	
0120	2746435	ROPS, rigid	
0130	2382546	Driver seat, black imitation leather	
0140	2515837	Steering unit, standard	
0150	2471424	Multifunction armrest, right, foldable	
0160	2470057	Steering column with comfort exit and tiltable dashboard	
0170	2400726	Seat-operating unit, adjustable sideways and rotatable	
0180	2517500	Lighting package as per road traffic regulations	
0190	2611637	Version without anti-slip control	
0200	2142336	Hydraulic oil	
0210	2478579	English spare parts and application documentation (EN)	
0220	2478472	Technical documentation – country-specific version for North America (US)	
0230	2082887	Backrest extension for driver's seat, black imitation leather	
0240	2382555	Armrest comfort setting, left	
0250	2638975	Dashboard cover, lockable	
0260	2579429	Protective roof, plastic, on ROPS	
0270	2630523	Automatic motor stop	
0280	2478189	Back-up alarm	
0290	2764783	WITOS (MF3, 4G) – professional telematics solution for machine operation and service optimization	
0300	2478192	Preparation for working lights or rotating beacon	
0310	2599711	lunchbox holder	





Company ID Number:571783

Client Company ID Number:1453697

<b>Information Required for the E-Verify Program</b>	
<b>Information relating to your Company:</b>	
Company Name	Tractor & Equipment Co Inc
Company Facility Address	5336 Messer Airport Highway Birmingham, AL 35212
Company Alternate Address	PO Box 12326 Birmingham, AL 35202
County or Parish	Jefferson
Employer Identification Number	63-0211767
North American Industry Classification Systems Code	Merchant Wholesalers, Durable Goods (423)
Parent Company	
Number of Employees	500 to 999
Number of Sites Verified for	22