BID SUBMITTAL FORM Alabama County Joint Bid Program BID ITEM – SKID STEER LOADER ATTACHMENTS



Company Name: THOMPSON TRACTOR COMPANY	
Address: P.O. BOX 10367	
BIRMINGHAM, AL 35202-0367	16 L s
Bid Submitted by:	
Title: SALES OPERATIONS MANAGER E-mail address: JAYSMITH@THOMP	SONTRACTOR.COM
Phone: (205) 849-4242 Fax: (205) 849-4394	
By submitting this bid, we agree:	Initials
The equipment model number identified below meets the bid specs for this bid item	940
That the bid price will be honored for all counties for the period from Jan. 1, 2022 to Dec. 31, 2022.	DAS
The equipment will be delivered at the bid price to all counties participating in the joint bid program	M
The company representative listed above will be the contact person for purchasing this bid item under the joint bid program	DAS
The bid is accompanied by a current catalog or model specification document for the model number identified below	DA
The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications	915
The bid includes the e-verify documentation required by Alabama law	915
If awarded the bid, a performance bond will be provided upon request	JAS
The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine	OF.

SPECIFICATIONS FOR SKID STEER LOADER ATTACHMENTS

GENERAL

These specifications shall be construed as the minimum acceptable standards for attachments compatible with the skid steer loader specifications. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide complete working unit(s) shall be furnished. Additionally, the attachments offered for bid shall include all standard manufacturers' equipment. The attachments bid must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names or numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

Bidder is not required to bid on every attachment listed in this bid specification. Each attachment will be awarded individually to the lowest responsible bidder for that item.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid for each attachment bid shall include all destination charges, delivery charges, title fees, rebates and all other applicable costs and refunds.

MANUALS

Each attachment shall be provided with one (1) copy of the owner/operator's manual for that attachment.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty along with a complete explanation of the warranty with their bid. All attachments must have (1) year warranty with no hour limit.

Yes K No___ Page#____ or Attachment_K

SKID STEER LOADER ATTACHMENTS

Attachment 7: Road Widner- Dual Discharge
Total Bid Price for Standard Machine: \$75,650 (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *
Freight Preparation and Delivery: \$NO_CHARGE(Included in Standard Machine Bid Price)
Manufacturer's Suggested Retail Price for Standard Machine: \$ 75,650
Equipment Model #: ROADWIDENER FH-RD DUAL DISCHARGE
Description: ROAD WIDENER Signature of company representative submitting bid:
Title: SALES OPERATIONS MANAGER
Attachment 8: Mulcher
Total Bid Price for Standard Machine: \$ (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *
Freight Preparation and Delivery: \$(Included in Standard Machine Bid Price)
Manufacturer's Suggested Retail Price for Standard Machine: \$
Equipment Model #:
Description:
Signature of company representative submitting bid:
Title:

^{*} NOTE: Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

ATTACHMENT #7: ROAD WIDENER DUAL DISCHARGE

Hydraulic-driven conveyor			Yes X No Page # B RI HURE
10" Head and Tail Pulleys			Yes No_Page #_BRO HURE
Right and left side discharge			Yes No Page # 13 ROCHURE
Hydraulic width/height adjustme	ent		Yes KNo_ Page #_BROCHURE
Adjustable shouldering angle			Yes K No Page # ROCHURC
Width	10'2"		Yes A No Page # B ROCHURE
Length	7'6"		Yes K No Page # B ROCAUSE
Height	4'3"		Yes No_ Page #_ R ROCHURE
Working Width	1 – 3.5'		Yes No_ Page #_ BROCHURC
Weight (Empty)	2600 lbs.		Yes No Page # B PUCHURO
ATTACHMENT #8: MULCHIN	NG ATTACHMENT		

MINIMUM SPECIFICATIONS FOR MULCHING ATTACHMENT

Weight	2,250 lbs.	Yes No Page #
Horsepower rating	125	Yes No Page #
RPM speed of spindle shaft	1,900	Yes No Page #
Cutting width	58"	Yes No Page #



11-15-2021 LIST PRICING

FH Single Discharge includes Pintle Hitch Push Plate	\$ 60,850	
FHR Single Discharge with Remote includes Pintle Hitch Push Plate FHRD Dual Discharge with Remote includes Pintle Hitch Push Plate	\$ 63,870 \$ 75,65 <mark>0</mark>	サス
Offset Vibratory Roller Arm and 2', 3' or 4' Drum	\$ 59,150	
Option: RW-1005007 2' Vibratory Drum Assembly	\$ 17,200	
Option: RW-1005006 3' Vibratory Drum Assembly	\$ 17,200	
Option: RW-1005005 4' Vibratory Drum Assembly	\$ 17,200	



SHOULDERING AND SIDE PAVER ATTACHMENT

PATENTED TECHNOLOGY

FH-R MODELS

SINGLE AND DUAL DISCHARGE WITH REMOTE


FH MODELS

SINGLE AND DUAL DISCHARGE

Lays down any and all aggregates

Connects to any machine

Ideal for Shouldering, Asphalt Patching, Trench Backfilling, Road




FH-R AND FH MODELS - PRODUCT OVERVIEW

A Must-Have for Efficiency and Productivity

Patented Road Widener attachments are essential for state and municipal highway departments, road and highway contractors, utility contractors, and landscapers seeking greater operating efficiency and productivity in aggregate dispersal. Applications include shoulder rehabilitation, road widening, asphalt patching, trench backfilling, and other aggregate dispersal applications.

Road Widener LLC, manufactures the most flexible and portable road wideners on the market. They offer the best cost/ton ratio when compared to traditional methods of laying aggregate, or large road wideners. Road Widener attachments are applicable for both skid steers and larger machines.



All attachments are equipped with a heat-treated belt, creating a versatile machine that can lay down any material, including hot mixes.



Road Widener attachments are designed to connect via a quick-connect coupler; however, with an adapter we can be added to any machine.



"Mill and fill" has never been easier.

FH and FH-R attachments are available as either a single discharge or a dual discharge. Single discharge attachments are available in either a left or a right discharge.

FH models feature spool valve controls on the machine that control the lay-down width and slope. FH-R models have taken the controls off of the machine and put them in the palm of an operator's hand via a wireless remote control.

All Road Widener attachments are designed to fit on any machine and are capable of laying down any material, making them the most versatile lay-down solution on the market.


With the optional shoe extension kit, you can extend the shoe an additional 1 foot. If a greater extension is required, contact Road Widener.



The optional curb backfilling attachment allows operators to backfill parallel to the curb rather than working against the curb.




Trench backfilling with the FH Model.



Rollers are adjustable to accommodate various truck axles.


FH-R MODEL - ILLUSTRATION AND EQUIPMENT



Equipment Single Discharge

- 1. Hopper
- 2. Discharge Opening
- 3. LED Light
- 4. Shoe

- 5. Adjustable Slope Angle
- 6. Universal Mounting Pad
- 7. Remote Storage



Equipment Dual Discharge

- 1. Left Shoe
- 2. Left Side Discharge
- 3. Hopper
- 4. Right Side Discharge
- 5. Right Shoe

- 6. Right Side LED
- 7. Universal Mounting Pad
- 8. Left Side LED
- 9. Remote Storage

Specifications


	Single Discharge	Dual Discharge
Lay Down Widths	1 ft. to 4 ft. (30 to 123 cm)	1 ft. to 4 ft. (30 to 123 cm)
Hydraulic Requirements	Standard Flow 17.5 to 24.2 gpm (66.2 to 41.6 lpm)	Standard Flow 17.5 to 24.2 gpm (66.2 to 41.6 lpm)
Empty Weight	2,900 lb (1,315 kg)	3,400 lb (1,542 kg)
Overall Width shoe extended	161 in. (409 cm)	210 in. (533 cm)
Overall Width shoe retracted	125 in. (317 cm)	138 in. (350 cm)
Overall Height	51 in. (130 cm)	51 in. (130 cm)
Overall Length	98 in. (249 cm)	98 in. (249 cm)
Height to Clear Push Roller	21 in. (53 cm)	21 in. (53 cm)
Conveyor Belt Length and Width (head to tail stock center length)	8 ft. (2.4 m) x 20 in. (508 mm)	9.5 ft. (2.9 m) x 21 in. (533 mm)
Power Requirements	12 Volt / 15 Amp	12 Volt / 15 Amp



Remote control


ROAD

FH MODEL - ILLUSTRATION AND EQUIPMENT



Equipment Single Discharge

- 1. Hopper
- 2. Discharge Opening
- 3. Shoe
- 4. Adjustable Slope Angle
- 5. Belt Speed Control Knob
- 6. Shoe In/Out Lever
- 7. Slope Up/Down Lever
- 8. Belt On/Off Lever
- 9. Universal Mounting Pad



Equipment Dual Discharge


- 1. Left Shoe
- 2. Left Side Discharge
- 3. Hopper
- 4. Right Side Discharge
- 5. Right Shoe
- 6. Right Shoe In/Out Lever .
- 7. Right Slope Up/Down Lever


- 8. Universal Mounting Pad
- 9. Belt On/Off Lever
- 10. Belt Speed Control
- 11. Shoe Selection Control Lever
- 12. Left Shoe In/Out Lever
- Left Slope Up/Down Lever

Specifications


	Single Discharge	Dual Discharge
Lay Down Widths	1 ft. to 4 ft. (30 to 123 cm)	1 ft. to 4 ft. (30 to 123 cm)
Hydraulic Requirements	Standard Flow 17.5 to 24.2 gpm (66.2 to 41.6 lpm)	Standard Flow 17.5 to 24.2 gpm (66.2 to 41.6 lpm)
Empty Weight	2,900 lb (1,315 kg)	3,400 lb (1,542 kg)
Overall Width shoe extended	161 in. (409 cm)	210 in. (533 cm)
Overall Width shoe retracted	125 in. (317 cm)	138 in. (350 cm)
Overall Height	51 in. (130 cm)	51 in. (130 cm)
Overall Length	98 in. (315 cm)	98 in. (249 cm)
Height to Clear Push Roller	21 in. (53 cm)	21 in. (53 cm)
Conveyor Belt Length and Width (head to tail stock center length)	8 ft. (2.4 m) x 20 in. (508 mm)	9.5 ft. (2.9 m) x 21 in. (533 mm)


SKID STEER ATTACHMENT OPTIONS






Additional roller extensions









Shoe extension

Benefits and Features

While the Road Widener skid steer attachment is smaller than traditional road wideners, it is big on benefits, efficiency and features.

- On FH-R models all functions are controlled by remote control
- · Easily maneuvered around guardrails, sign posts, mailbox posts and other obstructions
- · Transported on common-width trailers pulled by a pick-up truck
- · Precise operator control over flow and placement of material
- Disperses a 20-ton load of aggregate in minutes
- · Left- or right-hand material dispersal
- Works with any make of skid steer or compact track loader with an attachment plate
- · Adaptable to wheel loaders and graters, inquire with a dealer or call us!
- Wheel-turning extensions available to fit all types of dump trucks
- · Low operating cost
- 360-degree steerable front end
- · Ability to easily disperse gravel, asphalt (includes asphalt-ready heat-treated belt) and topsoil
- · Can be used for trench repairs
- · Durable and reliable to give you years of service

Dealer Information

Road Widener LLC products are available through our extensive dealer network. We continue to expand our dealer network both domestically and internationally. Please contact us to learn more about dealers in your area or about becoming a dealer.



Made in America

ROADWIDENER

Road Widener LLC

Contact Us: 844-4WIDENER (844-494-3363) sales@roadwidenerllc.com www.roadwidenerllc.com



Made in the USA.



Employment Eligibility Verification



User to TMORS-IC2

Mailing Address:

Address 2:

City:

State:

Address 1: P.O. Box 10367

AL

Zip Code: 35202-0367

Birmingham

Last Local 09:22 AM - 01/06/2012



View / Edit

Log Out

Click any for help

Home

My Cases

Hew Casa

View Cases

Search Cases

My Profile

Edit Profile

Change Password

Change Security Questions

My Company

Edit Company Profile

Add New User

View Existing Users

Close Company Account

My Reports

View Reports

My Rescurces

View Essential Resources

Take Tutorial View User Manual

Contact Us

Company Information

Company Name:

Thompson Tractor Co., Inc.

47130

Doing Business As (DBA) Name:

DUNS Number:

Company ID Number:

Address 1:

Address 2:

City:

State: Zip Code:

County:

Physical Location:

2401 Pinson Highway

Birmingham

AL

35217

JEFFERSON

1,000 to 2,499

Additional Information:

Employer Identification Number: 630377478

Total Number of Employees:

Parent Organization: Administrator:

Organization Designation:

Employer Category:

NAICS Code: 423 - MERCHANT WHOLESALERS, DURABLE GOODS

Total Hiring Sites:

40

Total Points of Contact:

View / Edit

View / Edit

View / Edit

View MOU

(Rev. October 2007) Dopartment of the Treasury

Request for Taxpayer Identification Number and Certification

Give form to the requester. Do not send to the IRS.

inia/na	HOYAITOG SOLVICO	
	Name (as shown on your income tax return)	
25	Thompson Tractor Co., Inc. DBA Thompson Power Systems, Th	<u>ompson Lift Truck Co.</u>
раде	Business name, if different from above	
8	and The Cat Rent Store	
or type uctions	Check appropriate box: Individual/Sole proprietor Corporation Partnership Limited liability company, Enter the tax classification (D=disregarded entity, C=corporation, P=partnership) Other (see instructions)	Exempt payer
Print c	Address (number, street, and apt. or suite no.) Requester's	name and address (optional)
a u	P O Box 10367 2401 Pinson Hwy. Tarrant, AL 35217	
Ċ.	City, state, and ZIP code	
Spe	Birmingham, AL 35202-0367	
8	List account number(s) here (optional)	
S	Lockbox Remit To: P O Box 934005, Atlanta, GA 31193-40	05
	Taxpayer Identification Number (FIN)	
backu	your TIN in the appropriate box. The TIN provided must match the name given on Line 1 to avoid up withholding. For individuals, this is your social security number (S9N). However, for a resident sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is employer identification number (EIN). If you do not have a number, see How to get a TIN on page 3.	Social security number ; ; or
Note.	If the account is in more than one name, see the chart on page 4 for guidelines on whose er to enter.	Employer identification number 63:0377478
Tall.		
	penalties of perjury, I certify that:	
onuei	ne number shown on this form is my correct taxpayer Identification number (or I am walting for a number	per to be issued to me), and
2. I a Re no	un not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have evenue Service (IRS) that I am subject to backup withholding as a result of a fallure to report all intere utiled me that I am no longer subject to backup withholding, and	not been not lied by the internal
3. la	m a U.S. citizen or other U.S. person (defined below).	
Withho For mo	lication Instructions, You must cross out Item 2 above If you have been notified by the IRS that you oldling because you have failed to report all interest and dividends on your tax return. For real estate the ortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributivement (IRA), and generally, payments other than interest and dividends, you are not required to sign a your correct TIN. See the instructions on page 4.	ons to an individual retirement
Sign Here	The state of the s	
Gen	peral Instructions Definition of a U.S. person.	For federal tax purposes, you are

Section references are to the Internal Revenue Code unless otherwise noted.

Purpose of Form

A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income pald to you, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

- 1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
 - 2. Certify that you are not subject to backup withholding, or
- 3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partnership share of affectively connected income. foreign partners' share of effectively connected income.

Note. If a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

considered a U.S. person if you are:

- . An Individual who is a U.S. citizen or U.S. resident alien,
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States,
- · An estate (other than a foreign estate), or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax on any foreign partners' share of income from such business. Further, in certain cases where a Form W-9 has not been received, a partnership is required to presume that a partner is a foreign person, and pay the withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid withholding on your share of partnership

The person who gives Form W-9 to the partnership for purposes of establishing its U.S. status and avoiding withholding on its allocable share of net income from the partnership conducting a trade or business in the United States is in the following cases:

The U.S. owner of a disregarded entity and not the entity.

Company ID Number: 47130

the Employer issues a tentative nonconfirmation based upon a photo non-match. The Employer will determine whether the employee contests the tentative nonconfirmation as soon as possible after the Employer receives it.

- 4. If the employee contests a tentative nonconfirmation issued by DHS, the Employer will provide the employee with a referral letter and instruct the employee to contact the Department through its toll-free hotline within 8 Federal Government work days.
- 5. If the employee contests a tentative nonconfirmation based upon a photo non-match, the Employer will provide the employee with a referral letter to DHS. DHS will electronically transmit the result of the referral to the Employer within 10 Federal Government work days of the referral unless it determines that more than 10 days is necessary.
- 6. The Employer agrees that if an employee contests a tentative nonconfirmation based upon a photo non-match, the Employer will send a copy of the employee's Form I-551 or Form I-766 to DHS for review by:
 - Scanning and uploading the document, or
 - Sending a photocopy of the document by an express mail account (furnished and paid for by DHS).
- 7. The Employer understands that if it cannot determine whether there is a photo match/non-match, the Employer is required to forward the employee's documentation to DHS by scanning and uploading, or by sending the document as described in the preceding paragraph, and resolving the case as specified by the Immigration Services Verifier at DHS who will determine the photo match or non-match.

ARTICLE IV

SERVICE PROVISIONS

The SSA and DHS will not charge the Employer for verification services performed under this MOU. The Employer is responsible for providing equipment needed to make inquiries. To access the E-Verify System, an Employer will need a personal computer with Internet access.

ARTICLE V

PARTIES

This MOU is effective upon the signature of all parties, and shall continue in effect for as long as the SSA and DHS conduct the E-Verify program unless modified in writing by the mutual consent of all parties, or terminated by any party upon 30 days prior written notice to the others. Any and all system enhancements to the E-Verify program by DHS or SSA, including but not limited to the E-Verify checking against additional data sources and instituting new verification procedures, will be covered under this MOU and will not cause the need for a supplemental MOU that outlines these changes. DHS agrees to train employers on all changes made to E-Verify through the use of mandatory refresher tutorials and updates to the E-Verify manual. Even

Company ID Number: 47130

without changes to E-Verify, the Department reserves the right to require employers to take mandatory refresher tutorials.

Termination by any party shall terminate the MOU as to all parties. The SSA or DHS may terminate this MOU without prior notice if deemed necessary because of the requirements of law or policy, or upon a determination by SSA or DHS that there has been a breach of system integrity or security by the Employer, or a failure on the part of the Employer to comply with established procedures or legal requirements. Some or all SSA and DHS responsibilities under this MOU may be performed by contractor(s), and SSA and DHS may adjust verification responsibilities between each other as they may determine.

Nothing in this MOU is intended, or should be construed, to create any right or benefit, substantive or procedural, enforceable at law by any third party against the United States, its agencies, officers, or employees, or against the Employer, its agents, officers, or employees.

Each party shall be solely responsible for defending any claim or action against it arising out of or related to E-Verify or this MOU, whether civil or criminal, and for any liability wherefrom, including (but not limited to) any dispute between the Employer and any other person or entity regarding the applicability of Section 403(d) of IIRIRA to any action taken or allegedly taken by the Employer.

The employer understands that the fact of its participation in E-Verify is not confidential information and may be disclosed as authorized or required by law and DHS or SSA policy, including but not limited to, Congressional oversight, E-Verify publicity and media inquiries, and responses to inquiries under the Freedom of Information Act (FOIA).

The foregoing constitutes the full agreement on this subject between the SSA, DHS, and the Employer.

The individuals whose signatures appear below represent that they are authorized to enter into this MOU on behalf of the Employer and DHS respectively.

To be accepted as a participant in E-Verify, you should only sign the Employer's Section of the signature page. If you have any questions, contact E-Verify Operations at 888-464-4218.

Frank M Wright

Name (Please type or print)

Electronically Signed

Signature

O7/11/2007

Date

Department of Homeland Security - Verification Division

Employer Thompson Tractor Co., Inc.

Company ID Number: 47130

	and the arche and the first terms of the first term
	INFORMATION REQUIRED FOR THE E-VERIFY PROGRAM
Information relating to your Comp	any:
Company Name:	Thompson Tractor Co., Inc.
Company Facility Address:	2401 Pinson Highway Birmingham, AL 35217
Company Alternate Address:	P.O. Box 10367 Birmingham, AL 35202-0367
County or Parish:	JEFFERSON
Employer Identification Number:	630377478
North American Industry Classification Systems Code:	423
Parent Company:	·
Number of Employees:	1,000 to 2,499 Number of Sites Verified for: 5
Are you verifying for more than 1	site? If yes, please provide the number of sites verified for in each State.
• GEORGIA	5 site(s)

Information relating to the Program Administrator(s) for your Company on policy questions or operational problems:

Name: Telephone Number:	Kimberly A Stark	Fax Number:	(205) 040 4575
E-mail Address:	(205) 849 - 4279 kimberlystark@thompsontractor.com		(205) 849 - 4565
Name:	Frank M Wright		
Telephone Number:	(205) 849 - 4267	Fax Number:	(205) 849 - 4854
E-mail Address:	frankwright@thompsontractor.com		

USCIS Verification Division		
Name (Please type or print)	Title	
Electronically Signed	07/11/2007	
Signature	Date	