

MARSHALL COUNTY COMMISSION

CHAIRMAN
JAMES HUTCHESON

COUNTY ADMINISTRATOR
ASHLEIGH BUBBETT

COUNTY ENGINEER
BOB PIRANDO



DISTRICT 1
RONNY SHUMATE

DISTRICT 2
JAMES R. WATSON

DISTRICT 3
LEE SIMS

DISTRICT 4
JOEY BAKER

MEMORANDUM

TO: All Vendors

FROM: Robert X. Pirando, P.E.
County Engineer

DATE: August 8, 2022

SUBJECT: Bid Specifications for Hot Bituminous Pavement (CIP) District 1
(*Bid #31A - 22*)

Please note the enclosed Addendum No. 1 for the subject specifications.

This addendum **must** be attached to the subject bid specifications being opened on Thursday, September 1, 2022 at 2:00 P.M.

Any questions you may have should be addressed to this office (256-571-7712).

A handwritten signature in blue ink that reads "Robert X. Pirando".

Robert X. Pirando, P.E.
Marshall County Engineer

Return Addendum w/ Bid To:

MARSHALL COUNTY
ENGINEERING DEPARTMENT
424 BLOUNT AVENUE SUITE A 305
GUNTERSVILLE, ALABAMA 35976
(256) 571-7712

BID NO: 31A-22 (ADDENDUM)

BID OPENING DATE & TIME: THURSDAY,
SEPTEMBER 1, 2022 - 2:00 P.M.

LOCATION: SUITE A319 - COMMISSION
CHAMBERS - 3RD FLOOR - MARSHALL
COUNTY COURTHOUSE - GUNTERSVILLE, AL

INVITATION FOR BIDS
ADDENDUM NO. 1
TO SPECIFICATIONS FOR
HOT BITUMINOUS PAVMENT (CIP) DISTRICT 1

The following page is hereby replaced for the Paving District 1 bid:

Replace page 5 with the attached new page 5 of your bid package so it reads at the top of sheet DISTRICT 1.
Bid items did not change, just the heading.



JAMES HUTCHESON, CHAIRMAN
MARSHALL COUNTY COMMISSION

VENDOR'S RESPONSE:

I hereby agree to furnish the above named items on or by the dates requested and hereby certify that all specifications set above will be met.

Authorized Representative

DISTRICT 1

<u>ITEM</u>	<u>DESCRIPTION</u> *1	<u>ESTIMATED QUANTITY</u>	<u>UNIT</u> <i>(English units)</i>	<u>\$ UNIT COST</u>
1. 301-A	Crushed Aggregate Base Course, Type B, plant mixed 6" compacted thickness	**	Ton	\$ _____
2. 408-A	Planing Existing Pavement (0-2 inches)	**	SY	\$ _____
3. 408-A	Planing Existing Pavement (2-4 inches)	**	SY	\$ _____
4. 424-A	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" max. aggregate size mix, ESAL Range A/B, C/D	**	Ton	\$ _____
5. 424-A	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" max. aggregate size mix, ESAL Range A/B, C/D	**	Ton	\$ _____
6. 424-A	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" max. aggregate size mix, ESAL Range A/B, C/D	**	Ton	\$ _____
7. 424-B	Superpave Bituminous Concrete Binder Layer, Leveling, 3/4" max. aggregate size mix, ESAL Range A/B, C/D	**	Ton	\$ _____
8. 424-B	Superpave Bituminous Concrete Binder Layer, Leveling, 1" max. aggregate size mix, ESAL Range A/B, C/D	**	Ton	\$ _____
9. 424-C	Superpave Bituminous Concrete Base Layer, Widening, 1" max. aggregate size mix, ESAL Range A/B, C/D	**	Ton	\$ _____
10. 424-C	Superpave Bituminous Concrete Base Layer, Patching, 1.5" max. aggregate size mix, ESAL Range A/B, C/D	**	Ton	\$ _____
11. 430-B	Aggregate Surfacing, 1" down, Crusher Run, approx. 4" thick, width varies	**	Ton	\$ _____

*1 ALDOT 2022 Standard Specifications

** Note: Estimated Quantity, if any, will vary in amounts due to the fact that the length of projects is unknown at this time.