

For the control of woody plants, broadleaf weeds in forests and industrial non- crop areas, including manufacturing and storage sites, rights-of-way such as electrical power lines, communication lines, pipelines, roadsides, railroads, fence rows, non-irrigation ditch banks, and around farm buildings; including application to grazed areas, and establishment and maintenance of wildlife openings on these sites, and in Christmas tree plantations. Use within production forests and industrial non-crop sites (including those listed above) may include applications to control target vegetation around standing water sites, such as marshes, wetlands, and the banks of ponds and lakes.

Active Ingredient:	1	
triclopyr: 3,5,6-trichloro-2-pyridinyloxyaceti	c acid	)
		70.6%
Total		100.0%

Acid equivalent: 2.87 lb/gal

Keep Out of Reach of Children

# **DANGER PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

	First Aid	
If In eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact	
	lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center	
	or doctor for treatment advice.	
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.	
	Call a poison control center or doctor for treatment advice.	
If swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass	
	of water if able to swallow. Do not induce vomiting unless told to do so by a poison control	
<u> </u>	center or doctor. Do not give anything by mouth to an unconscious person.	
Have the product contain	ner or label with you when calling a poison control center or doctor, or going for treatment. You	
may also contact 1 -800-824-9300 for emergency medical treatment information.		
Note to Applicator: Allergic skin reaction is not expected from exposure to spray mixtures of TRYCERATM herbicide		
when used as directed.		
Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.		
AD 081810	Net Contents:	
PART OF THE PROPERTY OF THE PART OF THE PA		

EPA Reg. No. 5905-580

EPA Est. No. 5905-GA-001

□ 1 GAL (3.785 L) □ 2.5 GAL (9.46 L) □ 55 GALS (208.18 L)

□ 250 GALS (946.1 L)

MANUFACTURED FOR **HELENA CHEMICAL COMPANY** 225 SCHILLING BOULEVARD, SUITE 300 **COLLIERVILLE TENNESSEE 38017** 

## **Table of Contents**

Mesquite Control Using High Volume Foliage Treatment Broadcast Application with Aerial or Ground Equipment Woody Plants Forest Management Applications Basal Bark and Dormant Brush Treatments	-4	
Personal Protective Equipment (PPE)  Sengineering Controls  User Safety Recommendations  Senvironmental Hazards Senvironmental Use Requirements Senvironmental Use Requirement Senvironments Senvironmental Use Requirement Senvironmental Use Beautiful Use	-4	
Engineering Controls User Safety Recommendations Environmental Hazards Shysical or Chemical Hazards Directions for Use Agricultural Use Requirements Son-Agricultural Use Requirements General Information for Production Forests and Industrial Non-Crop Areas General Use Precautions and Restrictions Grazing and Haying Restrictions Grazing and Haying Restrictions Spray Drift Management Avoiding Injurious Spray Drift Sonard Information Instruction Spray Drift Management Generial Orift Reduction Advisory Plants Controlled by TRYCERATM Annual and Perennial Broadleaf Weeds Foliage Treatment with Ground Equipment Low Volume Foliage Treatment Broadcast Application with Ground Equipment Low Volume Foliage Treatment Broadcast Application (Helicopter Only) Foliage Treatment (Non-Grazed Rights-of-Way) Mesquite Control Using High Volume Foliage Treatment Broadcast Application with Aerial or Ground Equipment Woody Plants  Forest Management Applications Basal Bark and Dormant Brush Treatments  12  3  3  3  3  3  3  3  3  3  3  3  4  3  4  4	-4	
User Safety Recommendations Environmental Hazards Shysical or Chemical Hazards Sincettions for Use Sincettions for Use Agricultural Use Requirements Non-Agricultural Use Requirements Agricultural Use Requirements Since Information for Production Forests and Industrial Non-Crop Areas General Information for Production Forests and Industrial Non-Crop Areas General Use Precautions and Restrictions Avoiding Injurious Spray Drift Since Information Instruction Spray Drift Management	-4	
Environmental Hazards Physical or Chemical Hazards Directions for Use Agricultural Use Requirements Non-Agricultural Use Requirements Seneral Information for Production Forests and Industrial Non-Crop Areas General Information for Productions General Use Precautions and Restrictions Grazing and Haying Restrictions Avoiding Injurious Spray Drift Aerial Application Instruction Spray Drift Management Spray Drift Management Forth Reduction Advisory Plants Controlled by TRYCERATM Annual and Perennial Broadleaf Weeds Foliage Treatment with Ground Equipment Low Volume Foliage Treatment Broadcast Applications with Ground Equipment Aerial Application (Helicopter Only) Foliage Treatment (Non-Grazed Rights-of-Way) Mesquite Control Using High Volume Foliage Treatment Broadcast Application with Aerial or Ground Equipment Woody Plants Forest Management Applications Basal Bark and Dormant Brush Treatments  12  3  3  3  3  3  3  3  3  3  4  5  5  5  5  7  4  4  6  7  7  7  7  7  7  7  7  7  7  7  7	-4	
Physical or Chemical Hazards Directions for Use  Agricultural Use Requirements Son-Agricultural Use Requirements Son-Agricultural Use Requirements Ageneral Information for Production Forests and Industrial Non-Crop Areas General Use Precautions and Restrictions Grazing and Haying Restrictions Avoiding Injurious Spray Drift Asrial Application Instruction Spray Drift Management Aerial Orift Reduction Advisory Flants Controlled by TRYCERATM Annual and Perennial Broadleaf Weeds Application Methods Foliage Treatment with Ground Equipment Low Volume Foliage Treatment Broadcast Applications with Ground Equipment Aerial Application (Helicopter Only) Foliage Treatment (Non-Grazed Rights-of-Way) Mesquite Control Using High Volume Foliage Treatment Broadcast Application with Aerial or Ground Equipment Woody Plants Forest Management Applications Basal Bark and Dormant Brush Treatments  12	-4	
Directions for Use Agricultural Use Requirements Non-Agricultural Use Requirements AGeneral Information for Production Forests and Industrial Non-Crop Areas General Use Precautions and Restrictions Grazing and Haying Restrictions Avoiding Injurious Spray Drift Aerial Application Instruction Spray Drift Management Aerial Orift Reduction Advisory Foliage Treatment with Ground Equipment Low Volume Foliage Treatment Broadcast Application With Aerial or Ground Equipment Broadcast	-4	
Agricultural Use Requirements  Non-Agricultural Use Requirements  General Information for Production Forests and Industrial Non-Crop Areas  General Use Precautions and Restrictions  Grazing and Haying Restrictions  Avoiding Injurious Spray Drift  Aerial Application Instruction  Spray Drift Management  Aerial Drift Reduction Advisory  Plants Controlled by TRYCERATM  Annual and Perennial Broadleaf Weeds  Application Methods  Foliage Treatment with Ground Equipment  Low Volume Foliage Treatment  Broadcast Applications with Ground Equipment  Aerial Application (Helicopter Only)  Foliage Treatment (Non-Grazed Rights-of-Way)  Mesquite Control Using High Volume Foliage Treatment  Broadcast Application with Aerial or Ground Equipment  Woody Plants  Forest Management Applications Basal Bark and Dormant Brush Treatments	-4	
Non-Agricultural Use Requirements General Information for Production Forests and Industrial Non-Crop Areas General Use Precautions and Restrictions Grazing and Haying Restrictions Avoiding Injurious Spray Drift Aerial Application Instruction Spray Drift Management Spray Drift Management Forest Management Spray Drift Man		
General Information for Production Forests and Industrial Non-Crop Areas General Use Precautions and Restrictions Grazing and Haying Restrictions Avoiding Injurious Spray Drift Aerial Application Instruction Spray Drift Management Spray Drift Management Spray Drift Management Spray Drift Reduction Advisory Gellants Controlled by TRYCERATM Annual and Perennial Broadleaf Weeds Foliage Treatment with Ground Equipment Low Volume Foliage Treatment Broadcast Applications with Ground Equipment Aerial Application (Helicopter Only) Foliage Treatment (Non-Grazed Rights-of-Way) Mesquite Control Using High Volume Foliage Treatment Broadcast Application with Aerial or Ground Equipment Woody Plants Forest Management Applications Basal Bark and Dormant Brush Treatments		
General Use Precautions and Restrictions Grazing and Haying Restrictions Avoiding Injurious Spray Drift Serial Application Instruction Spray Drift Management Serial Drift Reduction Advisory Flants Controlled by TRYCERATM Annual and Perennial Broadleaf Weeds Foliage Treatment with Ground Equipment Low Volume Foliage Treatment Broadcast Applications with Ground Equipment Aerial Application (Helicopter Only) Foliage Treatment (Non-Grazed Rights-of-Way) Mesquite Control Using High Volume Foliage Treatment Broadcast Application with Aerial or Ground Equipment Woody Plants Forest Management Applications Basal Bark and Dormant Brush Treatments		
General Use Precautions and Restrictions Grazing and Haying Restrictions Avoiding Injurious Spray Drift Serial Application Instruction Spray Drift Management Serial Drift Reduction Advisory Flants Controlled by TRYCERATM Annual and Perennial Broadleaf Weeds Foliage Treatment with Ground Equipment Low Volume Foliage Treatment Broadcast Applications with Ground Equipment Aerial Application (Helicopter Only) Foliage Treatment (Non-Grazed Rights-of-Way) Mesquite Control Using High Volume Foliage Treatment Broadcast Application with Aerial or Ground Equipment Woody Plants Forest Management Applications Basal Bark and Dormant Brush Treatments	.5	
Avoiding Injurious Spray Drift Aerial Application Instruction Spray Drift Management Spray Drift Management Spray Drift Reduction Advisory Flants Controlled by TRYCERATM Annual and Perennial Broadleaf Weeds Application Methods Foliage Treatment with Ground Equipment Low Volume Foliage Treatment Broadcast Applications with Ground Equipment Aerial Application (Helicopter Only) Foliage Treatment (Non-Grazed Rights-of-Way) Mesquite Control Using High Volume Foliage Treatment Broadcast Application with Aerial or Ground Equipment Woody Plants Forest Management Applications Basal Bark and Dormant Brush Treatments	-	
Aerial Application Instruction  Spray Drift Management  Aerial Drift Reduction Advisory  Plants Controlled by TRYCERATM  Annual and Perennial Broadleaf Weeds  Application Methods  Foliage Treatment with Ground Equipment  Low Volume Foliage Treatment  Broadcast Applications with Ground Equipment  Aerial Application (Helicopter Only)  Foliage Treatment (Non-Grazed Rights-of-Way)  Mesquite Control Using High Volume Foliage Treatment  Broadcast Application with Aerial or Ground Equipment  Woody Plants  Forest Management Applications Basal Bark and Dormant Brush Treatments		
Spray Drift Management  Aerial Drift Reduction Advisory  Plants Controlled by TRYCERATM  Annual and Perennial Broadleaf Weeds  Application Methods  Foliage Treatment with Ground Equipment  Low Volume Foliage Treatment  Broadcast Applications with Ground Equipment  Aerial Application (Helicopter Only)  Foliage Treatment (Non-Grazed Rights-of-Way)  Mesquite Control Using High Volume Foliage Treatment  Broadcast Application with Aerial or Ground Equipment  Woody Plants  Forest Management Applications Basal Bark and Dormant Brush Treatments		
Aerial Drift Reduction Advisory Plants Controlled by TRYCERATM Annual and Perennial Broadleaf Weeds Application Methods Foliage Treatment with Ground Equipment Low Volume Foliage Treatment Broadcast Applications with Ground Equipment Aerial Application (Helicopter Only) Foliage Treatment (Non-Grazed Rights-of-Way) Mesquite Control Using High Volume Foliage Treatment Broadcast Application with Aerial or Ground Equipment Woody Plants Forest Management Applications Basal Bark and Dormant Brush Treatments		
Plants Controlled by TRYCERATM Annual and Perennial Broadleaf Weeds Application Methods Foliage Treatment with Ground Equipment Low Volume Foliage Treatment Broadcast Applications with Ground Equipment Aerial Application (Helicopter Only) Foliage Treatment (Non-Grazed Rights-of-Way) Mesquite Control Using High Volume Foliage Treatment Broadcast Application with Aerial or Ground Equipment Woody Plants Forest Management Applications Basal Bark and Dormant Brush Treatments	-6	
Annual and Perennial Broadleaf Weeds  Application Methods  Foliage Treatment with Ground Equipment  Low Volume Foliage Treatment  Broadcast Applications with Ground Equipment  Aerial Application (Helicopter Only)  Foliage Treatment (Non-Grazed Rights-of-Way)  Mesquite Control Using High Volume Foliage Treatment  Broadcast Application with Aerial or Ground Equipment  Woody Plants  Forest Management Applications Basal Bark and Dormant Brush Treatments	-7	
Application Methods Foliage Treatment with Ground Equipment Low Volume Foliage Treatment Broadcast Applications with Ground Equipment Aerial Application (Helicopter Only) Foliage Treatment (Non-Grazed Rights-of-Way) Mesquite Control Using High Volume Foliage Treatment Broadcast Application with Aerial or Ground Equipment Woody Plants Forest Management Applications Basal Bark and Dormant Brush Treatments		
Foliage Treatment with Ground Equipment Low Volume Foliage Treatment Broadcast Applications with Ground Equipment Aerial Application (Helicopter Only) Foliage Treatment (Non-Grazed Rights-of-Way) Mesquite Control Using High Volume Foliage Treatment Broadcast Application with Aerial or Ground Equipment Woody Plants Forest Management Applications Basal Bark and Dormant Brush Treatments 12	-8	
Low Volume Foliage Treatment  Broadcast Applications with Ground Equipment  Aerial Application (Helicopter Only)  Foliage Treatment (Non-Grazed Rights-of-Way)  Mesquite Control Using High Volume Foliage Treatment  Broadcast Application with Aerial or Ground Equipment  Woody Plants  Forest Management Applications Basal Bark and Dormant Brush Treatments  12		
Broadcast Applications with Ground Equipment  Aerial Application (Helicopter Only)  Foliage Treatment (Non-Grazed Rights-of-Way)  Mesquite Control Using High Volume Foliage Treatment  Broadcast Application with Aerial or Ground Equipment  Woody Plants  Forest Management Applications Basal Bark and Dormant Brush Treatments  12	-9	
Aerial Application (Helicopter Only)  Foliage Treatment (Non-Grazed Rights-of-Way)  Mesquite Control Using High Volume Foliage Treatment  Broadcast Application with Aerial or Ground Equipment  Woody Plants  Forest Management Applications Basal Bark and Dormant Brush Treatments		
Foliage Treatment (Non-Grazed Rights-of-Way)  Mesquite Control Using High Volume Foliage Treatment  Broadcast Application with Aerial or Ground Equipment  Woody Plants  Forest Management Applications Basal Bark and Dormant Brush Treatments		
Mesquite Control Using High Volume Foliage Treatment Broadcast Application with Aerial or Ground Equipment Woody Plants Forest Management Applications Basal Bark and Dormant Brush Treatments		
Broadcast Application with Aerial or Ground Equipment Woody Plants Forest Management Applications Basal Bark and Dormant Brush Treatments	-10	
Woody Plants Forest Management Applications Basal Bark and Dormant Brush Treatments 12	0	
Forest Management Applications Basal Bark and Dormant Brush Treatments 12	0	
	1	
Cut Surface Treatments	2-13	
Cut Surface Treatments	4	
Christmas Tree Plantations	5-16	
Wetland Sites in Production Forests and Industrial Non-Crop Areas	6-17	
Terrestrial Sites Associated with Wetland Areas	7	
Storage and Disposal	8-19	
Terms and Conditions of Use	9	
Warranty Disclaimer		
Inherent Risks of Use		
Conditions of Sale – Limited Warranty and Limitations of Liability and Remedies		

### **Precautionary Statements**

#### Hazards to Humans and Domestic Animals

Corrosive. Causes irreversible eye damage. Harmful if swallowed or absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Do not get in eyes or on skin or clothing.

### **Personal Protective Equipment (PPE)**

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Protective eyewear
- Chemical resistant gloves (14 mils) such as butyl rubber, natural rubber, neoprene rubber or nitrile rubber Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

### **Engineering Controls**

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the WPS (40 CFR 170.240(d)(4-6), the handler PPE requirements may be reduced or modified as specified In the WPS.

### **User Safety Recommendations**

#### Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### **Environmental Hazards**

Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Under certain conditions, treatment of aquatic weeds can result in oxygen depletion or loss due to decomposition of dead plants, which may contribute to fish suffocation. This loss can cause fish suffocation. Therefore, to minimize this hazard, do not treat more than one-third to one-half of the water area in a single operation and wait at least 10 to 14 days between treatments. Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas. Consult with the State agency for fish and game before applying to public water to determine if a permit is needed.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

### Physical or Chemical Hazards

Combustible. Do not use or store the product near heat or open flame.

#### **Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation

### **Agricultural Use Requirements**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label

### Agricultural Use Requirements (cont)

about personal protective equipment (PPL), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Shoes plus socks
- Protective eyewear
- Chemical-resistant gloves (14 mils) such as butyl rubber, natural rubber, neoprene rubber or nitrile rubber

Refer to label booklet for Directions for Use including Storage and Disposal.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label booklet. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-824-9300. If you wish to obtain additional product information, visit our web site at <a href="www.helenachemical.com">www.helenachemical.com</a>.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

### Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for Agricultural Pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Entry Restrictions for Non-WPS Uses: For applications to non-cropland areas, do not allow entry into areas until sprays have dried, unless applicator and other handler PPE is worn.

### General Information for Production Forests and Industrial Non-Crop Areas

Use **TRYCERA**<sup>TM</sup> specialty herbicide for the control of woody plants and broadleaf weeds in forests and industrial non-crop areas including manufacturing and storage sites, rights-of-way such as electrical power lines, communication lines, pipelines, roadsides, railroads, fence rows, non-irrigation ditch banks, and around farm buildings, including application to grazed areas, and establishment and maintenance of wildlife openings on these sites, and in Christmas tree plantations. Use within production forests and industrial non-crop sites (including those listed above) include applications to control target vegetation in and around standing water sites, including marshes, wetlands, and the banks of ponds and lakes.

**Obtain Required Permits**: Consult with appropriate state or local water authorities before applying this product to public waters. State or local public agencies may require permits.

#### **General Use Precautions and Restrictions**

In Arizona: The state of Arizona has not approved **TRYCERA<sup>TM</sup>** for use on plants grown for commercial production, specifically forests grown for commercial timber production, or on designated grazing areas.

When applying this product in tank mix combination, follow all applicable use directions, precautions and limitations on each manufacturer's label.

**Chemigation:** Do not apply this product through any type of irrigation system.

Do not apply **TRYCERA**<sup>TM</sup> directly to, or otherwise permit it to come into direct contact with, grapes, tobacco, vegetable crops, flowers, or other desirable broadleaf plants. Do not permit spray mists containing **TRYCERA**<sup>TM</sup> to drift onto such plants.

It is permissible to treat non-irrigation ditch banks, seasonally dry wetlands (such as flood plains, deltas, marshes, swamps, or bogs) and transitional areas between upland and lowland sites.

Water treated with **TRYCERA**<sup>TM</sup> may not be used for irrigation purposes for 120 days after application or until residue levels of **TRYCERA**<sup>TM</sup> are determined by laboratory analysis, or other appropriate means of analysis, to be 1 ppb or less.

Seasonal Irrigation Waters: TRYCERA<sup>TM</sup> may be applied during the off-season to surface waters that are used for irrigation on a seasonable basis provided that there is a *minimum* of 120 days between applying TRYCERA<sup>TM</sup> and the first use of treated water for irrigation purposes, or until residue levels of TRYCERA<sup>TM</sup> are determined by laboratory analysis, or other appropriate means of analysis, to be 1 ppb or less.

### **Grazing and Haying Restrictions**

Except for lactating dairy animals, there are no grazing restrictions following application of this product.

- Grazing Lactating Dairy Animals: Do not allow lactating dairy animals to graze treated areas until the next growing season following application of this product.
- Do not harvest hay for 14 days after application.
- Grazed areas of non-cropland and forestry sites may be spot treated if they comprise no more than 10% of the total grazable area.

**Slaughter Restrictions:** During the season of application, withdraw livestock from grazing treated grass at least 3 days before slaughter.

#### **Avoiding Injurious Spray Drift**

Make applications only when there is little or no hazard from spray drift. Small quantities of spray, which may not be visible, may seriously injure susceptible plants. Do not spray when wind is blowing toward susceptible crops or ornamental plants that are near enough to be injured. It is suggested that a continuous smoke column at or near the spray site or a smoke generator on the spray equipment be used to detect air movement, lapse conditions, or temperature inversions (stable air). If the smoke layers or indicates a potential of hazardous spray drift, do not spray.

### **Aerial Application Instructions**

For aerial application on rights-of-way or other areas near susceptible crops, apply through a Microfoil or Thru-Valve boom<sup>+</sup>, or use an agriculturally labeled drift control additive. Other drift reducing systems or thickened sprays prepared by using high viscosity inverting systems may be used if they are made as drift-tree as mixtures containing agriculturally labeled thickening agents or applications made with the Microfoil or Thru-Valve boom. Keep spray pressures low enough to provide coarse spray droplets. Spray boom should be no longer than 3/4 of the rotor length. Do not use a thickening agent with the Microfoil or Thru-Valve booms, or other systems that cannot accommodate thick sprays. Spray only when the wind velocity is low (follow state regulations). Avoid application during air inversions. If a spray thickening agent is used, follow all use recommendations and precautions on the product label.

\*Reference within this label to a particular piece of equipment produced by or available from other parties is provided without consideration for use by the reader at its discretion and subject to the reader's independent circumstances, evaluation, and expertise. Such reference by Helena Chemical Company is not intended as an endorsement of such equipment, shall not constitute a warranty (express or implied) of such equipment, and is not intended to imply that other equipment is not available and equally suitable. Any discussion of methods of use of such equipment does not imply *that* the reader should use the equipment other than is advised in directions available from the equipment's manufacturer. The reader is responsible for exercising its own judgment and expertise, or consulting with sources other than Helena Chemical Company, in selecting and determining how to use its equipment.

#### **Spray Drift Management**

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment and weather related factors determine the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making decisions.

The following drift management requirements must be followed to avoid off-target drift movement from aerial applications:

- 1. The distance of the outer most operating nozzles on the boom must not exceed 3/4 the length of the rotor.
- 2. Nozzles must always point backward parallel with the air stream and never be pointed downwards more than 45 degrees.