BID SUBMITTAL FORM Alabama County Joint Bidding Program BID ITEM – 100 HP HYDROSTATIC BULLDOZER – OPTION A

Company Name: <u>Warrior Tractor & Equipment Company, Inc.</u> Address: 6801 McFarland Blvd Northport, AL 35476 Bid Submitted by: David Schafer (Name of company representative) e-mail address: dschafer@warriortractor.com Title: Sales Manager Fax: 205-333-0101 Phone: 205-339-0300 By submitting this bid, we agree: Initials The equipment model number identified below meets the bid specs for this bid item That the bid price will be honored for all counties for the period from Jan. 1, 2024 to Dec. 31, 2024. The equipment will be delivered at the bid price to all counties participating in the joint bid program The company representative listed above will be the contact person for purchasing this bid item under the joint bid program The bid is accompanied by a current catalog or model specification document for the model number identified below The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications The bid includes the e-verify documentation required by Alabama law If awarded the bid, a performance bond will be provided upon request The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine

100 HP HYDROSTATIC BULLDOZER – OPTION A

Total Bid Price for Standard Machine: \$ 192,857.00 (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs)*

Freight Preparation and Delivery: \$7,250.00 (Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 248,197.00

Equipment Model #: JD 650 P

Description: BULLDOZER

Scholen Signature of company representative submitting bid:

Title: Sales Manager

* **NOTE:** Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

BID SUBMITTAL FORM: OPTION COST SHEET 100 HP HYDROSTATIC BULLDOZER – OPTION A

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine*

The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) with **any available Options** for the Standard Machine



Equipment Model #: JD 650 P
Description: BULLDOZER
Signature of company representative submitting bid:
_{Title:} Sales Manager

*Note: The percent difference between the Manufacturer's Suggested Retail Price Sheet (MSRP) for the standard machine as specified by these Bid Specifications and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation, delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.

BID SPECIFICATIONS FOR 100 HP HYDROSTATIC BULLDOZER – OPTION A

GENERAL

These specifications shall be construed as the minimum acceptable standards for a 100 hp hydrostatic bulldozer. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The bulldozers must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

MANUALS

Each unit shall be provided with one (1) copy of the operator's manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 7,500 hours of use for the piece of equipment bid. If replacement parts are not delivered within three (3) working days of an order being placed, the bidder will deliver an equivalent machine for the county to use at no cost to the county until such time as the parts are delivered to the county so it can affect repairs to its machine.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty. Warranty shall include service response time of maximum of 36 hours within notification by county.

YesX_No___ Page#____ or AttachmentATTACH

ENGINE Shall be a turbocharged diesel engine capable of developing a minimum of 100 net flywheel horsepower (SAE J1349).	Yes <u>X</u> No Page # <u>6</u>
<u>WEIGHT</u> Operating weight with blade, operator, full fuel tank, and ROPS canopy shall not be less than 21,800 lbs .	Yes <u>X</u> No Page # <u>7</u>
ELECTRICAL SYSTEM	Yes <u>X</u> No
Shall be equipped with a minimum 85 amp alternator.	Page # <u>6</u>
TRANSMISSION	Yes <u>X</u> No
Shall be equipped with a hydrostatic type transmission.	Page # <u>6</u>
STEERING	Yes X No
All steering functions must be able to be performed using one hand only.	Page # <u>6</u>
<u>UNDERCARRIAGE</u>	Yes XNo
The tractor shall be equipped with sealed and lubricated tracks. Minimum shoe width shall be 28 inches . Track sag shall be hydraulically adjusted.	Page # <u>7</u>
BLADE The machine shall be equipped with a six-way (pat) blade with a minimum capacity of 2.5 cubic yards .	Yes X No Page # <u>8</u>
VANDALISM PROTECTION Machine shall be equipped with all standard and optional factory vandalism protection	

А.

......

Machine shall be equipped with all standard and optional factory vandalism protection available for the machine bid.

Yes <u>X</u>No ____ Page #<u>10&11</u>

SAFETY EQUIPMENT

Rear view mirror; backup alarm.

Heavy duty hinged radiator guard

4

Gauges and indicators shall be provided to monitor critical (fuel level, coolant temperature, powertrain oil temperature, and hydraulic oil temperature) operational systems of the machine and alert the operator when potential problems occur.

Yes X__ No ___ Page #<u>10&11</u>___

Yes <u>X</u> No ____ Page #<u>10&11</u>

Yes <u>X</u> No ____ Page #<u>ATTACH</u>

Yes <u>X</u> No ____ Page # 10&11

Yes <u>x</u>_No ___ Page #<u>10&11</u>

Yes <u>X</u> No ____ Page #_ATTACH

Yes X__ No ____ Page #<u>10</u>____

Yes <u>X</u> No ____ Page #<u>10</u>____

Yes X No Page #ATTACH

Yes X__ No ____ Page #<u>10</u>____

Pre-cleaner guard **Underhood**

Front tow hooks

Crankcase guard

Heavy duty rear drawbar

Track center guiding guard

Fire extinguisher

Water separator

650 P-Tier Utility Dozer

27-Dec-2023

Code Description



List Price (USD)

QTY

COUC	Description		
55C0T	650 P-Tier Utility Dozer	1	\$234,004.00
	650 P-Tier Utility Dozer Standard Equipment		
	ENGINE: John Deere PowerTech PWS 4.5L meets FT4 / Stage IV emissions 104 SAE Net hp (78kW) Wet Sleeve Cylinder Liners Isolation-Mounted Electronic Fuel Injection Electronic Control with Automatic Engine Protection Vertical Spin-on Engine Oil Filter Vertical Spin-on Dual Stage Fuel Filter Oil-to-Water Engine Oil Cooler Dual Safety Element Dry-Type Air Cleaner, Evacuator Valve Eco Mode		
	500 hr. Engine Oil Change Interval		
	COOLING SYSTEM: Enclosed Safety Fan Guard (Conforms to SAE J1308) Cool-On-Demand Variable Speed Engine Fan Engine Coolant -34 Degree F (-37 Degree C) Coolant Recovery Tank 8.5-Fin/in. Engine Coolant Radiator 9.5-Fin/in. Hydrostatic/Hydraulic Oil-to-Air Cooler 6.4-Fin/in. Air-to-Air Charge Air Cooler Tilt Out Heavy-Duty Perforated Front Grille and Radiator with Hose Protection		
	ELECTRICAL: 24 Volt System 110 Amp Alternator for canopy units / 145 Amp Alternator for cab units (2) Batteries with 190 Minute Reserve Capacity, 950 CCA Master Electric Disconnect Switch Bypass Start Safety Cover on Starter Blade-Type Fuses Positive Terminal Battery Covers Pre-wired for Work Lights, Underseat Heater (2) Front Cab Mounted and (2) Rear Cab Mounted Work Lights		
	HYDRAULICS: 18 GPM (68 L/Min) Fixed Displacement Hydraulic Gear Pump Three-Function Electro-Hydraulic (EH) Controls with Proportional Angle Function Hydraulic/Hydrostatic Oil Reservoir with Sight Gauge Vertical Spin-on Hydraulic Oil Filter		
	POWER TRAIN: Dual Path Hydrostatic Transmission Variable Displacement Piston Pump and Motor Combination Single Lever-Steering, Direction / Speed Control with Counter Rotation and Horn Selectable reverse speed ratios 100%, 115%, 130% or independent of forward ground sp AutoTracking Steering Control	beed	

Code Description

18.6 Gallon (70.4 Liter) Reservoir with Sight Gauge
4000 hr. Oil Change Interval
Vertical Spin-on Transmission Filter
Combined Decelerator/Brake Pedal
Automatic Power Management (w/ Manual Override) for Matching Ground Speed
Infinite Ground Speed Selection
Automatic Straight Ahead Tracking
Dynamic Braking (Anti-Free Wheel)
Transmission Neutral Lock with Safety Start Switch
Automatic Spring Applied, Hydraulically Released Parking Brake
Oil to Air Transmission Oil Cooler
Triple Reduction Final Drives with Wet Multi-Disk Brakes
Primary and Secondary Service Brakes (Conforms to ISO10265)
Transmission Diagnostic Ports
Selectable Decelerator Mode

UNDERCARRIAGE:

61 In. (1549 mm) XLT Track Gauge w/ 7 Bottom Rollers Maximum Life Undercarriage with Moderate Single Grouser Track Shoes Sealed Track Chain Single Flange Rollers Front and Rear Track Guides Solid Sprocket with Bolt-on Sprocket Guards Track Adjuster Relief Valve

OPERATOR STATION:

JDLink Telematics Service Modular Design ROPS/FOPS Canopy, Isolation Mounted (Conforms to SAE J1040) Left and Right Front Access Front and door wipers and washers (cab) Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185) Large Color Display Interior Sound Treatment Air Suspension Seat **Operator Presence System** Thigh Support Lumbar Backrest Tilt Height, Weight and Fore-Aft Side Console Leg Cushions Adjustable Armrests 3 in. (76 mm) Orange Seat Belt with Retractors (Conforms to SAE J386 - ISO 6683) Lunch Box Storage Glove (Storage) Box Cupholders (x2) Built-in Operator's Manual Storage Compartment and Manual 12 Volt Power Port Headliner and Floormat Horn, Electric(Conforms to SAE J994, J1446)

	GAUGES: Engine Coolant Temperature Transmission Oil Temperature Hydraulic Oil Temperature Engine Oil Pressure Fuel Level DEF Level		
	OVERALL VEHICLE: One Piece Unitized Mainframe Front Tow Loop Reinforced Engine and Mid-frame Bottom Guards Integral Transmission Guard Perforated Engine Side Shields Heavy-Duty Perforated Front Grille with Hose Protection Environmental Drains 53 Gallon (202 Liter) Fuel Tank with Wide Mouth Fuel Fill Cap and Shut off Valve Reverse Warning Alarm with Guarding (Conforms to SAE J994, J1446) Vandal Protection Locking for: Engine Access Door Rear Service Doors Fuel tank Instrument Panel Hydrostatic/Hydraulic Reservoir - Need wrench to access		
65	0 P-Tier Utility Dozer	1	\$234,004.00
	Destination Code	Basic Factory O	otions - Required
	North America		
Ur	ited States		No Added Cost
	Operator's Manual and Language	Basic Factory O	otions - Required
En	glish		No Added Cost

55C0T

0202

0259

Code	Description	QTY	List Price (USD)
	English language for operator's manual and electronic content		
0263	French		No Added Cost
	French language for operator's manual and electronic content		
0287	Spanish		No Added Cost
	Spanish language for operator's manual and electronic content		
	Labels	Basic Facto	ry Options - Required
0351	Translated Text Labels		No Added Cost
	Vehicle labels translated to selected language		
0352	No Text Lables		No Added Cost
	Vehicle labels will be no text		
	Engine	Basic Facto	ry Options - Required
4076	John Deere 4.5L - FT4/SV John Deere PowerTech PWS 4.5L (274 cu. in.) 4 Cyl meets FT4/EU Stage V Emissions		No Added Cost
	Engine Fan Drive	Basic Facto	ry Options - Required
4101	Standard Hydraulic Fan Drive		No Added Cost
4102	Automatic Reversing Hydraulic Fan		\$1,532.00

Code	Description	QTY	List Price (USD)
4103	Direct Fan Drive		No Added Cost
	Dozer Configuration	Basic Factory	Options - Required
0401	XLT PAT (Extra Long Track - Power Angle Tilt) 1549 mm (61 In.) track gauge - 7 bottom rollers		No Added Cost
0410	LGP PAT (Low Ground Pressure - Power Angle Tilt) 1753 mm (69 ln.) track gauge - 7 bottom rollers		\$4,939.00
	Track Shoes And Chain	Basic Factory	Options - Required
5602	18 In. (457 mm) Moderate Service Shoes - Heavy Duty Undercarriage		(\$8,094.00)
5603	20 In (508 mm) Moderate Service Shoes with Clipped Corners - Heavy Duty Undercarriage		(\$7,880.00)
5605	24 In (610 mm) Moderate Service Shoes - Heavy Duty Undercarriage		(\$7,144.00)
5608	28 In (710 mm) Moderate Service Shoes with Clipped Corners - Heavy Duty Undercarriage		(\$6,698.00)
5702	18 In (457 mm) Moderate Service Shoes - Extended Life Undercarriage		(\$2,333.00)
5703	20 In (508 mm) Moderate Service Shoes with Clipped Corners - Extended Life Undercarriag	je	(\$1,669.00)

Code	Description	QTY List Price (USD)
5705	24 In (610 mm) Moderate Service Shoes - Extended Life Undercarriage	(\$1,004.00)
5708	28 In (710 mm) Moderate Service Shoes with Clipped Corners - Extended Life Undercarriage	(\$339.00)
5802	18 In (450 mm) Moderate Service Shoes - Maximum Life Undercarriage	No Added Cost
5803	20 In (508 mm) Moderate Service Shoes with Clipped Corners - Maximum Life Undercarriage	\$580.00
5805	24 In (610 mm) Moderate Service Shoes - Maximum Life Undercarriage	\$1,211.00
5806	28 In (710 mm) Moderate Service Shoes with Clipped Corners - Maximum Life Undercarriage	\$1,807.00
	Track Guides	Basic Factory Options - Required
5901	Center and Rear Track Guides Recommended for slope and rocky conditions	\$905.00
5902	Rear Track Guides	No Added Cost
5903	Full-Length Rock Guards Includes Rear & Center Track Guides Recommended for slope and rocky conditions and not ideal for use in mud with extreme cold conditions.	\$1,826.00
	Dozer Blade E	Basic Factory Options - Required

Code	Description	QTY	List Price (USD)
	Blades or C-Frames are NOT included in base machine price. All C-Frame optior banks and integrally protected hoses with replaceable hoses. All blades have m		
7615	PAT Blade - 115 In (2921mm) w/ HD C-Frame - Blade NOT Installed		No Added Cost
	Blade shipped with machine but not installed. 115 In X 37.6 In (2.92 m X .96 m)		
	Includes: lift, tilt, and angle cylinders with hoses, Cordura coverings, and tilt cylinder cable		
7616	PAT Blade - 124 In (3150mm) w/ HD C-Frame - Blade NOT Installed		\$509.00
	Requires LGP track frame 124 In X 35.2 In (3.15 m X .894 m)		
	Blade shipped with machine but not installed.		
	Includes: lift, tilt, and angle cylinders with hoses, Cordura coverings, and tilt cylinder cable		
7659	PAT Blade - 128 In (3251mm) - Blade NOT Installed		\$1,925.00
	Requires LGP track frame 128 In X 37.6 In (3.25 m X .96 m)		
	Blade shipped with machine but not installed		
	Includes: lift, tilt, and angle cylinders with hoses, Cordura coverings, and tilt cylinder cable		
7660	PAT Blade - 105 In (2667mm) w/ HD C-Frame - Blade Factory Installed		(\$384.00)
	Requires XLT track frame 105 In X 42 in (2.67 m X 1.06 m)		
	Factory Installed		
	Includes: lift, tilt, and angle cylinders with hoses, Cordura coverings, and tilt cylinder cable		
7611	Less Blade (Includes C-Frame)		(\$5,548.00)
	Does not include attaching pins and hardware.		
	Includes: lift, tilt, and angle cylinders with hoses, Cordura coverings, and tilt cylinder cable.		
	Refer to Installation instructions T177581 to attach non-Deere attachments.		
	Trim Packages	Basic Factor	y Options - Required

Code	Description	QTY	List Price (USD)
0601	Canopy - Level 1 Trim		No Added Cost
	Includes: Black Exhaust Halogen Lights		
0602	Canopy - Level 2 Trim		\$489.00
	Includes: Chrome Exhaust LED Lights		
0603	Cab - Level 1 Trim		\$15,550.00
	Includes: Black Exhaust Halogen Lights AM/FM Radio Standard Highback Seat (Fabric, Air Suspension)		
0604	Cab - Level 2 Trim		\$18,386.00
	Includes: Chrome Exhaust LED Lights Premium Radio (AM/FM, Bluetooth, Aux, Microphone) Premium Highback Seat (Leather, Heated & Ventilated, Air Suspension) Automatic Temperature Control (ATC) – HVAC system		
	Hydraulic Controls	Basic Factor	y Options - Required
7026	3 Function Manual Hydraulic Controls For Power-Angle-Tilt (PAT) Manual Controls. NOT future upgradeable to 2D Slope Control or SmartGrade™ in the factory by field kit. Does NOT include EZ Grade.		No Added Cost
7031	4 Function Manual Hydraulic Controls For Power-Angle-Tilt (PAT)		\$974.00
	Manual Controls, includes auxiliary plumbing for ripper. NOT future upgradeable to 2D Slope Control or SmartGrade™ in the factory or by field kit. Does NOT include EZ Grade.		
7028	3 Function Electro-Hydraulics (EH) For Power-Angle-Tilt (PAT)		\$3,685.00
	EH Controls. Includes touchscreen PDU. Includes EZ Grade.		

Code	Description EH controls are required for 2D slope control or SmartGrade™.	QTY	List Price (USD)
7030	4 Function Electro-Hydraulics (EH) For Power-Angle-Tilt (PAT) EH Controls. Includes auxiliary plumbing for ripper. Includes touchscreen PDU. Includes EZ Grade. EH controls are required for 2D slope control or future upgrades to SmartGrade™.		\$5,147.00
	HYDRAULIC PUMP	Basic Factor	y Options - Required
7151	Standard Hydraulic Pump		No Added Cost
7152	Thru-Drive Hydraulic Pump for use with Direct Drive (PTO) Winch For use with Deere 4000S Winch (mechanical drive). Includes external spline for winch or auxiliary pump		\$460.00
	Vision System	Basic Factor	y Options - Required
0950	No Rear Camera		No Added Cost
0951	Rear Camera (Primary Display)		\$2,066.00
0954	Rear Camera - Includes Touchscreen PDU For machine ordered with manual controls. Brings in 8" Touchscreen Primary Display/Monitor		\$2,675.00
	Detection System	Basic Factor	y Options - Required
1100	No Detection System		No Added Cost

Code	Description	QTY	List Price (USD)
	Connectivity Hardware	Basic Facto	ry Options - Required
183E	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink™ Modem's (MTG). JDLink™ connectivity is enabled separately through the JDLink™ website.		No Added Cost
183Q	Connectivity service is subject to country availability. JDLink [™] Satellite Includes integrated cab wiring harness, antenna, JDLink [™] Modem's (Cellular MTG & Satellite MTG). JDLink [™] connectivity is enabled separately through the JDLink [™] website. Connectivity service is subject to country availability.		\$3,000.00
	Display Hardware	Basic Facto	ry Options - Required
1900	No Advanced Display		No Added Cost
	Display Application	Basic Facto	ry Options - Required
1950	No Application		No Added Cost
	Grade Control	Basic Facto	ry Options - Required
2000	No Grade Control Does NOT allow CAN communication for aftermarket systems. Order 2D slope control (option code 2031) if hydraulic CAN communication is required When equipped with EH controls will allow future upgrades to SmartGrade™		No Added Cost

When equipped with EH controls includes EZ Grade Slope Control; SmartGrade Upgradeable		
Slope Control; SmartGrade Upgradeable		
Allows easy future upgrade to SmartGrade™		\$8,800.00
Smartgrade	Basic Factory Option	ons - Required
SmartGrade™ Installed		No Added Cost
Receivers	Basic Factory Option	ons - Required
Receivers		No Added Cost
Undercarriage Guarding	Basic Factory Option	ons - Required
nt Idler Guards		No Added Cost
Front Idler Guards		(\$659.00)
Optional		
Engine - Order As Desired	Field Installed Attachme	ents - Optional
	Automatic control of mainfall and cross slope. Interface integrated into machines standard 8° touchscreen display Smartgrade SmartGrade™ Installed Receivers Receivers Undercarriage Guarding Tornt Idler Guards Optional	Automatic control of mainfall and cross slope, Interface integrated into machines standard 8" touchscreen display Basic Factory Optic Smartgrade Basic Factory Optic SmartGrade ^{III} Installed Basic Factory Optic Receivers Basic Factory Optic VIndercarriage Guarding Basic Factory Optic It Idler Guards Image: Control of mainfall and cross slope, Interface integrated into Optional Optional

Code	Description	QTY List Price (USD)
8049	Engine Air Precleaner - Rotary	\$509.00
8123	Severe-Duty Fuel Filter	\$912.00
	Attachments - Order As Desired	Field Installed Attachments - Optional
8196	Retrieval Hitch Recommended for pull-type implements (extends 6.1 ln / 155 mm) Not for Use with: Ripper or extended rigid drawbar Can be used with rear counterweight	\$398.00
8094	Extended Rigid Drawbar With Pin Recommended for pull type implements that require turning clearance (extends 11.3 ln / 288 mm) Not for use with: Retrieval hitch, model 4000 winch Can be used with rear counterweight	\$537.00
8129	Heavy Duty Parallelogram Ripper With 5 Shank Pockets and (3) Shank/Teeth Requires: 4 function hydraulics Cannot be used with: retrieval hitch, or extended rigid drawbar	\$11,887.00
8162	Model 4000 Standard Speed Winch - Power In, Freespool Out Requires: Thru-drive hydraulic pump, rear screen Not for Use with: Ripper, retrieval hitch, or traditional extended rigid drawbar	\$20,319.00
8163	Model 4000 Standard Speed Winch - Power In, Power Out Requires: Thru-drive hydraulic pump, rear screen Not for Use with: Ripper, retrieval hitch, or traditional extended rigid drawbar	\$22,931.00

Description	QTY List Price (USD)
Model 4000 Low Speed Winch - Power In, Power Out Requires: Thru-drive hydraulic pump, rear screen	\$23,890.00
Not for Use with: Ripper, retrieval hitch, or traditional extended rigid drawbar	
Extended Rigid Drawbar for Use with Winch	\$1,140.00
For use with model 4000 winch	
4000 Winch Fairlead, Four Roller	\$4,994.00
Requires: Thru-drive hydraulic pump, rear screen	
Not for use with: Ripper, retrieval hitch, or traditional extended rigid drawbar	
Front Counterweight	\$736.00
94 kg. (207 lb.)	
Packages-Order As Desired	Field Installed Attachments - Optional
Fluid Sampling Ports Package	\$296.00
Includes color-coded sampling ports to collect oil samples from engine, hydraulic, and hydrostatic systems.	
Quick Service Package	\$914.00
Includes quick service ports and plumbing for quick evacuation and fill of hydraulic oil, engine oil, and engine coolant.	
Cold Weather Package	\$1,081.00
Includes: - Hydrau XR Oil (factory fill, all-season temperatures ranging from -40C to 40C / -40F to 104F) - Ether Start Aid - Engine Block Coolant Heater (110 volt)	
	Model 4000 Low Speed Winch - Power In, Power Out Requires: Thru-drive hydraulic pump, rear screen Not for Use with: Ripper, retrieval hitch, or traditional extended rigid drawbar Extended Rigid Drawbar for Use with Winch For use with model 4000 winch 40000 Winch Fairlead, Four Roller Requires: Thru-drive hydraulic pump, rear screen Not for use with: Ripper, retrieval hitch, or traditional extended rigid drawbar Front Counterweight 94 kg. (207 lb.) Packages-Order As Desired Fluid Sampling Ports Package Includes color-coded sampling ports to collect oil samples from engine, hydraulic, and hydrostatic systems. Quick Service Package Includes quick service ports and plumbing for quick evacuation and fill of hydraulic oil, engine oil, and engine coolant. Cold Weather Package Includes: - Hydrau XR Oil (factory fill, all-season temperatures ranging from -40C to 40C / -40F to 104F) - Ether Start Aid

8194 Rear Wiper/Washer

\$694.00

Code	Description	QTY List Price (USD)
8181	Cab step, Bolt-on	\$178.00
8097	External Mounted Rear Attachments Mirror	\$90.00
8030	Fire Extinguisher Bracket	\$90.00
8235	Under-Seat Canopy Heater	\$1,324.00
	Requires: Canopy 30,000 BTU	
	Mainframe/Structures - Order As Desired	Field Installed Attachments - Optional
8126	Heavy Duty Grille	\$1,360.00
	Suggested for forestry and land clearing applications Heavy gauge plate grille, protects lights and fittings on both ends of front hydraulic hoses	
8188	Rear Screen for Cab	\$1,907.00
	Advised for Winch application Requires: Cab	
8189	Rear Screen for Canopy	\$1,377.00
	Advised for Winch application Requires: Canopy	
	Electrical - Order As Desired	Field Installed Attachments - Optional

\$299.00

Code	Description	QTY List Price (USD)
8118	Halogen Light Package	\$40.00
	Miscellaneous - Order As Desired	Field Installed Attachments - Optional
8039	Non-Export Rust Preventive Coating	\$153.00
	Attachments	
	Cold Start	Field Installed Attachments - Optional
AT211191	110 Volt Engine Coolant Heater (1000 Watt) Average installation, 0.5 hour	\$99.00
	Frame Attachment	Field Installed Attachments - Optional
AT451157	Front Counterweight, 94 kg. (207 lb.)	\$732.00
BYT12683	Rear Counterweight, 336 Lb. (152.6 Kg) - Field Kit	\$711.00
AT311768	C-Frame Tilt Clevis Kit	\$397.00
AT225884	Reinforcement Blade Kit Installation instructions T182677.	\$108.00

Code	Description	QTY List Price (USD)
	Recommended for severe conditions by reinforcing lower blade corners. For straight end bits order parts T182281 and T182280. For cupped end bits order parts T182253 and T182304.	
BYT13201	Rear Ripper/Scarifier Field Kit	\$18,500.00
	Requires option code 7030 or 7031	
	Miscellaneous	Field Installed Attachments - Optional
BYT10484	Universal Monitor	\$422.00
	Operator Environment	Field Installed Attachments - Optional
BYT10774	LED Cab Light Field Kit	\$336.00
BYT13232	CAN Vehicle Gateway Field Kit	\$485.00
BYT13231	Cab Rear View Camera Field Kit	\$2,087.00
BYT13230	Canopy Rear View Camera Field Kit	\$2,087.00
	Overall Vehicle	Field Installed Attachments - Optional
BYT10775	LED Grille Light Field Kit	\$242.00

Code	Description	QTY Lis	t Price (USD)
BYT13204	Quick Service Field Kit		\$743.00
BYT12048	Engine Air Precleaner - Field Kit		\$335.00
	Guards	Field Installed Attachmer	nts - Optional
BYT10418	Final Drive Drain Plug Guard Field Kit		\$240.00
	Winches	Field Installed Attachmer	nts - Optional
BYT13209	Winch Mounting Bracket Field Kit		\$3,350.00
BYT13270	Linkage and Controls for Power In/Power Out Winches		\$2,225.00
AT460040	External lines with Accumulator for Power In/Power Out Winches on 450K, 550K and	650K Only	\$1,442.00
	Powertrain & Cooling	Field Installed Attachmer	nts - Optional
BYT13206	Hydraulic Fan Drive Reversing Motor - Field Kit		\$322.00
	G.R.Mfg.	Field Installed Attachmer	nts - Optional

Code	Description	QTY	List Price (USD)
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O include installation instructions * All warranty, repair parts, technical support and assis assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled dir Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama (205)655-8005	stance, and sale rectly between	es support and the Dealer and G.R.
BYT13353	Brush Guard, Full Width for 115 Inch Blade		\$1,264.00
BYT13351	Brush Guard, Full Width for 90 - 97 Inch Blade		\$1,120.00
BYT13359	C-Frame Reinforcement Kit, Blade Rake		\$1,192.00
BYT13350	Brush Guard, Center grill width, 41 Inch Wide for 90 - 121 Inch Blade		\$680.00
BYT13360	Root Rake, 124" Heavy Duty with Brush Guard		\$9,542.00
BYT13357	Root Rake, 115" Heavy Duty with Brush Guard		\$9,542.00
BYT12452	AC Condenser Guard for Cab		\$1,289.00
BYT13356	Root Rake, 115" Standard Duty without Brush Guard		\$5,840.00
BYT13323	Tank Guard Kit - LGP		\$1,840.00
BYT13322	Tank Guard Kit - XLT		\$1,840.00

Code	Description	QTY	List Price (USD)
BYT13358	Root Rake, 124" Standard Duty without Brush Guard		\$5,840.00
BYT13361	Root Rake, 128" Heavy Duty with Brush Guard		\$9,542.00
BYT13355	Lift Cylinder Hose Guards		\$430.00
BYT13352	Brush Guard, Full Width for 105 Inch Blade		\$1,264.00
BYT12451	Side Screens for Canopy Field Kit		\$1,549.00
BYT12450	Side Screens for Cab Field Kit		\$1,991.00
BYT12884	Cab Rear Winch Screen Field Kit		\$1,784.00
BYT12883	Screens, Cab Full Enclosure with Limb Riser Kit		\$11,611.00
BYT12885	Canopy Rear Winch Screen Field Kit		\$1,126.00
BYT12448	Screens, Cab Front Window and Doors Field Kit If ordering option code 0603 or 0604, limb riser is needed to mount front lights.		\$3,269.00
BYT12454	Limb Risers, for Cab or Canopy Units		\$3,278.00

Code	Description	QTY List Price (USD)
BYT12449	Screens, Cab Side Windows Field Kit Must be ordered in conjunction with BYT12451	\$3,157.00
	Grade Control	Field Installed Attachments - Optional
BYT13192	Slope Control Field Kit P-Tier Small Dozer This kit allows installation of slope control and aftermarket systems (CAN unlock) to existing EH machines. Please order and download the Software AT550602 from JDPoint. Price includes software.	\$7,920.00
	PACCAR Winch Div	Field Installed Attachments - Optional
AT336215	3 Roller Fairlead Kit for Hydraulic Winch For use with PACCAR winch	\$4,210.00
	Hydraulics	Field Installed Attachments - Optional
BYT13202	Auxiliary Plumbing for Rear Attachment - Field Kit	\$293.00
BYT13203	Auxiliary Plumbing for Winch - Field Kit	\$489.00
BYT13216	EH Auxiliary Valve Field Kit	\$1,570.00
BYT13207	Auxiliary Fourth Section Valve Field Kit	\$902.00

Code	Description	QTY	List Price (USD)
BYT13214	Auxiliary Fifth Section Valve Field Kit		\$902.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.



STANDARD WARRANTY FOR NEW JOHN DEERE CONSTRUCTION, COMPACT CONSTRUCTION (CCE) FORESTRY, AND UTILITY PRODUCTS – US & CANADA

- Construction & Forestry Products: 12 months/unlimited hours (whichever occurs first) Full Machine Standard Warranty
- Compact Construction Equipment (CCE) Products: 24 months or 2000 hours (whichever occurs first) Full Machine Standard Warranty
- C&E Series Pull-Type Scrapers: 6 months Full Machine Standard Warranty
- DC & DE Pull-Type Scrapers: 12 months Full Machine Standard Warranty
- Scraper Tractors: 24 Months or 2000 Hours (whichever occurs first) Full Machine Standard Warranty
- Forestry Attachments: 12 Months or 2000 Hours (whichever occurs first) Full Machine Standard Warranty

The "Standard Warranty" is part of the warranty protection package available from John Deere Construction & Forestry Company (John Deere Limited in Canada) ("John Deere") to purchasers of new John Deere products ("product"):

STANDARD Warranty is John Deere's standard new product warranty, described in this document, provided at no additional charge to the purchaser.

EXTENDED Warranty is a separate repair contract made available by John Deere for purchasers who wish to complement their Standard Warranty coverage. Complete Extended Warranty details, including coverage options and limitations, are set forth in the Application for Extended Warranty, which is available from authorized John Deere dealers.

STRUCTURALL Warranty applies to certain structural components as listed below and as described in this document.

FACTORY-INSTALLED UNDERCARRIAGE Warranty applies to certain undercarriage components as listed below and as described in this document.

A. STANDARD WARRANTY - GENERAL PROVISIONS

John Deere will repair or replace, at its option, any parts (except those specified below) of a new John Deere product that, as delivered to the original retail purchaser(s), are defective in material or workmanship. Performance of this warranty will be free of charge for parts and labor, except as otherwise stated below. Standard Warranty applies only to purchases from John Deere and authorized John Deere dealers and, except as otherwise provided in the next sentence and section L below, is extended only to the original retail purchaser of the product. Remaining Standard Warranty applicable to a used John Deere product is transferred to a subsequent purchaser of the product only if the subsequent purchaser requests a transfer from an authorized John Deere dealer before the product's Standard Warranty expires. Coverage begins on the date of delivery of the product to the original retail purchaser. For purposes of this warranty, a product that has been rented, used for demonstration purposes for 150 or more hours, or otherwise used prior to its original retail purchase has been "used" for the total duration of such use. Warranty statements required by law covering engine emissions-related parts and components are found on a separate written warranty certificate provided to the purchaser at the time of the original retail purchase.

B. WHAT IS COVERED BY STANDARD WARRANTY

All parts of a new John Deere product (except those noted in Sections D and E below) are covered during the Standard Warranty period set out above.

C. EXCLUSIVE REMEDY

The repair or replacement of covered parts or components that are defective, as provided in Sections A, B, D.2 and D.3 herein, shall be the purchaser's exclusive remedy for any defect in the product. However, if after repeated attempts such repair or replacement fails to correct the performance problem caused by the defect, the purchaser's sole remedy shall be a refund of the amount paid for the product (in exchange for a return of the product), excluding any transportation charges, license fees, taxes and insurance premiums, and less a reasonable allowance for use of the product prior to its return. In no event will the dealer, John Deere or any company affiliated with John Deere be liable for any incidental or consequential damages, including but not limited to loss of profits, rental of substitute equipment or other commercial loss. Correction of defects in the manner provided above shall constitute fulfillment of

1

all liabilities of the Dealer, John Deere, or any company affiliated with John Deere to the purchaser or any other person, whether based upon contract, tort, strict liability, or otherwise. This limitation does not apply to claims for personal injury.

A. ITEMS COVERED SEPARATELY -

- 1. <u>Standard Warranty</u> does not apply to batteries, radios, tires, cameras, or to Cummins, MTU or Detroit Diesel Engines installed in John Deere products, which are covered by separate written warranties.
- 2. <u>Factory-Installed Undercarriage Warranty</u> covers all non-rubberized factory-installed undercarriage wear components for 3 years or 4,000 hours from the date of delivery to the original retail purchaser, whichever occurs first (unless terminated earlier under Section F, below). For purposes of this warranty, a product that has been rented, used for demonstration purposes for 150 or more hours, or otherwise used prior to its original retail purchase has been "used" for the total duration of such use. In addition to the items listed in section E below, Factory-Installed Undercarriage Warranty does not cover: failures due to wear, machine application, maintenance practices, or improper machine configuration; removal and installation labor; transportation or hauling costs; unapproved parts; non-wear items; and rubberized undercarriage components such as rubber tracks. Warranty claims will be pro-rated based upon wear of the failed component and whether track shoe width is approved by John Deere. Factory-Installed Undercarriage Warranty does not apply to Scraper Tractors.
- 3. <u>StructurALL Warranty</u> for new John Deere Products (except Compact Excavators & Loaders, Skid-Steer Loaders, Compact Track Loaders, Scraper Tractors, Pull-Type Scrapers, and Forestry Attachments, which are not eligible for StructurALL Warranty) begins at the date of delivery to the original retail purchaser and ends (unless terminated earlier under Section F, below) after three (3) years, or 10,000 hours (whichever occurs first). For purposes of this warranty, a product that has been rented, used for demonstration purposes for 150 or more hours, or otherwise used prior to its original retail purchase has been "used" for the total duration of such use. StructurALL Warranty applies only to the following structural components listed below as installed on the product at the time of original manufacture. If a particular component is not listed below it is not covered by StructurALL Warranty.

Arm; Articulation Joint (incl. pins & bushings); Bin Frame; Boom; Carbody; C-Frame*; Circle Frame; Coupler (John Deere built ONLY); Dipperstick; Draft Frame; Engine Frame; Equipment Frame; Grapple Arch and Grapple Boom; Loader Arm; Loader Frame; Moldboard Lift Arm; Pushbeam, NeverGrease™ Pin Joints [Includes steering pin and bushing joints (standard equipment), roller elements (roller bearings) in bucket to boom joints and sliding elements (bushing) for boom and linkage joints (optional equipment)]; Rollover Protection Structure (ROPS); Side Frame; Swing Frame; Track Frame; Undercarriage Frame; X-Frame; Z-bar loader linkage (including bell crank and bucket driver link); Specialty booms and arms marketed as "heavy duty" by John Deere.

Items Covered by StructurALL for Cut-to-Length Forestry Machines: Front frame (welded assembly); Rear frame (welded assembly); Crane king post with basement; Middle joint frame; Cabin swing frame; Main Boom

StructurALL Warranty does not apply to:

- Any product used primarily in extreme duty or severe duty applications such as but not limited to: demolition and wrecking, chemical plant (including fertilizer plants), salt mines, steel mill, land fill and transfer stations, scrap handling, scarifying and other applications that are similarly destructive or similarly heavy duty except specialty booms and arms as stated in Section D.3 above.
- C-Frames on Crawlers equipped with root rakes or used in forestry applications unless equipped with an "extreme duty" reinforcement package.
- 3. Cut-to-Length Forestry Heads and Slash Bundler Units.
- 4. Crawlers equipped with optional side booms.
- 5. Cut-to-Length Forestry, Excavator, and Log Loader swing bearings.
- Motor Graders equipped with front- or rear-mounted snow wings.

A. ITEMS NOT COVERED -

John Deere is NOT responsible for the following:

- 1. Freight.
- 2. Adjustments to compensate for wear, for periodic maintenance or adjustments that result from normal wear and tear.
- 3. Damage caused by unapproved adjustments (electronic or mechanical) to machine or machine components outside of published specifications including but not limited to engine, hydraulic components and relief valves.
- 4. Program updates, calibrations, and pressure adjustments.
- 5. Additional Labor Time Above Dealer Labor Rate.
- 6. Additional Cleaning Above Dealer Labor Rate.
- 7. Rental Fees.
- 8. Depreciation or damage caused by normal wear or application, lack of reasonable and proper maintenance, failure to follow operating instructions, misuse, lack of proper protection during storage, vandalism, negligence, collision, expenses to seek reinstatement of warranty following theft or loss of Product, or other accidents.
- 9. Premiums charged for Overtime Labor.
- 10. Transportation to and from the dealership.
- 11. Travel time, mileage, or service calls by the dealer.
- 12. Non-John Deere components or modifications, Rotobec grapples, and attachments installed aftermarket.
- 13. Shop supplies and maintenance items such as, but not limited to: filters, fuels, oil, hydraulic fluid, lubricants, coolants,
- conditioners, shop towels, cleaners and degreasers.
- 14. Torn, cut, or worn hoses.
- 15. Wear items, such as, but not limited to: body liner, belts, blades, bulbs, lubricated joints (including pins and bushings), dry brakes, brake linings, dry clutch linings, saw blades, chains, skidder grapple shocks, color marking nozzles, and articulation bumpers.
- 16. Items such as cutting-edge parts, delimbing knives, bucket teeth and rubber track are not warranted for depreciation or damage caused by normal wear, lack of proper maintenance, misuse, failure to follow operating instructions, the elements or accident.
- 17. Any defect in a non-covered component, or damage to or failure of a covered component caused by a defect in a noncovered component.
- 18. Secondary damage which occurs from continued operation of a product after recognition of the occurrence of a failure.
- 19. Parts supplied by or repairs, maintenance or modifications performed by someone other than an authorized John Deere dealer, including any damage caused by such use of parts, repairs, maintenance, or modifications not performed by an authorized John Deere dealer.
- 20. The use of "track type" tire chains on Feller Bunchers and Skidders is an unapproved modification. Warranty will be void on these machines using "track type" tire chains.
- 21. Topping off fluids when fluid levels fall in the range between low and full
- 22. Parts/Kits not ordered on machine and installed aftermarket. These parts will be covered by any applicable parts warranty.
- 23. Attachments installed aftermarket i.e., Winch not installed at factory.
- 24. Custom options installed outside the factory i.e., G.R. Manufacturing option packages.
- 25. Used Products (except as otherwise provided in section L below).
- 26. Lost or stolen Products.

B. TERMINATION OF WARRANTY-

John Deere is relieved of its obligations under Standard Warranty, StructurALL Warranty, Factory-Installed Undercarriage Warranty and/or Extended Warranty if:

- The product is modified or altered in ways not approved by John Deere; or 1.
- Any unapproved or improperly sized attachment is installed on the product. Approval and attachment size shall be at John 2. Deere's sole discretion. (Consult dealer prior to installing attachments or product modification).
- The product is moved outside the US and/or Canada. 3.

Only new or remanufactured parts or components furnished or approved by John Deere, will be used if John Deere elects to repair the product. If any such part or component is defective in material or workmanship when installed in the product, John Deere will repair or replace, as it elects, such defective part or component, provided the defect is reported to an authorized John Deere dealer within 90 days of installation or before expiration of the applicable Standard Warranty, Factory-Installed Undercarriage Warranty and/or StructurALL Warranty whichever is later.

B. TELEMATICS

NOTICE: Products may be equipped with telematics hardware and software ("Telematics") that transmit data to John Deere/ Dealer. Purchaser may deactivate Telematics at <u>www.jdlink.com</u>.

Notwithstanding Purchaser's right, title or interest in the Products, Purchaser agrees that John Deere and Dealer (their affiliates, successors and assigns), without further notice to Purchaser have the right to:

- 1. Access, use, collect and disclose any data generated by, collected by, or stored in, Products or any hardware or devices interfacing with Products ("Machine Data");
- 2. Access Machine Data directly through data reporting devices integrated within, or attached to, Products, including Telematics ("Data Reporting Systems"); and
- 3. Update the Data Reporting Systems software from time to time. Machine Data will only be used in accordance with John Deere's Machine Data Policy, located at www.JohnDeere.com/MachineDataPolicy.

C. OBTAINING WARRANTY SERVICE -

To obtain warranty service, the purchaser must request warranty service from a John Deere dealer authorized to sell the product to be serviced. When making such a request, the purchaser must present evidence of the product's delivery date, make the product available at the dealer's place of business, and inform the dealer in what way the purchaser believes the product to be defective. Standard Warranty, Factory-Installed Undercarriage Warranty and/or StructurALL Warranty repairs may be made in the field if the purchaser and servicing dealer so desire. However, John Deere will not be responsible for any charges (such as dealer travel time, mileage or extra labor) that would not have been incurred had the product been repaired at the dealer's place of business.

D. NO IMPLIED WARRANTY, CONDITIONS OR OTHER REPRESENTATION -

Where permitted by law, neither John Deere nor any company affiliated with it makes any warranties, representations, conditions or promises, express or implied, as to the quality, performance, or freedom from defect of its products, other than those set forth in this document and NO IMPLIED WARRANTY OF MERCHANTABILITY, CONDITIONS OR FITNESS IS MADE.

E. NO DEALER WARRANTY -

The selling dealer makes no warranty of its own on any item covered by this warranty and makes no warranty on other items unless the dealer delivers to the purchaser a separate written warranty certificate specifically warranting the item. The dealer has no authority to make any representation or promise on behalf of John Deere, or to modify the terms or limitations of this warranty in any way.

F. USED JOHN DEERE PRODUCTS ONLY -

John Deere will transfer remaining Standard Warranty, Factory-Installed Undercarriage Warranty and/or StructurALL Warranty to the purchaser of a used John Deere construction and/or forestry product that has been used for less than the full warranty period provided at the product's original retail purchase. This transfer is not effective until change of ownership is registered by a John Deere dealer. ALL THE TERMS, INLCUDING LIMITATIONS AND EXCLUSIONS, OF THE JOHN DEERE STANDARD WARRANTY, FACTORY-INSTALLED UNDERCARRIAGE WARRANTY, AND/OR STRUCTURALL WARRANTY ORIGINALLY PROVIDED FOR THE PRODUCT REMAIN IN EFFECT AND APPLICABLE.





Company ID Number: 513478

THE E-VERIFY PROGRAM FOR EMPLOYMENT VERIFICATION MEMORANDUM OF UNDERSTANDING

ARTICLE I

PURPOSE AND AUTHORITY

This Memorandum of Understanding (MOU) sets forth the points of agreement between the Department of Homeland Security (DHS) and <u>Warrior Tractor & Equipment Co., Inc.</u> (Employer) regarding the Employer's participation in the Employment Eligibility Verification Program (E-Verify). This MOU explains certain features of the E-Verify program and enumerates specific responsibilities of DHS, the Social Security Administration (SSA), and the Employer. E-Verify is a program that electronically confirms an employee's eligibility to work in the United States after completion of the Employment Eligibility Verification Form (Form I-9). For covered government contractors, E-Verify is used to verify the employment eligibility of all newly hired employees and all existing employees assigned to Federal contracts or to verify the entire workforce if the contractor so chooses.

Authority for the E-Verify program is found in Title IV, Subtitle A, of the Illegal Immigration Reform and Immigrant Responsibility Act of 1996 (IIRIRA), Pub. L. 104-208, 110 Stat. 3009, as amended (8 U.S.C. § 1324a note). Authority for use of the E-Verify program by Federal contractors and subcontractors covered by the terms of Subpart 22.18, "Employment Eligibility Verification", of the Federal Acquisition Regulation (FAR) (hereinafter referred to in this MOU as a "Federal contractor with the FAR E-Verify clause") to verify the employment eligibility of certain employees working on Federal contracts is also found in Subpart 22.18 and in Executive Order 12989, as amended.

ARTICLE II

FUNCTIONS TO BE PERFORMED

A. RESPONSIBILITIES OF SSA

1. SSA agrees to provide the Employer with available information that allows the Employer to confirm the accuracy of Social Security Numbers provided by all employees verified under this MOU and the employment authorization of U.S. citizens.

2. SSA agrees to provide to the Employer appropriate assistance with operational problems that may arise during the Employer's participation in the E-Verify program. SSA agrees to provide the Employer with names, titles, addresses, and telephone numbers of SSA representatives to be contacted during the E-Verify process.

3. SSA agrees to safeguard the information provided by the Employer through the E-Verify program procedures, and to limit access to such information, as is appropriate by law, to individuals responsible for the verification of Social Security Numbers and for evaluation of the E-Verify program or such other persons or entities who may be authorized by SSA as governed

www.dhs.gov/E-Verify





Company ID Number: 513478

To be accepted as a participant in E-Verify, you should only sign the Employer's Section of the signature page. If you have any questions, contact E-Verify at 888-464-4218.

Employer Warrior Tractor o	& Equipment Co.	, Inc.
Stanley McCracken		
Name (Please Type or Print)	******	Title
Electronically Signed Signature		03/01/2012
Signature		Date
Department of Homeland Secu		Division
USCIS Verification Division		
Name (Please Type or Print)		Title
Electronically Signed Signature		03/01/2012 Date
Signature		Date
Infor Information relating to yo		for the E-Verify Program
Company Nam	e:Warrior Tractor & E	quipment Co., Inc.
Company Facility Addres	s:6801 McFarland Blv	/d
	Northport, AL 3547	6
Company Alternate Address:	P O Box 412	
	Northport, AL 3547	6
County or Parish:	TUSCALOOSA	
Employer Identification Number:	630588737	

Page 12 of 13 | E-Verify MOU for Employer | Revision Date 09/01/09

www.dhs.gov/E-Verify





Company ID Number: 513478

	North American Industry Classification Systems Code:	423
	Administrator:	Warrior Tractor and Equipment Co., Inc.
	Number of Employees:	100 to 499
	Number of Sites Verified for:	1
	you verifying for more the state:	han 1 site? If yes, please provide the number of sites verified for
•	ALABAMA	1 site(s)

Information relating to the Program Administrator(s) for your Company on policy questions or operational problems:

Name:	Stanley N McCracken			
Telephone Number: E-mail Address:	(205) 339 - 0300 wte024@warriortractor.com	Fax Number:	(205) 333 - 0101	

Page 13 of 13 | E-Verify MOU for Employer | Revision Date 09/01/09

www.dhs.gov/E-Verify