

BID SUBMITTAL FORM
Alabama County Joint Bidding Program
BID ITEM – 100 HP HYDROSTATIC BULLDOZER – OPTION C

Company Name: Warrior Tractor & Equipment Company, Inc.

Address: 6801 McFarland Blvd

Northport, AL 35476

Bid Submitted by: David Schafer

(Name of company representative)

Title: Sales Manager

E-mail address: dschafer@warriortractor.com

Phone: 205-339-0300

Fax: 205-333-0101

By submitting this bid, we agree:

The equipment model number identified below meets the bid specs for this bid item

That the bid price will be honored for all counties for the period from Jan. 1, 2024 to Dec. 31, 2024.

The equipment will be delivered at the bid price to all counties participating in the joint bid program

The company representative listed above will be the contact person for purchasing this bid item under the joint bid program

The bid is accompanied by a current catalog or model specification document for the model number identified below

The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications

The bid includes the e-verify documentation required by Alabama law

If awarded the bid, a performance bond will be provided upon request

The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine**

Initials

DS

DS

DS

DS

DS

DS

DS

DS

DS

100 HP HYDROSTATIC BULLDOZER – OPTION C

Total Bid Price for Standard Machine: \$ 194,679.00

(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs)*


Freight Preparation and Delivery: \$ 6,969.00

(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 250,639.00

Equipment Model #: JD 650 P

Description: BULLDOZER

Signature of company representative submitting bid: 

Title: Sales Manager

* **NOTE:** Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

BID SUBMITTAL FORM: OPTION COST SHEET 100 HP HYDROSTATIC BULLDOZER – OPTION C

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine*

The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) with **any available Options** for the Standard Machine

10 R8

10 R8

Equipment Model #: JD 650 P

Description: BULLDOZER

Signature of company representative submitting bid: David R. Schiff

Title: Sales Manager

***Note:** The percent difference between the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the standard machine as specified by these **Bid Specifications** and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation, delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.

BID SPECIFICATIONS FOR 100 HP HYDROSTATIC BULLDOZER – OPTION C

GENERAL

These specifications shall be construed as the minimum acceptable standards for a 100 hp hydrostatic low ground pressure bulldozer. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The bulldozers must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

MANUALS

Each unit shall be provided with one (1) copy of the operator's manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 7,500 hours of use for the piece of equipment bid. If replacement parts are not delivered within three (3) working days of an order being placed, the bidder will deliver an equivalent machine for the county to use at no cost to the county until such time as the parts are delivered to the county so it can affect repairs to its machine.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty. Warranty shall include service response time of maximum of 36 hours within notification by county.

Yes ☒ No ☐
Page#
or
Attachment ☒

ENGINE

Shall be a turbocharged diesel engine with a displacement of not less than **276 cubic inches**, capable of developing a minimum of **104 net** flywheel horsepower (SAE J1349).

Yes ☒ No ☐
Page # 6

Engine shall be manufactured by the equipment manufacturer.

Yes ☒ No ☐
Page # 6

WEIGHT

Operating weight with blade, operator, full fuel tank, and ROPS canopy shall not be less than **22,000 lbs.**

Yes ☒ No ☐
Page # 6

ELECTRICAL SYSTEM

Shall be equipped with a minimum **100-amp** alternator.

Yes ☒ No ☐
Page # 6

TRANSMISSION

Shall be equipped with a hydrostatic type transmission.

Yes ☒ No ☐
Page # 6

STEERING

All steering functions must be able to be performed using one hand only.

Yes ☒ No ☐
Page # 6

UNDERCARRIAGE

The tractor shall be equipped with sealed and lubricated tracks. Minimum shoe width shall be **28 inches**. Track sag shall be hydraulically adjusted.

Yes ☒ No ☐
Page # 7

BLADE

The machine shall be equipped with a six-way (pat) blade with a minimum capacity of **2.5 cubic yards**.

Yes ☒ No ☐
Page # 8

VANDALISM PROTECTION

Machine shall be equipped with all standard and optional factory vandalism protection available for the machine bid.

Yes ☒ No ☐
Page # 10-11

Hydraulics

Minimum pump flow shall be **19 gpm** and minimum system pressure of **3000 psi**.

Yes ☒ No ☐
Page # 6

SAFETY EQUIPMENT

Gauges and indicators shall be provided to monitor critical (fuel level, coolant temperature, powertrain oil temperature, and hydraulic oil temperature) operational systems of the machine and alert the operator when potential problems occur.

Yes X No
Page # 10-11

Rear view mirror; backup alarm.

Yes X No
Page # 11

Heavy duty hinged radiator guard

Yes X No
Page # 10

Crankcase guard

Yes X No
Page # 10

Track center guiding guard

Yes X No
Page # 10

Pre-cleaner guard

Yes X No
Page # 10-11

Front tow hooks

Yes X No
Page # 10-11

Heavy duty rear drawbar

Yes X No
Page # 10

Fire extinguisher

Yes X No
Page # 10-11

Water separator

Yes X No
Page # 10-11

650 P-Tier Utility Dozer

27-Dec-2023



Code	Description	QTY	List Price (USD)
55C0T	650 P-Tier Utility Dozer	1	\$234,004.00
	650 P-Tier Utility Dozer Standard Equipment		
	ENGINE:		
	John Deere PowerTech PWS 4.5L meets FT4 / Stage IV emissions		
	104 SAE Net hp (78kW)		
	Wet Sleeve Cylinder Liners		
	Isolation-Mounted		
	Electronic Fuel Injection		
	Electronic Control with Automatic Engine Protection		
	Vertical Spin-on Engine Oil Filter		
	Vertical Spin-on Dual Stage Fuel Filter		
	Oil-to-Water Engine Oil Cooler		
	Dual Safety Element Dry-Type Air Cleaner, Evacuator Valve		
	Eco Mode		
	500 hr. Engine Oil Change Interval		
	COOLING SYSTEM:		
	Enclosed Safety Fan Guard (Conforms to SAE J1308)		
	Cool-On-Demand Variable Speed Engine Fan		
	Engine Coolant -34 Degree F (-37 Degree C)		
	Coolant Recovery Tank		
	8.5-Fin/in. Engine Coolant Radiator		
	9.5-Fin/in. Hydrostatic/Hydraulic Oil-to-Air Cooler		
	6.4-Fin/in. Air-to-Air Charge Air Cooler		
	Tilt Out Heavy-Duty Perforated Front Grille and Radiator with Hose Protection		
	ELECTRICAL:		
	24 Volt System		
	110 Amp Alternator for canopy units / 145 Amp Alternator for cab units		
	(2) Batteries with 190 Minute Reserve Capacity, 950 CCA		
	Master Electric Disconnect Switch		
	Bypass Start Safety Cover on Starter		
	Blade-Type Fuses		
	Positive Terminal Battery Covers		
	Pre-wired for Work Lights, Underseat Heater		
	(2) Front Cab Mounted and (2) Rear Cab Mounted Work Lights		
	HYDRAULICS:		
	18 GPM (68 L/Min) Fixed Displacement Hydraulic Gear Pump		
	Three-Function Electro-Hydraulic (EH) Controls with Proportional Angle Function		
	Hydraulic/Hydrostatic Oil Reservoir with Sight Gauge		
	Vertical Spin-on Hydraulic Oil Filter		
	POWER TRAIN:		
	Dual Path Hydrostatic Transmission		
	Variable Displacement Piston Pump and Motor Combination		
	Single Lever-Steering, Direction / Speed Control with Counter Rotation and Horn		
	Selectable reverse speed ratios 100%, 115%, 130% or independent of forward ground speed		
	AutoTracking Steering Control		

Code	Description	QTY	List Price (USD)
	18.6 Gallon (70.4 Liter) Reservoir with Sight Gauge 4000 hr. Oil Change Interval Vertical Spin-on Transmission Filter Combined Decelerator/Brake Pedal Automatic Power Management (w/ Manual Override) for Matching Ground Speed Infinite Ground Speed Selection Automatic Straight Ahead Tracking Dynamic Braking (Anti-Free Wheel) Transmission Neutral Lock with Safety Start Switch Automatic Spring Applied, Hydraulically Released Parking Brake Oil to Air Transmission Oil Cooler Triple Reduction Final Drives with Wet Multi-Disk Brakes Primary and Secondary Service Brakes (Conforms to ISO10265) Transmission Diagnostic Ports Selectable Decelerator Mode UNDERCARRIAGE: 61 In. (1549 mm) XLT Track Gauge w/ 7 Bottom Rollers Maximum Life Undercarriage with Moderate Single Grouser Track Shoes Sealed Track Chain Single Flange Rollers Front and Rear Track Guides Solid Sprocket with Bolt-on Sprocket Guards Track Adjuster Relief Valve OPERATOR STATION: JDLINK Telematics Service Modular Design ROPS/FOPS Canopy, Isolation Mounted (Conforms to SAE J1040) Left and Right Front Access Front and door wipers and washers (cab) Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185) Large Color Display Interior Sound Treatment Air Suspension Seat Operator Presence System Thigh Support Lumbar Backrest Tilt Height, Weight and Fore-Aft Side Console Leg Cushions Adjustable Armrests 3 in. (76 mm) Orange Seat Belt with Retractors (Conforms to SAE J386 - ISO 6683) Lunch Box Storage Glove (Storage) Box Cupholders (x2) Built-in Operator's Manual Storage Compartment and Manual 12 Volt Power Port Headliner and Floor Mat Horn, Electric (Conforms to SAE J994, J1446)		

Code	Description	QTY	List Price (USD)
	GAUGES: Engine Coolant Temperature Transmission Oil Temperature Hydraulic Oil Temperature Engine Oil Pressure Fuel Level DEF Level OVERALL VEHICLE: One Piece Unitized Mainframe Front Tow Loop Reinforced Engine and Mid-frame Bottom Guards Integral Transmission Guard Perforated Engine Side Shields Heavy-Duty Perforated Front Grille with Hose Protection Environmental Drains 53 Gallon (202 Liter) Fuel Tank with Wide Mouth Fuel Fill Cap and Shut off Valve Reverse Warning Alarm with Guarding (Conforms to SAE J994, J1446) Vandal Protection Locking for: Engine Access Door Rear Service Doors Fuel tank Instrument Panel Hydrostatic/Hydraulic Reservoir - Need wrench to access		
55C0T	650 P-Tier Utility Dozer	1	\$234,004.00
	Destination Code	Basic Factory Options - Required	
	North America		
0202	United States		No Added Cost
	Operator's Manual and Language	Basic Factory Options - Required	
0259	English		No Added Cost

Code	Description	QTY	List Price (USD)
	English language for operator's manual and electronic content		
0263	French French language for operator's manual and electronic content		No Added Cost
0287	Spanish Spanish language for operator's manual and electronic content		No Added Cost
	Labels		Basic Factory Options - Required
0351	Translated Text Labels Vehicle labels translated to selected language		No Added Cost
0352	No Text Lables Vehicle labels will be no text		No Added Cost
	Engine		Basic Factory Options - Required
4076	John Deere 4.5L - FT4/SV John Deere PowerTech PWS 4.5L (274 cu. in.) 4 Cyl meets FT4/EU Stage V Emissions		No Added Cost
	Engine Fan Drive		Basic Factory Options - Required
4101	Standard Hydraulic Fan Drive		No Added Cost
4102	Automatic Reversing Hydraulic Fan		\$1,532.00

Code	Description	QTY	List Price (USD)
4103	Direct Fan Drive		No Added Cost
	Dozer Configuration	Basic Factory Options - Required	
0401	XLT PAT (Extra Long Track - Power Angle Tilt) 1549 mm (61 In.) track gauge - 7 bottom rollers		No Added Cost
0410	LGP PAT (Low Ground Pressure - Power Angle Tilt) 1753 mm (69 In.) track gauge - 7 bottom rollers		\$4,939.00
	Track Shoes And Chain	Basic Factory Options - Required	
5602	18 In. (457 mm) Moderate Service Shoes - Heavy Duty Undercarriage		(\$8,094.00)
5603	20 In (508 mm) Moderate Service Shoes with Clipped Corners - Heavy Duty Undercarriage		(\$7,880.00)
5605	24 In (610 mm) Moderate Service Shoes - Heavy Duty Undercarriage		(\$7,144.00)
5608	28 In (710 mm) Moderate Service Shoes with Clipped Corners - Heavy Duty Undercarriage		(\$6,698.00)
5702	18 In (457 mm) Moderate Service Shoes - Extended Life Undercarriage		(\$2,333.00)
5703	20 In (508 mm) Moderate Service Shoes with Clipped Corners - Extended Life Undercarriage		(\$1,669.00)

Code	Description	QTY	List Price (USD)
5705	24 In (610 mm) Moderate Service Shoes - Extended Life Undercarriage		(\$1,004.00)
5708	28 In (710 mm) Moderate Service Shoes with Clipped Corners - Extended Life Undercarriage		(\$339.00)
5802	18 In (450 mm) Moderate Service Shoes - Maximum Life Undercarriage		No Added Cost
5803	20 In (508 mm) Moderate Service Shoes with Clipped Corners - Maximum Life Undercarriage		\$580.00
5805	24 In (610 mm) Moderate Service Shoes - Maximum Life Undercarriage		\$1,211.00
5806	28 In (710 mm) Moderate Service Shoes with Clipped Corners - Maximum Life Undercarriage		\$1,807.00
	Track Guides	Basic Factory Options - Required	
5901	Center and Rear Track Guides Recommended for slope and rocky conditions		\$905.00
5902	Rear Track Guides		No Added Cost
5903	Full-Length Rock Guards Includes Rear & Center Track Guides Recommended for slope and rocky conditions and not ideal for use in mud with extreme cold conditions.		\$1,826.00
	Dozer Blade	Basic Factory Options - Required	

Code	Description	QTY	List Price (USD)
	Blades or C-Frames are NOT included in base machine price. All C-Frame options include remote C-Frame pivot grease banks and integrally protected hoses with replaceable hoses. All blades have manual adjustable blade pitch.		
7615	PAT Blade - 115 In (2921mm) w/ HD C-Frame - Blade NOT Installed Blade shipped with machine but not installed. 115 In X 37.6 In (2.92 m X .96 m) Includes: lift, tilt, and angle cylinders with hoses, Cordura coverings, and tilt cylinder cable		No Added Cost
7616	PAT Blade - 124 In (3150mm) w/ HD C-Frame - Blade NOT Installed Requires LGP track frame 124 In X 35.2 In (3.15 m X .894 m) Blade shipped with machine but not installed. Includes: lift, tilt, and angle cylinders with hoses, Cordura coverings, and tilt cylinder cable		\$509.00
7659	PAT Blade - 128 In (3251mm) - Blade NOT Installed Requires LGP track frame 128 In X 37.6 In (3.25 m X .96 m) Blade shipped with machine but not installed Includes: lift, tilt, and angle cylinders with hoses, Cordura coverings, and tilt cylinder cable		\$1,925.00
7660	PAT Blade - 105 In (2667mm) w/ HD C-Frame - Blade Factory Installed Requires XLT track frame 105 In X 42 in (2.67 m X 1.06 m) Factory Installed Includes: lift, tilt, and angle cylinders with hoses, Cordura coverings, and tilt cylinder cable		(\$384.00)
7611	Less Blade (Includes C-Frame) Does not include attaching pins and hardware. Includes: lift, tilt, and angle cylinders with hoses, Cordura coverings, and tilt cylinder cable. Refer to Installation instructions T177581 to attach non-Deere attachments.		(\$5,548.00)
Trim Packages		Basic Factory Options - Required	

Code	Description	QTY	List Price (USD)
0601	Canopy - Level 1 Trim Includes: Black Exhaust Halogen Lights		No Added Cost
0602	Canopy - Level 2 Trim Includes: Chrome Exhaust LED Lights		\$489.00
0603	Cab - Level 1 Trim Includes: Black Exhaust Halogen Lights AM/FM Radio Standard Highback Seat (Fabric, Air Suspension)		\$15,550.00
0604	Cab - Level 2 Trim Includes: Chrome Exhaust LED Lights Premium Radio (AM/FM, Bluetooth, Aux, Microphone) Premium Highback Seat (Leather, Heated & Ventilated, Air Suspension) Automatic Temperature Control (ATC) – HVAC system		\$18,386.00
Hydraulic Controls		Basic Factory Options - Required	
7026	3 Function Manual Hydraulic Controls For Power-Angle-Tilt (PAT) Manual Controls. NOT future upgradeable to 2D Slope Control or SmartGrade™ in the factory by field kit. Does NOT include EZ Grade.		No Added Cost
7031	4 Function Manual Hydraulic Controls For Power-Angle-Tilt (PAT) Manual Controls, includes auxiliary plumbing for ripper. NOT future upgradeable to 2D Slope Control or SmartGrade™ in the factory or by field kit. Does NOT include EZ Grade.		\$974.00
7028	3 Function Electro-Hydraulics (EH) For Power-Angle-Tilt (PAT) EH Controls. Includes touchscreen PDU. Includes EZ Grade.		\$3,685.00

Code	Description	QTY	List Price (USD)
	EH controls are required for 2D slope control or SmartGrade™.		
7030	4 Function Electro-Hydraulics (EH) For Power-Angle-Tilt (PAT) EH Controls. Includes auxiliary plumbing for ripper. Includes touchscreen PDU. Includes EZ Grade. EH controls are required for 2D slope control or future upgrades to SmartGrade™.		\$5,147.00
	HYDRAULIC PUMP	Basic Factory Options - Required	
7151	Standard Hydraulic Pump		No Added Cost
7152	Thru-Drive Hydraulic Pump for use with Direct Drive (PTO) Winch For use with Deere 4000S Winch (mechanical drive). Includes external spline for winch or auxiliary pump		\$460.00
	Vision System	Basic Factory Options - Required	
0950	No Rear Camera		No Added Cost
0951	Rear Camera (Primary Display)		\$2,066.00
0954	Rear Camera - Includes Touchscreen PDU For machine ordered with manual controls. Brings in 8" Touchscreen Primary Display/Monitor		\$2,675.00
	Detection System	Basic Factory Options - Required	
1100	No Detection System		No Added Cost

Code	Description	QTY	List Price (USD)
Connectivity Hardware		Basic Factory Options - Required	
183E	JDLINK™ Includes integrated cab wiring harness, antenna, and JDLINK™ Modem's (MTG). JDLINK™ connectivity is enabled separately through the JDLINK™ website. Connectivity service is subject to country availability.		No Added Cost
183Q	JDLINK™ Satellite Includes integrated cab wiring harness, antenna, JDLINK™ Modem's (Cellular MTG & Satellite MTG). JDLINK™ connectivity is enabled separately through the JDLINK™ website. Connectivity service is subject to country availability.		\$3,000.00
Display Hardware		Basic Factory Options - Required	
1900	No Advanced Display		No Added Cost
Display Application		Basic Factory Options - Required	
1950	No Application		No Added Cost
Grade Control		Basic Factory Options - Required	
2000	No Grade Control Does NOT allow CAN communication for aftermarket systems. Order 2D slope control (option code 2031) if hydraulic CAN communication is required When equipped with EH controls will allow future upgrades to SmartGrade™		No Added Cost

Code	Description	QTY	List Price (USD)
	When equipped with EH controls includes EZ Grade		
2031	2D Slope Control; SmartGrade Upgradeable Allows easy future upgrade to SmartGrade™ Required for aftermarket CAN communication SmartGrade roof harnesses installed Includes EZ Grade Does not include additional advanced display required for future laser control Automatic control of mainfall and cross slope, Interface integrated into machines standard 8" touchscreen display		\$8,800.00
	Smartgrade	Basic Factory Options - Required	
2940	No SmartGrade™ Installed		No Added Cost
	Receivers	Basic Factory Options - Required	
1880	No Receivers		No Added Cost
	Undercarriage Guarding	Basic Factory Options - Required	
6801	Front Idler Guards		No Added Cost
6800	No Front Idler Guards		(\$659.00)
	Optional		
	Engine - Order As Desired	Field Installed Attachments - Optional	

Code	Description	QTY	List Price (USD)
8049	Engine Air Precleaner - Rotary		\$509.00
8123	Severe-Duty Fuel Filter		\$912.00
Attachments - Order As Desired		Field Installed Attachments - Optional	
8196	Retrieval Hitch Recommended for pull-type implements (extends 6.1 In / 155 mm) Not for Use with: Ripper or extended rigid drawbar Can be used with rear counterweight		\$398.00
8094	Extended Rigid Drawbar With Pin Recommended for pull type implements that require turning clearance (extends 11.3 In / 288 mm) Not for use with: Retrieval hitch, model 4000 winch Can be used with rear counterweight		\$537.00
8129	Heavy Duty Parallelogram Ripper With 5 Shank Pockets and (3) Shank/Teeth Requires: 4 function hydraulics Cannot be used with: retrieval hitch, or extended rigid drawbar		\$11,887.00
8162	Model 4000 Standard Speed Winch - Power In, Freespool Out Requires: Thru-drive hydraulic pump, rear screen Not for Use with: Ripper, retrieval hitch, or traditional extended rigid drawbar		\$20,319.00
8163	Model 4000 Standard Speed Winch - Power In, Power Out Requires: Thru-drive hydraulic pump, rear screen Not for Use with: Ripper, retrieval hitch, or traditional extended rigid drawbar		\$22,931.00

Code	Description	QTY	List Price (USD)
8161	Model 4000 Low Speed Winch - Power In, Power Out Requires: Thru-drive hydraulic pump, rear screen Not for Use with: Ripper, retrieval hitch, or traditional extended rigid drawbar		\$23,890.00
8091	Extended Rigid Drawbar for Use with Winch For use with model 4000 winch		\$1,140.00
8026	4000 Winch Fairlead, Four Roller Requires: Thru-drive hydraulic pump, rear screen Not for use with: Ripper, retrieval hitch, or traditional extended rigid drawbar		\$4,994.00
8106	Front Counterweight 94 kg. (207 lb.)		\$736.00
Packages-Order As Desired		Field Installed Attachments - Optional	
8104	Fluid Sampling Ports Package Includes color-coded sampling ports to collect oil samples from engine, hydraulic, and hydrostatic systems.		\$296.00
8179	Quick Service Package Includes quick service ports and plumbing for quick evacuation and fill of hydraulic oil, engine oil, and engine coolant.		\$914.00
8500	Cold Weather Package Includes: - Hydrau XR Oil (factory fill, all-season temperatures ranging from -40C to 40C / -40F to 104F) - Ether Start Aid - Engine Block Coolant Heater (110 volt)		\$1,081.00
Operator's Station-Order As Desired		Field Installed Attachments - Optional	
8194	Rear Wiper/Washer		\$694.00

Code	Description	QTY	List Price (USD)
8181	Cab step, Bolt-on		\$178.00
8097	External Mounted Rear Attachments Mirror		\$90.00
8030	Fire Extinguisher Bracket		\$90.00
8235	Under-Seat Canopy Heater Requires: Canopy 30,000 BTU		\$1,324.00
Mainframe/Structures - Order As Desired		Field Installed Attachments - Optional	
8126	Heavy Duty Grille Suggested for forestry and land clearing applications Heavy gauge plate grille, protects lights and fittings on both ends of front hydraulic hoses		\$1,360.00
8188	Rear Screen for Cab Advised for Winch application Requires: Cab		\$1,907.00
8189	Rear Screen for Canopy Advised for Winch application Requires: Canopy		\$1,377.00
Electrical - Order As Desired		Field Installed Attachments - Optional	
8071	Beacon Light		\$299.00

Code	Description	QTY	List Price (USD)
8118	Halogen Light Package		\$40.00
	Miscellaneous - Order As Desired	Field Installed Attachments - Optional	
8039	Non-Export Rust Preventive Coating		\$153.00
	Attachments		
	Cold Start	Field Installed Attachments - Optional	
AT211191	110 Volt Engine Coolant Heater (1000 Watt) Average installation, 0.5 hour		\$99.00
	Frame Attachment	Field Installed Attachments - Optional	
AT451157	Front Counterweight, 94 kg. (207 lb.)		\$732.00
BYT12683	Rear Counterweight, 336 Lb. (152.6 Kg) - Field Kit		\$711.00
AT311768	C-Frame Tilt Clevis Kit		\$397.00
AT225884	Reinforcement Blade Kit Installation instructions T182677.		\$108.00

Code	Description	QTY	List Price (USD)
	Recommended for severe conditions by reinforcing lower blade corners. For straight end bits order parts T182281 and T182280. For cupped end bits order parts T182253 and T182304.		
BYT13201	Rear Ripper/Scarifier Field Kit Requires option code 7030 or 7031		\$18,500.00
	Miscellaneous	Field Installed Attachments - Optional	
BYT10484	Universal Monitor		\$422.00
	Operator Environment	Field Installed Attachments - Optional	
BYT10774	LED Cab Light Field Kit		\$336.00
BYT13232	CAN Vehicle Gateway Field Kit		\$485.00
BYT13231	Cab Rear View Camera Field Kit		\$2,087.00
BYT13230	Canopy Rear View Camera Field Kit		\$2,087.00
	Overall Vehicle	Field Installed Attachments - Optional	
BYT10775	LED Grille Light Field Kit		\$242.00

Code	Description	QTY	List Price (USD)
BYT13204	Quick Service Field Kit		\$743.00
BYT12048	Engine Air Precleaner - Field Kit		\$335.00
	Guards	Field Installed Attachments - Optional	
BYT10418	Final Drive Drain Plug Guard Field Kit		\$240.00
	Winches	Field Installed Attachments - Optional	
BYT13209	Winch Mounting Bracket Field Kit		\$3,350.00
BYT13270	Linkage and Controls for Power In/Power Out Winches		\$2,225.00
AT460040	External lines with Accumulator for Power In/Power Out Winches on 450K, 550K and 650K Only		\$1,442.00
	Powertrain & Cooling	Field Installed Attachments - Optional	
BYT13206	Hydraulic Fan Drive Reversing Motor - Field Kit		\$322.00
	G.R.Mfg.	Field Installed Attachments - Optional	

Code	Description	QTY	List Price (USD)
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
BYT13353	Brush Guard, Full Width for 115 Inch Blade		\$1,264.00
BYT13351	Brush Guard, Full Width for 90 - 97 Inch Blade		\$1,120.00
BYT13359	C-Frame Reinforcement Kit, Blade Rake		\$1,192.00
BYT13350	Brush Guard, Center grill width, 41 Inch Wide for 90 - 121 Inch Blade		\$680.00
BYT13360	Root Rake, 124" Heavy Duty with Brush Guard		\$9,542.00
BYT13357	Root Rake, 115" Heavy Duty with Brush Guard		\$9,542.00
BYT12452	AC Condenser Guard for Cab		\$1,289.00
BYT13356	Root Rake, 115" Standard Duty without Brush Guard		\$5,840.00
BYT13323	Tank Guard Kit - LGP		\$1,840.00
BYT13322	Tank Guard Kit - XLT		\$1,840.00

Code	Description	QTY	List Price (USD)
BYT13358	Root Rake, 124" Standard Duty without Brush Guard		\$5,840.00
BYT13361	Root Rake, 128" Heavy Duty with Brush Guard		\$9,542.00
BYT13355	Lift Cylinder Hose Guards		\$430.00
BYT13352	Brush Guard, Full Width for 105 Inch Blade		\$1,264.00
BYT12451	Side Screens for Canopy Field Kit		\$1,549.00
BYT12450	Side Screens for Cab Field Kit		\$1,991.00
BYT12884	Cab Rear Winch Screen Field Kit		\$1,784.00
BYT12883	Screens, Cab Full Enclosure with Limb Riser Kit		\$11,611.00
BYT12885	Canopy Rear Winch Screen Field Kit		\$1,126.00
BYT12448	Screens, Cab Front Window and Doors Field Kit If ordering option code 0603 or 0604, limb riser is needed to mount front lights.		\$3,269.00
BYT12454	Limb Risers, for Cab or Canopy Units		\$3,278.00

Code	Description	QTY	List Price (USD)
BYT12449	Screens, Cab Side Windows Field Kit Must be ordered in conjunction with BYT12451		\$3,157.00
	Grade Control	Field Installed Attachments - Optional	
BYT13192	Slope Control Field Kit P-Tier Small Dozer This kit allows installation of slope control and aftermarket systems (CAN unlock) to existing EH machines. Please order and download the Software AT550602 from JDPoint. Price includes software.		\$7,920.00
	PACCAR Winch Div	Field Installed Attachments - Optional	
AT336215	3 Roller Fairlead Kit for Hydraulic Winch For use with PACCAR winch		\$4,210.00
	Hydraulics	Field Installed Attachments - Optional	
BYT13202	Auxiliary Plumbing for Rear Attachment - Field Kit		\$293.00
BYT13203	Auxiliary Plumbing for Winch - Field Kit		\$489.00
BYT13216	EH Auxiliary Valve Field Kit		\$1,570.00
BYT13207	Auxiliary Fourth Section Valve Field Kit		\$902.00

Code	Description	QTY	List Price (USD)
BYT13214	Auxiliary Fifth Section Valve Field Kit		\$902.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.



STANDARD WARRANTY FOR NEW JOHN DEERE CONSTRUCTION, COMPACT CONSTRUCTION (CCE) FORESTRY, AND UTILITY PRODUCTS – US & CANADA

- **Construction & Forestry Products:** 12 months/unlimited hours (whichever occurs first) Full Machine Standard Warranty
- **Compact Construction Equipment (CCE) Products:** 24 months or 2000 hours (whichever occurs first) Full Machine Standard Warranty
- **C&E Series Pull-Type Scrapers:** 6 months Full Machine Standard Warranty
- **DC & DE Pull-Type Scrapers:** 12 months Full Machine Standard Warranty
- **Scraper Tractors:** 24 Months or 2000 Hours (whichever occurs first) Full Machine Standard Warranty
- **Forestry Attachments:** 12 Months or 2000 Hours (whichever occurs first) Full Machine Standard Warranty

The "Standard Warranty" is part of the warranty protection package available from John Deere Construction & Forestry Company (John Deere Limited in Canada) ("John Deere") to purchasers of new John Deere products ("product"):

STANDARD Warranty is John Deere's standard new product warranty, described in this document, provided at no additional charge to the purchaser.

EXTENDED Warranty is a separate repair contract made available by John Deere for purchasers who wish to complement their Standard Warranty coverage. Complete Extended Warranty details, including coverage options and limitations, are set forth in the Application for Extended Warranty, which is available from authorized John Deere dealers.

STRUCTURAL Warranty applies to certain structural components as listed below and as described in this document.

FACTORY-INSTALLED UNDERCARRIAGE Warranty applies to certain undercarriage components as listed below and as described in this document.

A. STANDARD WARRANTY - GENERAL PROVISIONS

John Deere will repair or replace, at its option, any parts (except those specified below) of a new John Deere product that, as delivered to the original retail purchaser(s), are defective in material or workmanship. Performance of this warranty will be free of charge for parts and labor, except as otherwise stated below. Standard Warranty applies only to purchases from John Deere and authorized John Deere dealers and, except as otherwise provided in the next sentence and section L below, is extended only to the original retail purchaser of the product. Remaining Standard Warranty applicable to a used John Deere product is transferred to a subsequent purchaser of the product only if the subsequent purchaser requests a transfer from an authorized John Deere dealer before the product's Standard Warranty expires. Coverage begins on the date of delivery of the product to the original retail purchaser. For purposes of this warranty, a product that has been rented, used for demonstration purposes for 150 or more hours, or otherwise used prior to its original retail purchase has been "used" for the total duration of such use. Warranty statements required by law covering engine emissions-related parts and components are found on a separate written warranty certificate provided to the purchaser at the time of the original retail purchase.

B. WHAT IS COVERED BY STANDARD WARRANTY

All parts of a new John Deere product (except those noted in Sections D and E below) are covered during the Standard Warranty period set out above.

C. EXCLUSIVE REMEDY

The repair or replacement of covered parts or components that are defective, as provided in Sections A, B, D.2 and D.3 herein, shall be the purchaser's exclusive remedy for any defect in the product. However, if after repeated attempts such repair or replacement fails to correct the performance problem caused by the defect, the purchaser's sole remedy shall be a refund of the amount paid for the product (in exchange for a return of the product), excluding any transportation charges, license fees, taxes and insurance premiums, and less a reasonable allowance for use of the product prior to its return. In no event will the dealer, John Deere or any company affiliated with John Deere be liable for any incidental or consequential damages, including but not limited to loss of profits, rental of substitute equipment or other commercial loss. Correction of defects in the manner provided above shall constitute fulfillment of

all liabilities of the Dealer, John Deere, or any company affiliated with John Deere to the purchaser or any other person, whether based upon contract, tort, strict liability, or otherwise. This limitation does not apply to claims for personal injury.

A. ITEMS COVERED SEPARATELY -

1. Standard Warranty does not apply to batteries, radios, tires, cameras, or to Cummins, MTU or Detroit Diesel Engines installed in John Deere products, which are covered by separate written warranties.
2. Factory-Installed Undercarriage Warranty covers all non-rubberized factory-installed undercarriage wear components for 3 years or 4,000 hours from the date of delivery to the original retail purchaser, whichever occurs first (unless terminated earlier under Section F, below). For purposes of this warranty, a product that has been rented, used for demonstration purposes for 150 or more hours, or otherwise used prior to its original retail purchase has been "used" for the total duration of such use. In addition to the items listed in section E below, Factory-Installed Undercarriage Warranty does not cover: failures due to wear, machine application, maintenance practices, or improper machine configuration; removal and installation labor; transportation or hauling costs; unapproved parts; non-wear items; and rubberized undercarriage components such as rubber tracks. Warranty claims will be pro-rated based upon wear of the failed component and whether track shoe width is approved by John Deere. Factory-Installed Undercarriage Warranty does not apply to Scraper Tractors.
3. StructurALL Warranty for new John Deere Products (except Compact Excavators & Loaders, Skid-Steer Loaders, Compact Track Loaders, Scraper Tractors, Pull-Type Scrapers, and Forestry Attachments, which are not eligible for StructurALL Warranty) begins at the date of delivery to the original retail purchaser and ends (unless terminated earlier under Section F, below) after three (3) years, or 10,000 hours (whichever occurs first). For purposes of this warranty, a product that has been rented, used for demonstration purposes for 150 or more hours, or otherwise used prior to its original retail purchase has been "used" for the total duration of such use. **StructurALL Warranty applies only to the following structural components listed below as installed on the product at the time of original manufacture.** If a particular component is not listed below it is not covered by StructurALL Warranty.

Arm; Articulation Joint (incl. pins & bushings); Bin Frame; Boom; Carbody; C-Frame*; Circle Frame; Coupler (John Deere built ONLY); Dipperstick; Draft Frame; Engine Frame; Equipment Frame; Grapple Arch and Grapple Boom; Loader Arm; Loader Frame; Mainframe; Moldboard Lift Arm; Pushbeam, NeverGrease™ Pin Joints [Includes steering pin and bushing joints (standard equipment), roller elements (roller bearings) in bucket to boom joints and sliding elements (bushing) for boom and linkage joints (optional equipment)]; Rollover Protection Structure (ROPS); Side Frame; Swing Frame; Track Frame; Undercarriage Frame; X-Frame; Z-bar loader linkage (including bell crank and bucket driver link); Specialty booms and arms marketed as "heavy duty" by John Deere.

Items Covered by StructurALL for Cut-to-Length Forestry Machines: Front frame (welded assembly); Rear frame (welded assembly); Crane king post with basement; Middle joint frame; Cabin swing frame; Main Boom

StructurALL Warranty does not apply to:

1. Any product used primarily in extreme duty or severe duty applications such as but not limited to: demolition and wrecking, chemical plant (including fertilizer plants), salt mines, steel mill, land fill and transfer stations, scrap handling, scarifying and other applications that are similarly destructive or similarly heavy duty except specialty booms and arms as stated in Section D.3 above.
2. C-Frames on Crawlers equipped with root rakes or used in forestry applications unless equipped with an "extreme duty" reinforcement package.
3. Cut-to-Length Forestry Heads and Slash Bundler Units.
4. Crawlers equipped with optional side booms.
5. Cut-to-Length Forestry, Excavator, and Log Loader swing bearings.
6. Motor Graders equipped with front- or rear-mounted snow wings.

A. ITEMS NOT COVERED -

John Deere is NOT responsible for the following:

1. Freight.
2. Adjustments to compensate for wear, for periodic maintenance or adjustments that result from normal wear and tear.
3. Damage caused by unapproved adjustments (electronic or mechanical) to machine or machine components outside of published specifications including but not limited to engine, hydraulic components and relief valves.
4. Program updates, calibrations, and pressure adjustments.
5. Additional Labor Time - Above Dealer Labor Rate.
6. Additional Cleaning - Above Dealer Labor Rate.
7. Rental Fees.
8. Depreciation or damage caused by normal wear or application, lack of reasonable and proper maintenance, failure to follow operating instructions, misuse, lack of proper protection during storage, vandalism, negligence, collision, expenses to seek reinstatement of warranty following theft or loss of Product, or other accidents.
9. Premiums charged for Overtime Labor.
10. Transportation to and from the dealership.
11. Travel time, mileage, or service calls by the dealer.
12. Non-John Deere components or modifications, Rotobec grapples, and attachments installed aftermarket.
13. Shop supplies and maintenance items such as, but not limited to: filters, fuels, oil, hydraulic fluid, lubricants, coolants, conditioners, shop towels, cleaners and degreasers.
14. Torn, cut, or worn hoses.
15. Wear items, such as, but not limited to: body liner, belts, blades, bulbs, lubricated joints (including pins and bushings), dry brakes, brake linings, dry clutch linings, saw blades, chains, skidder grapple shocks, color marking nozzles, and articulation bumpers.
16. Items such as cutting-edge parts, delimbing knives, bucket teeth and rubber track are not warranted for depreciation or damage caused by normal wear, lack of proper maintenance, misuse, failure to follow operating instructions, the elements or accident.
17. Any defect in a non-covered component, or damage to or failure of a covered component caused by a defect in a non-covered component.
18. Secondary damage which occurs from continued operation of a product after recognition of the occurrence of a failure.
19. Parts supplied by or repairs, maintenance or modifications performed by someone other than an authorized John Deere dealer, including any damage caused by such use of parts, repairs, maintenance, or modifications not performed by an authorized John Deere dealer.
20. The use of "track type" tire chains on Feller Bunchers and Skidders is an unapproved modification. Warranty will be void on these machines using "track type" tire chains.
21. Topping off fluids when fluid levels fall in the range between low and full
22. Parts/Kits not ordered on machine and installed aftermarket. These parts will be covered by any applicable parts warranty.
23. Attachments installed aftermarket – i.e., Winch not installed at factory.
24. Custom options installed outside the factory – i.e., G.R. Manufacturing option packages.
25. Used Products (except as otherwise provided in section L below).
26. Lost or stolen Products.

B. TERMINATION OF WARRANTY-

John Deere is relieved of its obligations under Standard Warranty, StructurALL Warranty, Factory-Installed Undercarriage Warranty and/or Extended Warranty if:

1. The product is modified or altered in ways not approved by John Deere; or
2. Any unapproved or improperly sized attachment is installed on the product. Approval and attachment size shall be at John Deere's sole discretion. (Consult dealer prior to installing attachments or product modification).
3. The product is moved outside the US and/or Canada.

A. PARTS REPLACED UNDER WARRANTY -

Only new or remanufactured parts or components furnished or approved by John Deere, will be used if John Deere elects to repair the product. If any such part or component is defective in material or workmanship when installed in the product, John Deere will repair or replace, as it elects, such defective part or component, provided the defect is reported to an authorized John Deere dealer within 90 days of installation or before expiration of the applicable Standard Warranty, Factory-Installed Undercarriage Warranty and/or StructurALL Warranty whichever is later.

B. TELEMATICS

NOTICE: Products may be equipped with telematics hardware and software ("Telematics") that transmit data to John Deere/ Dealer. Purchaser may deactivate Telematics at www.jdlink.com.

Notwithstanding Purchaser's right, title or interest in the Products, Purchaser agrees that John Deere and Dealer (their affiliates, successors and assigns), without further notice to Purchaser have the right to:

1. Access, use, collect and disclose any data generated by, collected by, or stored in, Products or any hardware or devices interfacing with Products ("Machine Data");
2. Access Machine Data directly through data reporting devices integrated within, or attached to, Products, including Telematics ("Data Reporting Systems"); and
3. Update the Data Reporting Systems software from time to time. Machine Data will only be used in accordance with John Deere's Machine Data Policy, located at www.JohnDeere.com/MachineDataPolicy.

C. OBTAINING WARRANTY SERVICE -

To obtain warranty service, the purchaser must request warranty service from a John Deere dealer authorized to sell the product to be serviced. When making such a request, the purchaser must present evidence of the product's delivery date, make the product available at the dealer's place of business, and inform the dealer in what way the purchaser believes the product to be defective. Standard Warranty, Factory-Installed Undercarriage Warranty and/or StructurALL Warranty repairs may be made in the field if the purchaser and servicing dealer so desire. However, John Deere will not be responsible for any charges (such as dealer travel time, mileage or extra labor) that would not have been incurred had the product been repaired at the dealer's place of business.

D. NO IMPLIED WARRANTY, CONDITIONS OR OTHER REPRESENTATION -

Where permitted by law, neither John Deere nor any company affiliated with it makes any warranties, representations, conditions or promises, express or implied, as to the quality, performance, or freedom from defect of its products, other than those set forth in this document and **NO IMPLIED WARRANTY OF MERCHANTABILITY, CONDITIONS OR FITNESS IS MADE.**

E. NO DEALER WARRANTY -

The selling dealer makes no warranty of its own on any item covered by this warranty and makes no warranty on other items unless the dealer delivers to the purchaser a separate written warranty certificate specifically warranting the item. **The dealer has no authority to make any representation or promise on behalf of John Deere, or to modify the terms or limitations of this warranty in any way.**

F. USED JOHN DEERE PRODUCTS ONLY -

John Deere will transfer remaining Standard Warranty, Factory-Installed Undercarriage Warranty and/or StructurALL Warranty to the purchaser of a used John Deere construction and/or forestry product that has been used for less than the full warranty period provided at the product's original retail purchase. This transfer is not effective until change of ownership is registered by a John Deere dealer. **ALL THE TERMS, INCLUDING LIMITATIONS AND EXCLUSIONS, OF THE JOHN DEERE STANDARD WARRANTY, FACTORY-INSTALLED UNDERCARRIAGE WARRANTY, AND/OR STRUCTURALL WARRANTY ORIGINALLY PROVIDED FOR THE PRODUCT REMAIN IN EFFECT AND APPLICABLE.**



Company ID Number: 513478

THE E-VERIFY PROGRAM FOR EMPLOYMENT VERIFICATION MEMORANDUM OF UNDERSTANDING

ARTICLE I

PURPOSE AND AUTHORITY

This Memorandum of Understanding (MOU) sets forth the points of agreement between the Department of Homeland Security (DHS) and **Warrior Tractor & Equipment Co., Inc.** (Employer) regarding the Employer's participation in the Employment Eligibility Verification Program (E-Verify). This MOU explains certain features of the E-Verify program and enumerates specific responsibilities of DHS, the Social Security Administration (SSA), and the Employer. E-Verify is a program that electronically confirms an employee's eligibility to work in the United States after completion of the Employment Eligibility Verification Form (Form I-9). For covered government contractors, E-Verify is used to verify the employment eligibility of all newly hired employees and all existing employees assigned to Federal contracts or to verify the entire workforce if the contractor so chooses.

Authority for the E-Verify program is found in Title IV, Subtitle A, of the Illegal Immigration Reform and Immigrant Responsibility Act of 1996 (IIRIRA), Pub. L. 104-208, 110 Stat. 3009, as amended (8 U.S.C. § 1324a note). Authority for use of the E-Verify program by Federal contractors and subcontractors covered by the terms of Subpart 22.18, "Employment Eligibility Verification", of the Federal Acquisition Regulation (FAR) (hereinafter referred to in this MOU as a "Federal contractor with the FAR E-Verify clause") to verify the employment eligibility of certain employees working on Federal contracts is also found in Subpart 22.18 and in Executive Order 12989, as amended.

ARTICLE II

FUNCTIONS TO BE PERFORMED

A. RESPONSIBILITIES OF SSA

1. SSA agrees to provide the Employer with available information that allows the Employer to confirm the accuracy of Social Security Numbers provided by all employees verified under this MOU and the employment authorization of U.S. citizens.
2. SSA agrees to provide to the Employer appropriate assistance with operational problems that may arise during the Employer's participation in the E-Verify program. SSA agrees to provide the Employer with names, titles, addresses, and telephone numbers of SSA representatives to be contacted during the E-Verify process.
3. SSA agrees to safeguard the information provided by the Employer through the E-Verify program procedures, and to limit access to such information, as is appropriate by law, to individuals responsible for the verification of Social Security Numbers and for evaluation of the E-Verify program or such other persons or entities who may be authorized by SSA as governed



Company ID Number: 513478

To be accepted as a participant in E-Verify, you should only sign the Employer's Section of the signature page. If you have any questions, contact E-Verify at 888-464-4218.

Employer Warrior Tractor & Equipment Co., Inc.

Stanley McCracken

Name (Please Type or Print)

Title

Electronically Signed

03/01/2012

Signature

Date

Department of Homeland Security – Verification Division

USCIS Verification Division

Name (Please Type or Print)

Title

Electronically Signed

03/01/2012

Signature

Date

Information Required for the E-Verify Program

Information relating to your Company:

Company Name:	Warrior Tractor & Equipment Co., Inc.
Company Facility Address:	6801 McFarland Blvd
	Northport, AL 35476
Company Alternate Address:	P O Box 412
	Northport, AL 35476
County or Parish:	TUSCALOOSA
Employer Identification Number:	630588737



Company ID Number: 513478

North American Industry Classification Systems Code:	423
Administrator:	Warrior Tractor and Equipment Co., Inc.
Number of Employees:	100 to 499
Number of Sites Verified for:	1
Are you verifying for more than 1 site? If yes, please provide the number of sites verified for in each State:	
• ALABAMA 1 site(s)	

Information relating to the Program Administrator(s) for your Company on policy questions or operational problems:

Name:	Stanley N McCracken		
Telephone Number:	(205) 339 - 0300	Fax Number:	(205) 333 - 0101
E-mail Address:	wte024@warriortractor.com		