BID SUBMITTAL FORM Alabama County Joint Bidding Program BID ITEM – 130 HP HYDROSTATIC BULLDOZER – OPTION A

Company Name:				
Address: 6801 McFarland Blvd				
Northport, AL 35476				
Bid Submitted by: David Schafer				
(Name of company representative)				
Title: Sales Manager E-mail address: dschafer@warriortra	actor.com			
Phone: 205-339-0300 Fax: 205-333-0101				
By submitting this bid, we agree:	Initials			
The equipment model number identified below meets the bid specs for this bid item	DO			
That the bid price will be honored for all counties for the period from Jan. 1, 2024 to Dec. 31, 2024.	1018			
The equipment will be delivered at the bid price to all counties participating in the joint bid program	(OPS)			
The company representative listed above will be the contact person for purchasing this bid item under the joint bid program	00			
The bid is accompanied by a current catalog or model specification document for the model number identified below	(1) 10g)			
The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications	(Over)			
The bid includes the e-verify documentation required by Alabama law	(Drs)			
If awarded the bid, a performance bond will be provided upon request	(PRS)			
The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine	00			

130 HP HYDROSTATIC BULLDOZER - OPTION A

Total Bid Price for Standard Machine: \$\frac{220,901.00}{}\$ (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs)*
Freight Preparation and Delivery: \$8,304.00 (Included in Standard Machine Bid Price)
Manufacturer's Suggested Retail Price for Standard Machine: \$ 269,403.00
Equipment Model #: JD 700 L
Description: BULLDOZER
Signature of company representative submitting bid: Title: Sales Manager

^{*} NOTE: Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

BID SUBMITTAL FORM: OPTION COST SHEET 130 HP HYDROSTATIC BULLDOZER – OPTION A

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine*



The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) with **any available Options** for the Standard Machine



Equipment Model #: JD 700 L
Description: BULLDOZER
Signature of company representative submitting bid: Lawy R Schol
Title: Sales Manager

*Note: The percent difference between the Manufacturer's Suggested Retail Price Sheet (MSRP) for the standard machine as specified by these Bid Specifications and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation, delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.

BID SPECIFICATIONS FOR 130 HP HYDROSTATIC BULLDOZER – OPTION A

GENERAL

These specifications shall be construed as the minimum acceptable standards for a 125 hp hydrostatic low ground pressure bulldozer. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The bulldozers must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

MANUALS

Each unit shall be provided with one (1) copy of the operator's manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 7,500 hours of use for the piece of equipment bid. If replacement parts are not delivered within three (3) working days of an order being placed, the bidder will deliver an equivalent machine for the county to use at no cost to the county until such time as the parts are delivered to the county so it can affect repairs to its machine.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty. Warranty shall include service response time of maximum of 36 hours within notification by county.

Yesx_	No
Page#	A1.00
or	
Attachn	nent X

|--|

Shall be a turbocharged diesel engine with a displacement of not less than **260 cubic inches**, capable of developing a minimum of **130 net** flywheel horsepower (SAE J1349).

YesX__ No ___ Page #_6____

Engine shall be manufactured by the equipment manufacturer.

Yes X No _ Page # 6

WEIGHT

Operating weight with blade, operator, full fuel tank, and ROPS canopy shall not be less than **30,500 lbs**.

Yes X No ___ Page #7

ELECTRICAL SYSTEM

Shall be equipped with a minimum 85-amp alternator.

Yes <u>X</u> No ___ Page #<u>7</u>

TRANSMISSION

Shall be equipped with a hydrostatic type transmission.

Yes X No ___ Page #6

STEERING

All steering functions must be able to be performed using one hand only.

Yes X No ___ Page #6

UNDERCARRIAGE

The tractor shall be equipped with sealed and lubricated tracks. Minimum shoe width shall be **28 inches**. Track sag shall be hydraulically adjusted.

Yes <u>X</u> No ___ Page #<u>7</u>

BLADE

The machine shall be equipped with a six-way (pat) blade with a minimum capacity of **4 cubic yards**.

Yes X No Page #8

VANDALISM PROTECTION

Machine shall be equipped with all standard and optional factory vandalism protection available for the machine bid.

Yes X No ___ Page # 10&11

SAFETY EQUIPMENT

Gauges and indicators shall be provided to monitor critical (fuel level, coolant temperature, powertrain oil temperature, and hydraulic oil temperature) operational	
systems of the machine and alert the operator when potential problems occur.	Yes X No Page #_10&11
Rear view mirror; backup alarm.	Yes <u>X</u> No Page # <u>10&11</u>
Heavy duty hinged radiator guard	Yes X No Page #_10&11
Crankcase guard	Yes <u>X</u> No Page # <u>10&11</u>
Track center guiding guard	Yes X No Page #ATTACH
Pre-cleaner guard	Yes <u>X</u> No <u> </u>
Front tow hooks	Yes X No Page #_ATTACH
Heavy duty rear drawbar	Yes <u>X</u> No Page # <u>10&11</u>
Fire extinguisher	Yes X No Page #ATTACH
Water separator	Yes ^X No Page # <u>ATTACH</u>

700L CRAWLER DOZER

27-Dec-2023



Code Description QTY List Price (USD)

23D0T 700L CRAWLER DOZER 1 \$252,106.00

700L Standard Equipment

ENGINE

John Deere PowerTech Plus 6.8L Certified to EPA FT4 / EU Stage V emissions

135 SAE Net hp (101 kw)

Turbocharged with Charged Air Cooler

No Power Derating up to 10,000 ft Altitude

Wet Sleeve Cylinder Liners

Isolation-Mounted

Electronic Fuel Injection

Electronic Control with Automatic Engine Protection

Vertical Spin-on Engine Oil Filter

Vertical Spin-on Dual Stage Fuel Filter

Oil-to-Water Engine Oil Cooler

Dual Safety Element Dry-Type Air Cleaner, Evacuator Valve

Eco Mode

500 hr. Engine Oil Change Interval

COOLING SYSTEM

Cool-On-Demand Variable Speed Engine Fan

Engine Coolant -34 Degree F (-37 Degree C)

Coolant Recovery Tank

10-Fin/in. Engine Coolant Radiator

10-Fin/in. Hydrostatic/Hydraulic Oil-to-Air Cooler

10-Fin/in. Air-to-Air Charge Air Cooler

ELECTRICAL

24 Volt System

110 Amp Alternator for canopy units / 145 Amp Alternator for cab units

(2) Batteries with 190 Minute Reserve Capacity, 950 CCA

Master Electric Disconnect Switch

Bypass Start Safety Cover on Starter

Positive Terminal Battery Covers

Blade-Type Fuses

Electrical Master Disconnect

Pre-wired for Work Lights and Underseat Heater (canopy)

(2) Cab Mounted and (2) Rear Mounted Halogen Lights w/ (2) reflectors

HYDRAULICS

28 gpm (106 L/Min) Fixed Displacement Hydraulic Gear Pump

Three-Function Electro-Hydraulic (EH) Controls with Proportional Angle Function

POWER TRAIN

Dual Path Hydrostatic Transmission

Variable Displacement Piston Pump and Motor Combination

Automatic Load Sensing for Speed and Power Management

AutoTracking Steering Control

8 Micron Vertical Spin-on Filter

Single Lever-Steering, Direction / Speed Control with Counter Rotation and Horn

Combined Decelerator/Brake Pedal

Selectable reverse speed ratios 100%, 115%, 130% or independent of forward ground speed

Electronic Control with Automatic Transmission Protection

26.9 Gallon (101.8 Liter) Reservoir with Sight Gauge

Triple Reduction Final Drives with Wet Multi-Disk Brakes

Code Description QTY List Price (USD)

Primary and Secondary Service Brakes (Conforms to ISO10265)

Automatic Spring-Applied, Hydraulic Released Park Brake (Conforms to ISO 10265)

4000 hr. Oil Change Interval

Transmission Diagnostic Ports

Selectable Decelerator Mode

UNDERCARRIAGE

Oscillating Undercarriage

Maximum Life Undercarriage with Moderate Single Grouser Track Shoes

Adjustable Track Sag

Segmented Sprockets

Front and Rear Chain Guides

OPERATOR STATION:

JDLink Ultimate Machine Monitoring System w/ 5-year Message Service

Modular Design ROPS/FOPS Operator Station (Conforms to SAE J1040 - ISO 3471)

Viscous Isolated

Left and Right Front Access

Front, door and rear wipers and washers (cab)

Floormat

Large Color Display Located in Front Console

Interior Sound Treatment

Slip-Resistant Steps and Ergonomically Located Handholds for Left, Right Access (Conforms to SAE J185 - ISO 2867)

Air-suspension Seat

Operator Presence System

Thigh Support

Lumbar

Backrest Tilt

Height, Weight and Fore-Aft

Side Console Leg Cushions

Adjustable Armrests

3 in. (76 mm) Orange Seat Belt with Retractors (Conforms to SAE J386 - ISO 6683)

Lunch Box Storage

Glove (Storage) Box

Cupholders (x2)

Built-in Operator's Manual Storage Compartment and Manual

12 Volt Power Port

Gauges

Engine Coolant Temperature

Transmission Oil Temperature

Hydraulic Oil Temperature

Engine Oil Pressure

Fuel Level

DEF Level

Warnings

Stop

Caution

Low Alternator Voltage

Engine Air Filter Restriction

Code Description QTY List Price (USD)

Transmission Filter Restriction

Hydraulic Filter Restriction

Water in Fuel

Transmission Pressure Low

Coolant Level Low

Diesel Exhaust Fluid (DEF) Contaminated Indicator

Engine Emissions Systems Malfunction Indicator

Indicators

Park Brake

Fasten-Seat-Belt

Operator Presence (Seat Switch)

Exhaust Filter Cleaning Indicator

Exhaust Filter Auto Cleaning Disabled Indicator

Neutral Rotate Mode

Rear Aux Mode Ripper, Winch, Generic Rear Aux

Transmission Warmup Mode

Blade Float

Auto Blade Control Indicator

Displayed on Main Screen

Tachometer

Hourmeter

Transmission Direction (F,N,R, RTN to N, P) and Speed (SIG 1.0-3.0)

Transmission Display (Forward Setting)

Transmission Display (Reverse Setting)

Exhaust Filter Status

Ambient Temperature (Engine Air Inlet Temp)

Clock

Displayed on Secondary Screen

Machine Diagnostic Service Code(s)

Fuel Efficiency Runtime Screen

Horn, Electric (Conforms to SAE J994, J1446, ISO 9533)

Coded Keyless Start with Electric Fuel Shut Off

Interior Mounted Rearview Mirror (Conforms to SAE J985)

OVERALL VEHICLE

Unitized Mainframe with:

Integrated Front Tow Loop

Reinforced Engine and Mid-frame Bottom Guards

Integral Transmission Guard

Hinged Bottom Access Covers (Bolt-On)

Perforated Engine Side Shields

Heavy-Duty Perforated Front Grille with Hose Protection

Lockable Vandal Protection for:

Engine Access Panel

Rear Service Doors

Fuel tank

Instrument Panel

Hydrostatic/Hydraulic Reservoir - Need wrench to access

Code	Description	QTY	List Price (USD)
	Environmental Drains 69.2 Gallon (262 Liter) Fuel Tank: Wide Mouth Fuel Filler Cap Shut Off Valve at Tank Outlet Ground Level Fueling Reverse Warning Alarm with Guarding (Conforms to SAE J994, J1446)		
23D0T	700L CRAWLER DOZER	1	\$252,106.00
	Engine	Basic Facto	ry Options - Required
0940	John Deere 6 Cyl EPA FT4 Engine John Deere PowerTech Plus 6 Cyl EPA FT4/EU Stage V Compliant 6.8 L (414 cu. in.) 135 net hp (101 kW) @ 1800 rpm - No power derating up to 10,000 ft altitude		\$3,698.00
	Engine Fan Drive	Basic Facto	ry Options - Required
3510	Standard Hydraulic Fan Drive		No Added Cost
3520	Automatic Reversing Hydraulic Fan		\$1,616.00
	Dozer Configuration	Basic Facto	ry Options - Required
1055	XLT PAT (Extra Long Track Power - Angle - Tilt) Dozer 1778 mm (70 in.) Gauge - 7 Roller Track Frame		No Added Cost
1075	LGP PAT (Low Ground Pressure Power - Angle - Tilt) Dozer 1981 mm (78 in.) Gauge - 7 Roller Track Frame		\$1,427.00

Code	Description	QTY	List Price (USD)
	Track Shoes and Chain	Basic Factory	Options - Required
4671	24 Inch (610 mm) Moderate Service Shoes - Extended Life Undercarriage Sealed and Lubricated Track (SALT) with SC2 Bushings		(\$1,814.00)
4555	22 Inch (559 mm) Moderate Service Shoes - Heavy Duty Undercarriage Sealed and Lubricated Track (SALT)		(\$7,790.00)
4570	24 Inch (610 mm) Moderate Service Shoes - Heavy Duty Undercarriage Sealed and Lubricated Track (SALT) Availability for this track option is limited and may exceed standard lead time.		(\$7,723.00)
4590	30 Inch (762 mm) Moderate Service Shoes - Heavy Duty Undercarriage Sealed and Lubricated Track (SALT)		(\$7,012.00)
4655	22 Inch (559 mm) Moderate Service Shoes - Extended Life Undercarriage Sealed and Lubricated Track (SALT) with SC2 Bushings		(\$2,211.00)
4690	30 Inch (762 mm) Moderate Service Shoes - Extended Life Undercarriage Sealed and Lubricated Track (SALT) with SC2 Bushings		(\$814.00)
4755	22 Inch (559 mm) Moderate Service Shoes - Max Life Undercarriage Sealed and Lubricated Track (SALT) with SC2 Bushings and larger track links, rollers and idlers.		No Added Cost
4770	24 Inch (610 mm) Moderate Service Shoes - Max Life Undercarriage Sealed and Lubricated Track (SALT) with SC2 Bushings and larger track links, rollers and idlers. Availability for this track option is limited and may exceed standard lead time.		\$691.00
4790	30 Inch (762 mm) Moderate Service Shoes - Max Life Undercarriage Sealed and Lubricated Track (SALT) with SC2 Bushings and larger track links, rollers and idlers.		\$1,435.00
	Dozer Blade	Basic Factory	Options - Required

Code	Description	QTY	List Price (USD)
	All Blades include Straight End Bits and Bolt-On Cutting Edges. Blades are not installed, but shipped with Crawler Dozer.		
7074	PAT Blade - 121 Inch (3078 mm)		\$4,915.00
	Requires code 1055 (XLT PAT) 3.4 cu. m (4.4 cu. yd.) capacity		
7078	PAT Blade - 127 Inch (3231 mm)		\$5,161.00
	Requires code 1055 (XLT PAT) 3.5 cu. m (4.6 cu. yd.) capacity		
7095	PAT Blade - 133 Inch (3383 mm)		\$6,157.00
	Requires code 1075 (LGP PAT) 3.6 cu. m (4.8 cu. yd.) capacity		
7098	PAT Blade - 145 Inch (3688 mm)		\$6,712.00
	Requires code 1075 (LGP PAT) 3.9 cu. m (5.1 cu. yd.) capacity		
	Hydraulics for Dozer Blade and Attachments	Basic Factory O	ptions - Required
7750	3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) Does not include auxiliary hydraulics		No Added Cost
7760	4 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) Includes auxiliary plumbing for rear implement		\$1,542.00
	Hydraulic Pump	Basic Factory O	ptions - Required
7925	Standard Hydraulic Pump		No Added Cost
7985	Thru Drive Hydraulic Pump for use with Direct Drive (PTO) Winch For use with Deere 4000S Winch (mechanical drive)		\$568.00

Code	Description	QTY	List Price (USD)
	Includes external spline for driveshaft.		
	Greases, Fuel, Oil, & Coolant	Basic Facto	ry Options - Required
8010	Hydraulic And Hydrostatic Oil - Hydrau		No Added Cost
	Standard Factory Fill. Provides All-Season capability in ambient temperatures ranging from -25C (-13F) to 50C (122F).		
8020	Hydraulic and Hydrostatic Oil - Hydrau XR, Final Drive Oil - Low Vis Hygard Optional Factory Fill.		\$619.00
	Intended for colder climates with extreme cold ambient temperatures, provides All-Season capability in ambient temperature ranging from -40C to 40C (-40F to 104F).		
	Canopy or Cab	Basic Facto	ry Options - Required
5025	Canopy with Under-Seat Heater		No Added Cost
5085	Cab With Roof Mounted Air Conditioner/Heater		\$24,628.00
	Seat	Basic Facto	ry Options - Required
5855	Air Suspension Comfort Control High Back Vinyl Seat		No Added Cost
	Vinyl-covered high-back seat includes pan tilt, pan extend, lumbar adjustment and air suspension with full damping capability. 3 in. (76 mm) retractable seat belt.Requires Code 5025.		
5885	Deluxe Seat, Cloth with Air Suspension		\$709.00
	Fabric-covered high-back seat includes pan tilt, pan extend, lumbar adjustment and air suspension with full damping capability. 3 in. (76 mm) retractable seat belt.		

Code	Description	QTY	List Price (USD)
5890	Premium Seat, Heated and Ventilated with Air Suspension		\$1,092.00
	Leather-accented high-back seat includes pan tilt, pan extend, lumbar adjustment and air suspension with full damping capability. 3 in. (76 mm) retractable seat belt.		
	Machine Connectivity	Basic Facto	ry Options - Required
	Machine connectivity functions require cellular coverage. Usage of JDLink System terms of the John Deere Telematics System Contract.	m requires custom	er's acceptance of the
	Option availability limited by specific geographical regions. Please refer to region ordering codes.	n specific price pa	ges for appropriate
170K	JDLink™		No Added Cost
	Includes integrated cab wiring harness, antenna, and JDLink™ Modem (MTG).		
	JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.		
170R	JDLink™ Satellite		\$3,000.00
	Includes integrated cab wiring harness, antenna, JDLink™ Modem's (Cellular MTG & Satellite MTG).		
	JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.		
	Grade Control	Basic Facto	ry Options - Required
2502	SmartGrade Ready including Slope Control		\$7,500.00
2002	SmartGrade Ready includes harnesses, sensors, and controls to enable a future upgrade to SmartGrade 3D Mastless Grade Control using field kit.		<i>\$71,000.00</i>
	Slope Control automatically controls the cross slope and/or mainfall angle without the need for additional equipment (e.g. GNSS, laser reference, etc.). Grade information is displayed through the primary vehicle display.		
2503	SmartGrade 3D Mastless Grade Control including Slope Control		\$95,400.00
	Mastless 3D GNSS grade control system fully integrated into the cab and structures. Consists of dual-band radio that is capable of receiving both UHF and 915 MHz, sensors, integrated display and Topcon software compatible with Topcon file formats. Includes Auto SmartGrade which automatically adjusts the blade when encountering heavy loads, reducing track slip to improve fuel economy and prolong track life. Also includes Remote Display Access (RDA) and Wireless Data Transfer (WDT) for integrated connectivity and		

Code	Description	QTY	List Price (USD)
	support. Slope Control automatically controls the cross slope and/or mainfall angle without the need for additional equipment (e.g. GNSS, laser reference, etc.). Grade information is displayed through the primary vehicle display.		
2575	No Grade Control Installed		No Added Cost
	Operator's Manual and Decals	Basic Factory	Options - Required
2605	English Operator Manual		No Added Cost
2610	Spanish Operator Manual		No Added Cost
2615	French Operator Manual		No Added Cost
	Optional		
	Fuel Filtration	Field Installed Atta	nchments - Optional
9060	Severe-Duty Fuel Filter For use where fuel quality is questionable and/or additional water separation is required. Filter base contains fuel heater.		\$569.00
	Exhaust	Field Installed Atta	achments - Optional
9065	Chrome Exhaust		\$557.00

Code	Description	QTY	List Price (USD)
	Miscellaneous	Field Installed Atta	chments - Optional
9070	Fluid Sample Ports		\$360.00
9075	Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid o	hanges	\$964.00
	Remote service banks are located inside engine and tank compartments; utilizes industry standard quick disconnect couplers.		
	Coolant Heater	Field Installed Atta	chments - Optional
9530	Coolant Heater, Electric 120 Volt		\$154.00
	Air Pre-Cleaner	Field Installed Atta	chments - Optional
9130	Engine Air Precleaner - Rotary Intended for high dust applications to extend engine air filter life. Not required in most applications; will negatively impact over-hood visibility.		\$537.00
	Winch	Field Installed Atta	chments - Optional
9401	Model 4000 Standard Speed Winch - Power In, Freespool Out		\$21,440.00
9402	Model 4000 Standard Speed Winch - Power In, Power Out		\$24,196.00
9410	Winch Fairlead, Four Roller		\$4,218.00

Code	Description	QTY List Price (USD)
	Radio	Field Installed Attachments - Optional
9501	Premium Radio with Bluetooth AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port	\$1,200.00
	Mirrors	Field Installed Attachments - Optional
9365	External Mounted Rear Attachments Mirror	\$142.00
	Miscellaneous	Field Installed Attachments - Optional
9503	Automatic Temperature Control HVAC system automatically adjusts temperature and fan speed to meet desired in-cab temperature.	\$568.00
9504	Camera Rear View Rear camera view is shown on primary machine display.	\$2,179.00
9505	Fire Extinguisher Bracket Bracket in cab to securely stow 2.5 lbs fire extinguisher.	\$76.00
9454	Full Screens for Cab Factory designed/installed option. Includes side screens, rear screen, door screens, front screen, and AC condenser guard. For limb risers, order code 9142.	\$8,836.00
9455	Rear Screen for Cab Factory designed/installed option	\$2,500.00

Code	Description	QTY List Price (USD)
9450	Rear Screen for Canopy	\$1,515.00
9451	Side Screens for Cab	\$2,321.00
	Shipping Preparation	Field Installed Attachments - Optional
9909	Non-Export Rust Preventive Coating Coating protects exposed unpainted surfaces from road salt during shipment.	\$162.00
	Grille	Field Installed Attachments - Optional
9325	Heavy Duty Grille Reinforced plate grille for increased protection of cooling fan.	\$591.00
	Work Lights	Field Installed Attachments - Optional
9166	Premium LED Light Package 6 high output LED lights (16,800 lumens) replace the 4 standard halogen lights.	\$1,392.00
	12 Volt Power	Field Installed Attachments - Optional
9370	2nd - 12 Volt Power Port	\$240.00
	Miscellaneous	Field Installed Attachments - Optional

Code	Description	QTY List Price (USD)
9180	Engine Compartment Light	\$122.00
	Beacon Lighting	Field Installed Attachments - Optional
9521	Beacon Light	\$316.00
	Ripper	Field Installed Attachments - Optional
9191	Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth Requires code 7760 (4 Section PAT Valve) Not for use with other Rear Attachment	\$18,117.00
	Hitches	Field Installed Attachments - Optional
9340	Retrieval Hitch w/ Single Rear Counterweight 501 kg (1106 lb.) Not for use with other rear attachment	\$4,826.00
9343	Retrieval Hitch w/o Rear Counterweight 31 kg (68 lb.) Not for use with other rear attachment	\$692.00
	Counterweight	Field Installed Attachments - Optional
9345	Extended Rigid Drawbar with Single Rear Counterweight 562 kg (1240 lb.)	\$5,905.00

Code	Description	QTY	List Price (USD)
	Not for use with other rear attachment		
9250	Single Rear Counterweight		\$4,191.00
	469 kg (1035 lb.) Not for use with other rear attachment		
9347	Extended Rigid Drawbar w/o Rear Counterweight		\$1,771.00
	93 kg (205 lb.) Includes pin Not for use with other rear attachment		
9430	Rigid Drawbar for use with Winch		\$782.00
	33 kg (73 lb.) Only for use with winch		
	Guards	Field Installed Att	achments - Optional
9150	Full Length Rock Guards		\$2,249.00
	Recommended for applications in rock over 3 in. (76 mm) or sideslopes greater than 2:1. Not recommended for waste or other material packing applications.		
9142	Limb Risers (Sweeps)		\$3,909.00
	Factory designed/installed option		
9139	LGP Final Drive Guard		\$707.00
9460	Condenser Guard		\$1,660.00
	Rust Protection	Field Installed Att	achments - Optional
	Miscellaneous	Field Installed At	achments - Optional

BYT11900 Auxiliary Valve Section - Field Kit Includes joystick and hydraulic valve section for auxiliary function. BYT11921 Auxiliary Plumbing for Rear Attachment - Field Kit Plumbing to rear of machine for rear attachments. Miscellaneous Field Installed Attachment Winches Field Installed Attachment BYT12396 HVAC Repair Field Kit Winches Field Installed Attachment BYT12229 Rear Winch Mounting Kit with Rear Aux For use with 700L. Required to install 4000 series winch with provisions for hydraulic rear aux ports. Contains the mounting weldment, vent line, driveshaft, driveshaft yoke with U-Joint clamps, harness, and a bracket for the rear of the hydraulic pump. Does not include winch. BYT12228 Rear Winch Mounting Kit without Rear Aux For use with 700L Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting weldment, vent line.			
BYT11900 Auxiliary Valve Section - Field Kit Includes joystick and hydraulic valve section for auxiliary function. BYT11921 Auxiliary Plumbing for Rear Attachment - Field Kit Plumbing to rear of machine for rear attachments. Miscellaneous Field Installed Attachment Winches Field Installed Attachment BYT12396 HVAC Repair Field Kit Winches Field Installed Attachment BYT12229 Rear Winch Mounting Kit with Rear Aux For use with 700L. Required to install 4000 series winch with provisions for hydraulic rear aux ports. Contains the mounting weldment, vent line, driveshaft, driveshaft yoke with U-Joint clamps, harness, and a bracket for the rear of the hydraulic pump. Does not include winch. BYT12228 Rear Winch Mounting Kit without Rear Aux For use with 700L Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting weldment, vent line,		Attachments	
Includes joystick and hydraulic valve section for auxiliary function. BYT11921 Auxiliary Plumbing for Rear Attachment - Field Kit Plumbing to rear of machine for rear attachments. Miscellaneous Field Installed Attachmen BYT12396 HVAC Repair Field Kit Winches Field Installed Attachmen BYT12229 Rear Winch Mounting Kit with Rear Aux For use with 700L. Required to install 4000 series winch with provisions for hydraulic rear aux ports. Contains the mounting weldment, vent line, driveshaft, driveshaft yoke with U-Joint clamps, harness, and a bracket for the rear of the hydraulic pump. BYT12228 Rear Winch Mounting Kit without Rear Aux For use with 700L Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting weldment, vent line,	Field Installed Attachments - Optional	Hydraulics	
Includes joystick and hydraulic valve section for auxiliary function. BYT11921 Auxiliary Plumbing for Rear Attachment - Field Kit Plumbing to rear of machine for rear attachments. Miscellaneous Field Installed Attachmer BYT12396 HVAC Repair Field Kit Winches Field Installed Attachmer BYT12229 Rear Winch Mounting Kit with Rear Aux For use with 700L. Required to install 4000 series winch with provisions for hydraulic rear aux ports. Contains the mounting weldment, vent line, driveshaft, driveshaft yoke with U-Joint clamps, harness, and a bracket for the rear of the hydraulic pump. BYT12228 Rear Winch Mounting Kit without Rear Aux For use with 700L Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting weldment, vent line,			
BYT1229 Rear Winch Mounting Kit with Rear Aux For use with 700L. Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting Kit without Rear Aux For use with 700L. Required to install 4000 series winch with provisions for hydraulic pump. Does not include winch. BYT12228 Rear Winch Mounting Kit without Rear Aux For use with 700L. Required to install 4000 series winch with provisions for hydraulic pump. Does not include winch.	\$1,863.00	1900 Auxiliary Valve Section - Field Kit	BYT11900
Plumbing to rear of machine for rear attachments. Miscellaneous Field Installed Attachmer BYT12396 HVAC Repair Field Kit Winches Field Installed Attachmer BYT12229 Rear Winch Mounting Kit with Rear Aux For use with 700L. Required to install 4000 series winch with provisions for hydraulic rear aux ports. Contains the mounting weldment, vent line, driveshaft, driveshaft yoke with U-Joint clamps, harness, and a bracket for the rear of the hydraulic pump. BYT12228 Rear Winch Mounting Kit without Rear Aux For use with 700L. Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting weldment, vent line,		Includes joystick and hydraulic valve section for auxiliary function.	
Miscellaneous Field Installed Attachmer Winches Field Installed Attachmer Winches Field Installed Attachmer BYT12229 Rear Winch Mounting Kit with Rear Aux For use with 700L. Required to install 4000 series winch with provisions for hydraulic rear aux ports. Contains the mounting weldment, vent line, driveshaft, driveshaft yoke with U-Joint clamps, harness, and a bracket for the rear of the hydraulic pump. Does not include winch. BYT12228 Rear Winch Mounting Kit without Rear Aux For use with 700L. Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting weldment, vent line,	\$293.00	1921 Auxiliary Plumbing for Rear Attachment - Field Kit	BYT11921
BYT12396 HVAC Repair Field Kit Winches Field Installed Attachmer BYT12229 Rear Winch Mounting Kit with Rear Aux For use with 700L. Required to install 4000 series winch with provisions for hydraulic rear aux ports. Contains the mounting weldment, vent line, driveshaft, driveshaft yoke with U-Joint clamps, harness, and a bracket for the rear of the hydraulic pump. Does not include winch. BYT12228 Rear Winch Mounting Kit without Rear Aux For use with 700L Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting weldment, vent line,		Plumbing to rear of machine for rear attachments.	
Winches Field Installed Attachmer BYT12229 Rear Winch Mounting Kit with Rear Aux For use with 700L. Required to install 4000 series winch with provisions for hydraulic rear aux ports. Contains the mounting weldment, vent line, driveshaft, driveshaft yoke with U-Joint clamps, harness, and a bracket for the rear of the hydraulic pump. Does not include winch. BYT12228 Rear Winch Mounting Kit without Rear Aux For use with 700L Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting weldment, vent line,	Field Installed Attachments - Optional	Miscellaneous	
BYT12229 Rear Winch Mounting Kit with Rear Aux For use with 700L. Required to install 4000 series winch with provisions for hydraulic rear aux ports. Contains the mounting weldment, vent line, driveshaft, driveshaft yoke with U-Joint clamps, harness, and a bracket for the rear of the hydraulic pump. Does not include winch. BYT12228 Rear Winch Mounting Kit without Rear Aux For use with 700L Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting weldment, vent line,	\$3,120.00	2396 HVAC Repair Field Kit	BYT12396
For use with 700L. Required to install 4000 series winch with provisions for hydraulic rear aux ports. Contains the mounting weldment, vent line, driveshaft, driveshaft yoke with U-Joint clamps, harness, and a bracket for the rear of the hydraulic pump. Does not include winch. BYT12228 Rear Winch Mounting Kit without Rear Aux For use with 700L Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting weldment, vent line,	Field Installed Attachments - Optional	Winches	
Required to install 4000 series winch with provisions for hydraulic rear aux ports. Contains the mounting weldment, vent line, driveshaft, driveshaft yoke with U-Joint clamps, harness, and a bracket for the rear of the hydraulic pump. Does not include winch. BYT12228 Rear Winch Mounting Kit without Rear Aux For use with 700L Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting weldment, vent line,	\$6,536.00	2229 Rear Winch Mounting Kit with Rear Aux	BYT12229
For use with 700L Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting weldment, vent line,		Required to install 4000 series winch with provisions for hydraulic rear aux ports. Contains the mounting weldment, vent line, driveshaft, driveshaft yoke with U-Joint clamps, harness, and a bracket for the rear of the hydraulic pump.	
Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting weldment, vent line,	\$6,536.00	2228 Rear Winch Mounting Kit without Rear Aux	BYT12228
rear of the hydraulic pump. Does not include winch.		Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting weldment, vent line, driveshaft, driveshaft yoke with U-Joint clamps, harness, and a bracket for the	
BYT12231 Rear Aux Joystick Control Kit	\$372.00	2231 Rear Aux Joystick Control Kit	BYT12231

Code	Description	QTY	List Price (USD)
	For use with 700L. Joystick control for winch installation on units not built with 4th function valve.		
BYT11898	EH Control & Plumbing for Rear Mechanical Winch - Power In/Power Out - Field Kit		\$2,225.00
	Includes joystick, driveshaft, winch control valve, and accumulator for installing a 4000 Series winch. Machine must be equipped with Thru Drive Hydraulic Pump for use with Direct Drive (PTO) Winch (code 7985). Also order BYT11922 for auxiliary plumbing to winch. Mounting brackets should be sourced separately - see service parts.		
BYT11899	EH Control & Plumbing for Rear Mechanical Winch - Power In/Freespool Out - Field	Kit	\$1,773.00
	Includes joystick, driveshaft, and winch control valve for installing a 4000 Series winch. Machine must be equipped with Thru Drive Hydraulic Pump for use with Direct Drive (PTO) Winch (code 7985). Also order BYT11922 for auxiliary plumbing to winch. Mounting brackets should be sourced separately - see service parts.		
BYT11922	Auxiliary Plumbing for Winch - Field Kit		\$489.00
	Plumbing to rear of machine for winch.		
	Operator Environment	Field Installed A	tachments - Optional
BYT11700	Canopy Rear View Camera Field Kit		\$2,087.00
BYT11680	Cab Rear View Camera Field Kit		\$2,087.00
	Powertrain & Cooling	Field Installed A	tachments - Optional
BYT11879	Automatic Reversing Hydraulic Fan - Field Kit		\$1,486.00
BYT11882	Quick Service Bank for Transmission, Hydraulic, Engine Oil & Engine Coolant Fluid C	Changes - Field	\$743.00

Code	Description	QTY List Price (USD)
	Guards	Field Installed Attachments - Optional
BYT11937	Pour Scroon for Canony	\$966.00
D1111737	Rear Screen for Canopy	\$700.00
BYT11935	Full Enclosure Cab Screens	\$9,950.00
BYT12041	Condenser Guard Field Kit	\$1,266.00
BYT12272	Rear Tank Fender Guard	\$3,236.00
BYT11738	Limb Risers (Sweeps) - Field Kit Factory designed arched limb risers.	\$4,625.00
	ractory designed arched limb risers.	
BYT11936	Rear Screen for Cab Requires machine to be equipped with code 5085.	\$2,531.00
	noquires musimio to 20 equipped minosus eess.	
	PACCAR Winch Div	Field Installed Attachments - Optional
	Contact PACCAR for below Winch installation instructions (Carco Winch) 800 E. Dallas, P.O. Box 547 Broken Arrow, OK 74013-0547 Phone: 918-251-8511 www.paccarwinch.com	
AT523203	H50 HYSTAT Winch	\$37,130.00
AT523205	50B PTO Winch - Slow Speed	\$41,463.00

Code	Description	QTY	List Price (USD)
AT523204	50B PTO Winch - Standard Speed		\$41,463.00
	Frame Attachment	Field Installed Atta	achments - Optional
BYT11049	Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth - Field Kir Requires 4 Function Hydraulics and Auxiliary Plumbing.	t	\$20,974.00
BYT11009	Front Counterweight, 317 Lb. (144 Kg) - Field Kit Includes mounting hardware.		\$1,497.00
	Overall Vehicle	Field Installed Atta	achments - Optional
BYT11081	Severe Duty Fuel Filter - Field Kit For use where fuel quality is questionable and/or additional water separation is required. Filter base contains fuel heater.		\$441.00
BYT11205	Engine Air Precleaner - Rotary - Field Kit Intended for high dust applications to extend engine air filter life. Not required in most applications; will negatively impact over-hood visibility.		\$515.00
	Grade Control	Field Installed Atta	achments - Optional
BYT11894	Machine Monitor and Topcon Grade Control Monitor Swap Kit (700L & 750L) Kit for 700L & 750L swaps the location of machine and grade control displays to provide better visibility to the grade control display.		\$576.00
BYT10712	Trimble Ready Installation Field Kit, JRB or Paladin Installed This kit includes installation by Paladin CustomWorks and is not setup to be installed at the dealer. This kit supports installation of masted and mastless Earthworks systems (PAT configurations only). The kit includes: 3 blade mounting brackets (left, right, center), 2 IMU mounting brackets (blade and C-frame), quick connects in front		\$16,970.00

Code Description QTY List Price (USD)

grill, Smart Sensor mounting bracket, monitor mounting brackets, harnesses (monitor, quick connect, Smart Sensor), GNSS mounting brackets (cab), radio brackets. This kit includes installation by Paladin CustomWorks. This kit does not support Trimble GCS systems.

Requires codes 1020, 1025, 1030, or 1074 and 2575

BYT10713 Leica Ready Kit, JRB or Paladin Installed


\$13,977.00

This kit supports installation of Leica's masted MC1 systems (PAT configurations only)

The kit includes: 3 blade GNSS mounting brackets (Left side, center, right side), 1 IMU mounting bracket (blade), front grill quick connects, controller mounting bracket, display mounting bracket, harnesses (monitor, quick connect, controller).

This kit includes installation by Paladin CustomWorks. This kit can be dealer upgraded to have cab mounted antennas.

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.



STANDARD WARRANTY FOR NEW JOHN DEERE CONSTRUCTION, COMPACT CONSTRUCTION (CCE) FORESTRY, AND UTILITY PRODUCTS – US & CANADA

- Construction & Forestry Products: 12 months/unlimited hours (whichever occurs first) Full Machine Standard Warranty
- Compact Construction Equipment (CCE) Products: 24 months or 2000 hours (whichever occurs first) Full Machine Standard Warranty
- C&E Series Pull-Type Scrapers: 6 months Full Machine Standard Warranty
- DC & DE Pull-Type Scrapers: 12 months Full Machine Standard Warranty
- Scraper Tractors: 24 Months or 2000 Hours (whichever occurs first) Full Machine Standard Warranty
- Forestry Attachments: 12 Months or 2000 Hours (whichever occurs first) Full Machine Standard Warranty

The "Standard Warranty" is part of the warranty protection package available from John Deere Construction & Forestry Company (John Deere Limited in Canada) ("John Deere") to purchasers of new John Deere products ("product"):

STANDARD Warranty is John Deere's standard new product warranty, described in this document, provided at no additional charge to the purchaser.

EXTENDED Warranty is a separate repair contract made available by John Deere for purchasers who wish to complement their Standard Warranty coverage. Complete Extended Warranty details, including coverage options and limitations, are set forth in the Application for Extended Warranty, which is available from authorized John Deere dealers.

STRUCTURALL Warranty applies to certain structural components as listed below and as described in this document.

FACTORY-INSTALLED UNDERCARRIAGE Warranty applies to certain undercarriage components as listed below and as described in this document.

A. STANDARD WARRANTY - GENERAL PROVISIONS

John Deere will repair or replace, at its option, any parts (except those specified below) of a new John Deere product that, as delivered to the original retail purchaser(s), are defective in material or workmanship. Performance of this warranty will be free of charge for parts and labor, except as otherwise stated below. Standard Warranty applies only to purchases from John Deere and authorized John Deere dealers and, except as otherwise provided in the next sentence and section L below, is extended only to the original retail purchaser of the product. Remaining Standard Warranty applicable to a used John Deere product is transferred to a subsequent purchaser of the product only if the subsequent purchaser requests a transfer from an authorized John Deere dealer before the product's Standard Warranty expires. Coverage begins on the date of delivery of the product to the original retail purchaser. For purposes of this warranty, a product that has been rented, used for demonstration purposes for 150 or more hours, or otherwise used prior to its original retail purchase has been "used" for the total duration of such use. Warranty statements required by law covering engine emissions-related parts and components are found on a separate written warranty certificate provided to the purchaser at the time of the original retail purchase.

B. WHAT IS COVERED BY STANDARD WARRANTY

All parts of a new John Deere product (except those noted in Sections D and E below) are covered during the Standard Warranty period set out above.

C. EXCLUSIVE REMEDY

The repair or replacement of covered parts or components that are defective, as provided in Sections A, B, D.2 and D.3 herein, shall be the purchaser's exclusive remedy for any defect in the product. However, if after repeated attempts such repair or replacement fails to correct the performance problem caused by the defect, the purchaser's sole remedy shall be a refund of the amount paid for the product (in exchange for a return of the product), excluding any transportation charges, license fees, taxes and insurance premiums, and less a reasonable allowance for use of the product prior to its return. In no event will the dealer, John Deere or any company affiliated with John Deere be liable for any incidental or consequential damages, including but not limited to loss of profits, rental of substitute equipment or other commercial loss. Correction of defects in the manner provided above shall constitute fulfillment of

all liabilities of the Dealer, John Deere, or any company affiliated with John Deere to the purchaser or any other person, whether based upon contract, tort, strict liability, or otherwise. This limitation does not apply to claims for personal injury.

A. ITEMS COVERED SEPARATELY -

1. <u>Standard Warranty</u> does not apply to batteries, radios, tires, cameras, or to Cummins, MTU or Detroit Diesel Engines installed in John Deere products, which are covered by separate written warranties.

2. Factory-Installed Undercarriage Warranty covers all non-rubberized factory-installed undercarriage wear components for 3 years or 4,000 hours from the date of delivery to the original retail purchaser, whichever occurs first (unless terminated earlier under Section F, below). For purposes of this warranty, a product that has been rented, used for demonstration purposes for 150 or more hours, or otherwise used prior to its original retail purchase has been "used" for the total duration of such use. In addition to the items listed in section E below, Factory-Installed Undercarriage Warranty does not cover: failures due to wear, machine application, maintenance practices, or improper machine configuration; removal and installation labor; transportation or hauling costs; unapproved parts; non-wear items; and rubberized undercarriage components such as rubber tracks. Warranty claims will be pro-rated based upon wear of the failed component and whether track shoe width is approved by John Deere. Factory-Installed Undercarriage Warranty does not apply to Scraper Tractors.

3. <u>StructurALL Warranty</u> for new John Deere Products (except Compact Excavators & Loaders, Skid-Steer Loaders, Compact Track Loaders, Scraper Tractors, Pull-Type Scrapers, and Forestry Attachments, which are not eligible for StructurALL Warranty) begins at the date of delivery to the original retail purchaser and ends (unless terminated earlier under Section F, below) after three (3) years, or 10,000 hours (whichever occurs first). For purposes of this warranty, a product that has been rented, used for demonstration purposes for 150 or more hours, or otherwise used prior to its original retail purchase has been "used" for the total duration of such use. <u>StructurALL Warranty applies only to the following structural components listed below as installed on the product at the time of original manufacture.</u> If a particular component is not listed below

it is not covered by StructurALL Warranty.

Arm; Articulation Joint (incl. pins & bushings); Bin Frame; Boom; Carbody; C-Frame*; Circle Frame; Coupler (John Deere built ONLY); Dipperstick; Draft Frame; Engine Frame; Equipment Frame; Grapple Arch and Grapple Boom; Loader Arm; Loader Frame; Mainframe; Moldboard Lift Arm; Pushbeam, NeverGrease™ Pin Joints [Includes steering pin and bushing joints (standard equipment), roller elements (roller bearings) in bucket to boom joints and sliding elements (bushing) for boom and linkage joints (optional equipment)]; Rollover Protection Structure (ROPS); Side Frame; Swing Frame; Track Frame; Undercarriage Frame; X-Frame; Z-bar loader linkage (including bell crank and bucket driver link); Specialty booms and arms marketed as "heavy duty" by John Deere.

Items Covered by StructurALL for Cut-to-Length Forestry Machines: Front frame (welded assembly); Rear frame (welded assembly); Crane king post with basement; Middle joint frame; Cabin swing frame; Main Boom

StructurALL Warranty does not apply to:

1. Any product used primarily in extreme duty or severe duty applications such as but not limited to: demolition and wrecking, chemical plant (including fertilizer plants), salt mines, steel mill, land fill and transfer stations, scrap handling, scarifying and other applications that are similarly destructive or similarly heavy duty except specialty booms and arms as stated in Section D.3 above.

2. C-Frames on Crawlers equipped with root rakes or used in forestry applications unless equipped with an "extreme

duty" reinforcement package.

3. Cut-to-Length Forestry Heads and Slash Bundler Units.

4. Crawlers equipped with optional side booms.

5. Cut-to-Length Forestry, Excavator, and Log Loader swing bearings.

6. Motor Graders equipped with front- or rear-mounted snow wings.

. A. ITEMS NOT COVERED -

John Deere is NOT responsible for the following:

- Freight.
- 2. Adjustments to compensate for wear, for periodic maintenance or adjustments that result from normal wear and tear.
- 3. Damage caused by unapproved adjustments (electronic or mechanical) to machine or machine components outside of published specifications including but not limited to engine, hydraulic components and relief valves.
- 4. Program updates, calibrations, and pressure adjustments.
- 5. Additional Labor Time Above Dealer Labor Rate.
- 6. Additional Cleaning Above Dealer Labor Rate.
- 7. Rental Fees.
- 8. Depreciation or damage caused by normal wear or application, lack of reasonable and proper maintenance, failure to follow operating instructions, misuse, lack of proper protection during storage, vandalism, negligence, collision, expenses to seek reinstatement of warranty following theft or loss of Product, or other accidents.
- 9. Premiums charged for Overtime Labor.
- 10. Transportation to and from the dealership.
- 11. Travel time, mileage, or service calls by the dealer.
- 12. Non-John Deere components or modifications, Rotobec grapples, and attachments installed aftermarket.
- 13. Shop supplies and maintenance items such as, but not limited to: filters, fuels, oil, hydraulic fluid, lubricants, coolants, conditioners, shop towels, cleaners and degreasers.
- 14. Torn, cut, or worn hoses.
- 15. Wear items, such as, but not limited to: body liner, belts, blades, bulbs, lubricated joints (including pins and bushings), dry brakes, brake linings, dry clutch linings, saw blades, chains, skidder grapple shocks, color marking nozzles, and articulation bumpers.
- 16. Items such as cutting-edge parts, delimbing knives, bucket teeth and rubber track are not warranted for depreciation or damage caused by normal wear, lack of proper maintenance, misuse, failure to follow operating instructions, the elements or accident.
- 17. Any defect in a non-covered component, or damage to or failure of a covered component caused by a defect in a non-covered component.
- 18. Secondary damage which occurs from continued operation of a product after recognition of the occurrence of a failure.
- 19. Parts supplied by or repairs, maintenance or modifications performed by someone other than an authorized John Deere dealer, including any damage caused by such use of parts, repairs, maintenance, or modifications not performed by an authorized John Deere dealer.
- 20. The use of "track type" tire chains on Feller Bunchers and Skidders is an unapproved modification. Warranty will be void on these machines using "track type" tire chains.
- 21. Topping off fluids when fluid levels fall in the range between low and full
- 22. Parts/Kits not ordered on machine and installed aftermarket. These parts will be covered by any applicable parts warranty.
- 23. Attachments installed aftermarket i.e., Winch not installed at factory.
- 24. Custom options installed outside the factory i.e., G.R. Manufacturing option packages.
- 25. Used Products (except as otherwise provided in section L below).
- 26. Lost or stolen Products.

B. TERMINATION OF WARRANTY-

John Deere is relieved of its obligations under Standard Warranty, StructurALL Warranty, Factory-Installed Undercarriage Warranty and/or Extended Warranty if:

- 1. The product is modified or altered in ways not approved by John Deere; or
- 2. Any unapproved or improperly sized attachment is installed on the product. Approval and attachment size shall be at John Deere's sole discretion. (Consult dealer prior to installing attachments or product modification).
- 3. The product is moved outside the US and/or Canada.

A. PARTS REPLACED UNDER WARRANTY -

Only new or remanufactured parts or components furnished or approved by John Deere, will be used if John Deere elects to repair the product. If any such part or component is defective in material or workmanship when installed in the product, John Deere will repair or replace, as it elects, such defective part or component, provided the defect is reported to an authorized John Deere dealer within 90 days of installation or before expiration of the applicable Standard Warranty, Factory-Installed Undercarriage Warranty and/or StructurALL Warranty whichever is later.

B. TELEMATICS

NOTICE: Products may be equipped with telematics hardware and software ("Telematics") that transmit data to John Deere/ Dealer. Purchaser may deactivate Telematics at www.jdlink.com.

Notwithstanding Purchaser's right, title or interest in the Products, Purchaser agrees that John Deere and Dealer (their affiliates, successors and assigns), without further notice to Purchaser have the right to:

- 1. Access, use, collect and disclose any data generated by, collected by, or stored in, Products or any hardware or devices interfacing with Products ("Machine Data");
- 2. Access Machine Data directly through data reporting devices integrated within, or attached to, Products, including Telematics ("Data Reporting Systems"); and
- 3. Update the Data Reporting Systems software from time to time. Machine Data will only be used in accordance with John Deere's Machine Data Policy, located at www.JohnDeere.com/MachineDataPolicy.

C. OBTAINING WARRANTY SERVICE -

To obtain warranty service, the purchaser must request warranty service from a John Deere dealer authorized to sell the product to be serviced. When making such a request, the purchaser must present evidence of the product's delivery date, make the product available at the dealer's place of business, and inform the dealer in what way the purchaser believes the product to be defective. Standard Warranty, Factory-Installed Undercarriage Warranty and/or StructurALL Warranty repairs may be made in the field if the purchaser and servicing dealer so desire. However, John Deere will not be responsible for any charges (such as dealer travel time, mileage or extra labor) that would not have been incurred had the product been repaired at the dealer's place of business.

D. NO IMPLIED WARRANTY, CONDITIONS OR OTHER REPRESENTATION -

Where permitted by law, neither John Deere nor any company affiliated with it makes any warranties, representations, conditions or promises, express or implied, as to the quality, performance, or freedom from defect of its products, other than those set forth in this document and NO IMPLIED WARRANTY OF MERCHANTABILITY, CONDITIONS OR FITNESS IS MADE.

E. NO DEALER WARRANTY -

HOLOAN DEEDE Marront, Chatamant

The selling dealer makes no warranty of its own on any item covered by this warranty and makes no warranty on other items unless the dealer delivers to the purchaser a separate written warranty certificate specifically warranting the item. The dealer has no authority to make any representation or promise on behalf of John Deere, or to modify the terms or limitations of this warranty in any way.

F. USED JOHN DEERE PRODUCTS ONLY -

John Deere will transfer remaining Standard Warranty, Factory-Installed Undercarriage Warranty and/or StructurALL Warranty to the purchaser of a used John Deere construction and/or forestry product that has been used for less than the full warranty period provided at the product's original retail purchase. This transfer is not effective until change of ownership is registered by a John Deere dealer. ALL THE TERMS, INLCUDING LIMITATIONS AND EXCLUSIONS, OF THE JOHN DEERE STANDARD WARRANTY, FACTORY-INSTALLED UNDERCARRIAGE WARRANTY, AND/OR STRUCTURALL WARRANTY ORIGINALLY PROVIDED FOR THE PRODUCT REMAIN IN EFFECT AND APPLICABLE.





Company ID Number: 513478

THE E-VERIFY PROGRAM FOR EMPLOYMENT VERIFICATION MEMORANDUM OF UNDERSTANDING

ARTICLE I

PURPOSE AND AUTHORITY

This Memorandum of Understanding (MOU) sets forth the points of agreement between the Department of Homeland Security (DHS) and Warrior Tractor & Equipment Co., Inc. (Employer) regarding the Employer's participation in the Employment Eligibility Verification Program (E-Verify). This MOU explains certain features of the E-Verify program and enumerates specific responsibilities of DHS, the Social Security Administration (SSA), and the Employer. E-Verify is a program that electronically confirms an employee's eligibility to work in the United States after completion of the Employment Eligibility Verification Form (Form I-9). For covered government contractors, E-Verify is used to verify the employment eligibility of all newly hired employees and all existing employees assigned to Federal contracts or to verify the entire workforce if the contractor so chooses.

Authority for the E-Verify program is found in Title IV, Subtitle A, of the Illegal Immigration Reform and Immigrant Responsibility Act of 1996 (IIRIRA), Pub. L. 104-208, 110 Stat. 3009, as amended (8 U.S.C. § 1324a note). Authority for use of the E-Verify program by Federal contractors and subcontractors covered by the terms of Subpart 22.18, "Employment Eligibility Verification", of the Federal Acquisition Regulation (FAR) (hereinafter referred to in this MOU as a "Federal contractor with the FAR E-Verify clause") to verify the employment eligibility of certain employees working on Federal contracts is also found in Subpart 22.18 and in Executive Order 12989, as amended.

ARTICLE II

FUNCTIONS TO BE PERFORMED

A. RESPONSIBILITIES OF SSA

- 1. SSA agrees to provide the Employer with available information that allows the Employer to confirm the accuracy of Social Security Numbers provided by all employees verified under this MOU and the employment authorization of U.S. citizens.
- 2. SSA agrees to provide to the Employer appropriate assistance with operational problems that may arise during the Employer's participation in the E-Verify program. SSA agrees to provide the Employer with names, titles, addresses, and telephone numbers of SSA representatives to be contacted during the E-Verify process.
- 3. SSA agrees to safeguard the information provided by the Employer through the E-Verify program procedures, and to limit access to such information, as is appropriate by law, to individuals responsible for the verification of Social Security Numbers and for evaluation of the E-Verify program or such other persons or entities who may be authorized by SSA as governed





Company ID Number: 513478

To be accepted as a participant in E-Verify, you should only sign the Employer's Section of the signature page. If you have any questions, contact E-Verify at 888-464-4218.

Employer Warrior Tractor	& Equipment Co.,	Inc.	
Stanley McCracken			
Name (Please Type or Print)		Title	-
Electronically Signed		03/01/2012	
Signature		Date	
			_
Department of Homeland Secu	urity – Verification D	ivision	
TIGGIG W			
USCIS Verification Division Name (Please Type or Print)	1	Title	-
Electronically Signed Signature		03/01/2012 Date	_
o ignaturo			
Infor	mation Required f	or the E-Verify Program	
Information relating to yo	our Company:		
Company Nam	e:Warrior Tractor & Eq	suipment Co., Inc.	
Company Facility Addres	s: 6801 McFarland Blvd	1	
	Northport, AL 35476		
Company Alternate			
Address:	P O Box 412		
	Northport, AL 35476		

County or Borish	TURCALCORA		
County or Parish:	TUSCALOOSA		
Employer Identification			
Employer Identification Number:	630588737		





Company ID Number: 513478

North American Industry Classification Systems Code:	423
Administrator:	Warrior Tractor and Equipment Co., Inc.
Number of Employees:	100 to 499
Number of Sites Verified for:	1
Are you verifying for more t in each State:	han 1 site? If yes, please provide the number of sites verified for
 ALABAMA 	1 site(s)

Information relating to the Program Administrator(s) for your Company on policy questions or operational problems:

Name:	Stanley N McCracken			
Telephone Number: E-mail Address:	(205) 339 - 0300 wte024@warriortractor.com	Fax Number:	(205) 333 - 0101	