

BID SUBMITTAL FORM
Alabama County Joint Bidding Program
BID ITEM – Vertical Asphalt Storage Tanks

Company Name: Warren Power Attachments (DBA) Total Patcher

Address: 4614 East 1000 North Pittsboro, IN 46167

Bid Submitted by: Aaron Warre
(Name of company representative)

Title: Owner e-mail address: aaron@totalpatcher.com

Phone: 317-892-4737 Fax: 317-892-5196

By submitting this bid, we agree:

Initials

The equipment model number identified below meets the bid specs for this bid item

AW

That the bid price will be honored for all counties for the period from Jan. 1, 2024 to Dec. 31, 2024.

AW

The equipment will be delivered at the bid price to all counties participating in the joint bid program

AW

The company representative listed above will be the contact person for purchasing this bid item under the joint bid program

AW

The bid is accompanied by a current catalog or model specification document for the model number identified below

AW

The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications

AW

The bid includes the e-verify documentation required by Alabama law

AW

If awarded the bid, a performance bond will be provided upon request

AW

The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Tank.**

AW

Vertical Asphalt Storage Tanks

3,000 Thousand Gallon Storage Tank

Total Bid Price for Standard Tank: \$ 51,619.00

(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *


Freight Preparation and Delivery: \$ 5600

(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 54,140.00

Equipment Model #: TT3000

Description: 3000 Gallon Heated Tank

Signature of company representative submitting bid:  _____

Title: Owner

4,000 Thousand Gallon Storage Tank

Total Bid Price for Standard Tank: \$ 54,092.00

(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *


Freight Preparation and Delivery: \$ 5600

(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 57,050.00

Equipment Model #: TT4000

Description: 4000 gallon heated tank

Signature of company representative submitting bid:  _____

Title: Owner

Vertical Asphalt Storage Tanks

5,000 Thousand Gallon Storage Tank


Total Bid Price for Standard Tank: \$ 61183.00
(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 5600
(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 65,392.00

Equipment Model #: TT5000

Description: 5000 gallon heated tank

Signature of company representative submitting bid: 

Title: Owner

6,000 Thousand Gallon Storage Tank


Total Bid Price for Standard Tank: \$ 61,371
(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 5600
(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 65,613.00

Equipment Model #: TT6000

Description: 6000 gallon heated tank

Signature of company representative submitting bid: 

Title: Owner

Vertical Asphalt Storage Tanks

7,000 Thousand Gallon Storage Tank

Total Bid Price for Standard Tank: \$ 65,139.00

(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 5600
(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 70,046.00

Equipment Model #: TT7000

Description: 7000 Gallon heated tank

Signature of company representative submitting bid: 

Title: Owner

8,000 Thousand Gallon Storage Tank

Total Bid Price for Standard Tank: \$ 69,234.00

(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 5600
(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 74,863.00

Equipment Model #: TT8000

Description: 8000 gallon heated tank

Signature of company representative submitting bid: 

Title: Owner

Vertical Asphalt Storage Tanks

9,000 Thousand Gallon Storage Tank

Total Bid Price for Standard Tank: \$ 82,612.00
(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 5600
(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 90,602.00

Equipment Model #: TT9000

Description: 9000 gallon heated tank

Signature of company representative submitting bid: 

Title: Owner

10,000 Thousand Gallon Storage Tank

Total Bid Price for Standard Tank: \$ 83,091.00
(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 5600
(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 91,166.00

Equipment Model #: TT10000

Description: 10000 gallon heated tank

Signature of company representative submitting bid: 

Title: Owner

* **NOTE:** Award will be made based on the total cost of the **Standard Tank**. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

BID SUBMITTAL FORM: OPTION COST SHEET

Vertical Asphalt Storage Tanks

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Tanks*

AW (15%)


The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) with **any available Options** for the Standard Tank

Aw

Equipment Model #: _____

Description: 3000-10000 gallon heated tanks

Signature of company representative submitting bid: _____



Title: Owner

***Note:** The percent difference between the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the standard tank as specified by these **Bid Specifications** and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation, delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard tank at the percentage discount at the time of purchase.

Bid Specifications for Vertical Asphalt Storage Tanks

GENERAL

These specifications shall be construed as the minimum acceptable standards for Vertical Asphalt Storage Tanks. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the tank offered for bid shall include all standard manufacturer's equipment. The tank must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

MANUALS

Each unit shall be provided with one (1) copy of the operator's manual, (1) copy of the repair manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty.

Yes X No
Page#
or
Attachment X

BID ITEM – Vertical Asphalt Storage Tanks

All size vertical storage tanks are to be constructed as follows:

¼ inch thick carbon steel

Yes ☒ NO ☐
Page _____

3 inches of foil backed insulation

Yes ☒ NO ☐
Page _____

Aluminum outer skin

Yes ☒ NO ☐
Page _____

Standard Ladder, heavy duty manyway, rail system, and 24 inch inspection door
To access heating.

Yes ☒ NO ☐
Page _____

Standard 5 Ft. 5 Inch. Height stand

Yes ☒ NO ☐
Page _____

Blanket Heating System:

1,000 watt 220 or 240VAC single phase power electric blankets:

- 4 blankets for 3000-5000 gallon models
- 6 blankets for 6000-8000 gallon models
- 8 blankets for 9000-10,000 gallon models

Yes ☒ NO ☐
Page _____

Delivery System - Gravity no pump standard

Loading Hose: 3 inch diameter by minimum of 8ft. in length with quick couplers.

Yes ☒ NO ☐
Page _____

2 Valves. 3 inch heated and insulated

Yes ☒ NO ☐
Page _____

Tank clean out valve insulated and located in the bottom of tank.

Yes ☒ NO ☐
Page _____

Agitator- Paddle Type, 6 rpm and timed

Yes ☒ NO ☐
Page _____

Material Gauge- Mechanical float type with 100 gallon increments

Yes ☐ NO ☒
Page _____

Reads in Feet
and inches

Warranty – One year Limited

Yes ☒ NO ☐
Page _____

Note: End User or Purchaser is responsible for pad construction, tank unloading, and jobsite electrical.

TOTAL PATCHER

Warren Power Attachments

4614 EAST 1000 NORTH

PITTSBORO, IN 46146

PHONE: 317-892-4737 FAX: 317-892-5196

Total Tank For Emulsion Storage

Price List

3,000 Gallon Tank With Agitator and Manway.....	\$54,140.00
4,000 Gallon Tank With Agitator and Manway.....	\$57,050.00
5,000 Gallon Tank With Agitator and Manway.....	\$65,392.00
6,000 Gallon Tank With Agitator and Manway.....	\$65,313.00
7,000 Gallon Tank With Agitator and Manway.....	\$70,046.00
8,000 Gallon Tank With Agitator and Manway.....	\$74,863.00
9,000 Gallon Tank With Agitator and Manway.....	\$90,602.00
10,000 Gallon Tank With Agitator and Manway.....	\$91,166.00
1,000 Gallon Skid Mount.....	\$23,530.00
1000 Gallon Total Tanker (Trailer Mount Pressure Vessel)...	\$46,948.00

Options

Swing Boom Arm for loader hose.....	\$1920.00
8 foot base stand (6000 gallon and smaller only).....	\$10,136.00
4 foot mezzanine for 8 foot base stand.....	\$3540.00
50 gpm pump.....	\$13,740.00

No local, state or Federal taxes are reflected in the above prices.

Prices and Specifications are subject to change without notice.

F.O.B. Factory

Effective September 2023

TOTAL TANK LIMITED WARRANTY VERTICAL TANK

EFFECTIVE JANUARY 1, 2016

1. LIMITED WARRANTIES:

FOR ONE YEAR FROM THE PURCHASE DATE WARREN POWER ATTACHMENTS WARRANTS TO THE ORIGINAL PURCHASE THAT THE TOTAL TANK PURCHASED ARE FREE FROM DEFECTS IN MATERIAL AND WORKMANSHIP ON THE FOLLOWING ITEMS:

- A. TANK VESSEL AND FITTINGS
- B. VALVES
- C. INSULATION AND ALUMINUM TANK WRAP
- D. LADDER AND CAGE ASSEMBLY
- E. GAUGES
- F. HEAT BLANKETS, SEE NOTE BELOW
- G. ELECTRICAL COMPONENTS AND CONTROLS, SEE NOTE BELOW
- H. AGITATION DRIVE SYSTEM

NOTE: SUBJECT TO PROPER INSTALLATION AND HOOKUP, BY A QUALIFIED ELECTRICIAN, OF A 100 AMP, 220 SINGLE PHASE POWER SUPPLY.

- 2. THIS WARRANTY DOES NOT APPLY TO ANY PART OF THE GOODS WHICH HAVE BEEN SUBJECT TO IMPROPER OR ABNORMAL USE, NEGLIGENCE, ALTERATION, OR DAMAGE DUE TO LACK OF MAINTENANCE.
- 3. WARREN POWER ATTACHMENTS WILL REPLACE OR REPAIR, AT ITS DISCRETION, ANY PART OR PARTS FOUND UPON EXAMINATION AT THE FACTORY OR FIELD, WHERE A FACTORY INSPECTION IS NOT PRACTICAL, TO BE DEFECTIVE UNDER NORMAL USE AND SERVICE DUE TO DEFECTS IN MATERIAL AND WORKMANSHIP.
- 4. EXCEPT AS PROVIDE HEREIN, NO EMPLOYER, AGENT, DEALER, OR OTHER PERSON IS AUTHORIZED TO GIVE WARRANTIES OF ANY NATURE ON BEHALF OF WARREN POWER ATTACHMENTS.

WARRANTIES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



Company ID Number: 2299050

Approved by:

Employer Warren Power Attachments	
Name (Please Type or Print) Aaron Warren	Title
Signature Electronically Signed	Date 10/17/2023
Department of Homeland Security – Verification Division	
Name (Please Type or Print) USCIS Verification Division	Title
Signature Electronically Signed	Date 10/17/2023



Company ID Number: 2299050

Information Required for the E-Verify Program

Information relating to your Company:

Company Name	Warren Power Attachments
Company Facility Address	4614 east 1000 north pittsboro, IN 46167
Company Alternate Address	
County or Parish	HENDRICKS
Employer Identification Number	300105211
North American Industry Classification Systems Code	333
Parent Company	
Number of Employees	5 to 9
Number of Sites Verified for	1 site(s)



Company ID Number: 2299050



Are you verifying for more than 1 site? If yes, please provide the number of sites verified for in each State:

IN	1
----	---



Company ID Number: 2299050

Information relating to the Program Administrator(s) for your Company on policy questions or operational problems:

Name	Aaron Warren
Phone Number	3178924737
Fax	
Email	aaron@totalpatcher.com



Company ID Number: 2299050



This list represents the first 20 Program Administrators listed for this company.

TOTAL TANK

EMULSION STORAGE SYSTEMS

*The Key to an Efficient
Road Repair System*

**Save Labor & Material
Cost - Emulsion Mixture
is Always Ready for your
Road Repair Crew**

Finally, there is an Automated Emulsion Storage System that is specially designed for proper storage and handling of asphalt emulsions. The **Total Tank Emulsion Storage System** by Warren Power Attachments gently heats and agitates emulsions to preserve their performance and ease of application.



Automated Agitation

Electric Heat

Gravity Feed System

Heated Load Valves

3000 to 10,000 Gallon



Portable

Electric Heat

1000 Gallon

- Agitator supported by 2" tapered roller bearings
- Tank roof coated with rubberized sealant
- Entire tank insulated with 3" foil backed high-density insulation
- Single weatherproof NEMA 3r enclosure protects electrical system

Automated Emulsion Storage System

Standard System Features

- **Timed Agitator** - supported by 2" tapered roller bearings
- **Emulsion Temperature Gauge**
- **Emulsion Quantity Measuring System**
- **Blanket Heaters** - six 1000w blanket heaters (220v) with thermostatic control
- **Enclosed Electrical Components** - protected within a single weatherproof NEMA 3R enclosure
- **Three Ball Valves** - three 3-inch ball valves for easier loading and unloading
- **Insulated Valves** - wrapped with 220v heat tape and protected by insulated aluminum cover
- **Carbon Steel Tank** - 1/4" carbon steel tank construction
- **Insulating Blanket** - three-inch high-density foil-backed insulation with heat shield around entire tank keeps emulsion temperature even
- **Large Loader Hose** - fast loading with 10-foot long 3-inch diameter loader hose
- **Inspection Hatch** - interior inspection hatch on top side of system
- **Safety Cage** - safety cage on top of system
- **Ladder** - complete with safety cage on top of system*
- **Access Port** - 24-inch round access port at base of system
- **Heavy-Duty Steel Stand** - provides sturdy tank support system
- **Outer Skin** - 3003 aluminum
- **Inspection Hatch** - interior inspection hatch on top side of system

Optional System Features:

- **Stand Heights** - various stand heights available for special applications
- **Hose Swing Boom**

System Sizes:

- **3000 Gallon** - insulated tank size 8'6" x 8'6"
- **4000 Gallon** - insulated tank size 8'6" x 11'3"
- **5000 Gallon** - insulated tank size 8'6" x 13'10"
- **6000 Gallon** - insulated tank size 8'6" x 16'4"
- **Larger Tanks** - available upon request

Suggested System Foundation:

- **Foundation Construction** - completely flat concrete pad 12 feet square
- **Lag Plates** - flush with concrete; 1/2 thick steel; 14-inches square
- **For more information** - contact Total Patcher for suggested pad schematics

Customer Responsibilities:

- **Site Prep** - site prep and pad construction
- **Electrical** - final electrical hook up of system
- **ADEM & EPA Requirements** - fulfillment of EPA & ADEM regulations




Heated & Insulated ball valves at the base of tank gravity feed emulsion to the Total Patcher.



Electrical control panel and agitator timer is enclosed within a single weatherproof NEMA 3R enclosure.



Optional hose swing boom



The agitator rotates, moving the emulsion evenly and gently throughout the tank. The heaters keep the emulsion at the proper temperature, ready for use

Total Patcher

4614 East 1000 North
Pittsboro, Indiana 46167

Toll Free 1-866-892-4737 Ph- 317-892-4737

Info@totalpatcher.com

www.totalpatcher.com