

# BID SUBMITTAL FORM

## Alabama County Joint Bidding Program

### BID ITEM – 16' STEEL DUMP BODY – OPTION B (MANUAL TRANSMISSION)

Company Name: Logan Corporation - Logan Dump Bodies

Address: 124 Ward Road  
Salversville, KY 40365

Bid Submitted by: Michael Canada  
(Name of company representative)

Title: Customer Representative e-mail address: Mike.Canada@logancorp.com

Phone: 606-791-7208 Fax: None

By submitting this bid, we agree:

Initials

That the equipment model number identified below meets the bid specs for this bid item

MC

That the bid price will be honored for all counties for the period from Jan. 1, 2024 to Dec. 31, 2024.

MC

That the equipment will be delivered at the bid price to all counties participating in the joint bid program

MC

That the company representative listed above will be the contact person for purchasing this bid item under the joint bid program

MC

That the bid is accompanied by a current catalog or model specification document for the model number identified below

MC

That the bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications

MC

That the bid includes the e-verify documentation required by Alabama law

MC

That, if awarded the bid, a performance bond will be provided upon request

MC

That an option sheet with individual pricing is attached

MC

Total Bid Price including options: \$ 39,790.00

Equipment Model #: LE Body

Description: Elliptic Body

Signature of company representative submitting bid: Michael Canada

Title: Customer Representative



# **BID SPECIFICATIONS FOR 16' STEEL DUMP BODY OPTION B (MANUAL TRANSMISSION)**

## **GENERAL**

These specifications shall be construed as the minimum acceptable standards for a 16' Steel Dump Body. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The 16' Steel Dump Body must be a new current production model.

The use of specific names or numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

## **BID SUBMITTAL FORM**

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

## **BID PRICE**

The price bid shall include all destination charges, delivery charges, title fees, rebates and all other applicable costs and refunds.

## **REPLACEMENT PARTS AVAILABILITY**

Parts must be available for 5 years or 500,000 miles of use for the piece of equipment bid.

## **ASSEMBLY AND DELIVERY**

The dump body will be purchased for use with a heavy-duty dump truck chassis (with Automatic Transmission) bid separately. The dump body company will be responsible for assembly and installation of the dump body and related optional equipment, including the cost of the same. The selling truck chassis dealer will be responsible for delivery of the chassis to the dump body company, for installation. The Dump Body Company will be responsible for delivery of the complete dump truck unit to the Truck Chassis Company following installation, and assembly of the dump body and related options onto the truck chassis. **Freight to the dump body company will be included in the truck bidder's proposal. Dump body installation, assembly and Feight costs back to the Truck Vendor will be included in the dump body bidder's proposal.**

## **WARRANTY**

Bidders shall submit a copy of the manufacturer's standard warranty.

Yes ☒ No ☐  
Page# 16  
or  
Attachment ☒

## **DUMP BODY**

Dump body shall meet all federal and state, health and safety regulations and must conform to American National Standard Institute (A.N.S.I.) Regulations (A.N.S.I.Z145) 1975.

Yes ☒ No ☐  
Page # —





## OPTION COST SHEET FOR 16' STEEL DUMP BODY – OPTION B (MANUAL TRANSMISSION)

### Tri Axle Option Items

Silent Drive or equal lift axle

### Option Price

\$ 5,500.00

Four Steel Disc, Ten hole, hub piloted, bud style  
22.5x8.25 wheels on lift axle

\$ 575.00

Four 11R22.5 recap tires on lift axle

\$ 1,400.00

### Other Options

High lift tail gate

Add

\$ 750.00

Bed body vibrator

\$ 700.00

25 ton heavy duty Pintle Hitch

\$ 1,250.00

Chip Spreader bar mounted

\$ 400.00

**NOTE:** Award will be made on the basis of the total cost of the machine with all options included. However, a county may, at its discretion, deduct one or more of the above-referenced options from the machine, and in such event, the cost of the option as stated on the bid shall be deducted from the total cost of the machine. There shall be no other deductions and no additions made to the machine by the purchasing county or by the vendor.

Equipment Model #: LE

Description: Logan Cross memberless Body

Signature of company representative submitting bid: Michael Coad-

Title: Customer Representative



Dump body supplier must have their own service and parts facility.

Yes ☒ No ☐  
Page # 11

Dump body supplier must have a minimum of five (5) years experience in sales, service and repair of dump bodies.

Yes ☒ No ☐  
Page # 11

Body must be covered by product liability insurance.

Yes ☒ No ☐  
Page # 11

#### **GENERAL SPECIFICATIONS AND DIMENSIONS**

21 cubic yard capacity; elliptical dump body design with 26 inch radius beginning at body main rails; 16 feet long; 62-inch high sides; 64- inch high tailgate; sides, floor and tail-gate shall be 1/4 inch AR450 Steel; tailgate shall be vertical (NO SLOPE); three (3) panel tailgate design; hoist shall be class 120 hoist with a minimum four (4) active stages and minimum 60,000 pound capacity; direct mount integral pump and P.T.O. combination with air control on the P.T.O.; air tailgate latch control; tailgate shall be built for future high lift tailgate conversion; electric tarp with vinyl asphalt type tarp; 42 inch cab shield; eight (8) inch wide schedule 80-pipe push bar asphalt apron across rear of body; 3.5 inch inverted angle on top of sides and top of tailgate; and Metro light kit.

Yes ☒ No ☐  
Page # 13-14

#### **TRI AXLE OR HEAVY DUTY DUMP TRUCK CHASSIS OPTIONS**

The chassis (with Manual Transmission) will be used as a tri axle dump or a heavy duty tandem dump. All bids shall include the cost for each of the following options to be selected for a tri axle dump, itemized separately on the bid:

Silent Drive Lift (Pusher) axle (20,000 lb minimum Capacity) or equal. This axle shall be air up and air down with a control valve and regulator located in the cab within reach of the operator.

Yes ☒ No ☐  
Page # 13-14

Four (4) steel disc, ten (10) hole, hub piloted, bud style 22.5x8.25, wheels on lift axle.

Yes ☒ No ☐  
Page # 13-14

Four 11R22.5 recap tires on lift axle.

Yes ☒ No ☐  
Page # 13-14

#### **OTHER OPTIONS**

Bid must include the cost for each of the following options, itemized separately on the bid:

High lift tail gate

Yes ☒ No ☐  
Page # 16

Bed body vibrator

Yes ☒ No ☐  
Page # 16





25 ton heavy duty Pintle Hitch, swivel type, spring loaded, with safety chain rings, six (6) prong trailer light socket and air brakes hookup. Mounted 26 inches from ground with truck empty.

Yes ☒ No ☐  
Page # 6

Chip spreader bar mounted at end of frame.

Yes ☒ No ☐  
Page # 6

**NOTE:** Award will be made on the basis of the total cost of the dump body with all options included. However, a county may, at its discretion, deduct one or more of the above-referenced options from the dump body, and in such event, the cost of the options as stated on the bid shall be deducted from the total cost of the dump body. There shall be no other deductions and no additions made to the dump body by the purchasing county or by the vendor.



## **DUMP BODY PRODUCT LINE LIMITED WARRANTY AND DISCLAIMER**

Logan Corporation provides a twelve-month Limited Warranty (beginning on the delivery date of the equipment) to the original retail purchaser of its dump body line of products. This Limited Warranty covers the original equipment provided by Logan to be free of defects in material and/or workmanship during the warranty period. Damaged or defective parts that were created due to conditions outside of the normal use intended for the product are expressly not covered. Component parts that are not manufactured by Logan will have their warranty limited to the warranty limitations of the respective component providers.

Products covered under this Limited Warranty will be replaced or repaired in Logan Corporation's sole discretion, with all such warranty work to be done at Logan's Salyersville, Kentucky, facility or such other location or facility chosen by Logan Corporation in its sole discretion. Any attempts to repair or replace allegedly defective parts or components of products subject to this Limited Warranty without first obtaining written authorization from Logan Corporation will automatically void this Limited Warranty and Logan Corporation expressly disclaims all liability to purchaser. Logan reserves the exclusive right to specify any repair methods and/or component replacement repairs as it deems necessary in its sole discretion. Any unauthorized repairs to products subject to this warranty shall automatically void this Limited Warranty.

This Limited Warranty does not obligate Logan Corporation to assume liability for the loss of time, or product, or any consequential damages or losses arising directly or indirectly from defects in material and/or workmanship in the products subject to this Limited Warranty, and Logan Corporation expressly disclaims the same.

Additional limitation to this Limited Warranty:

- Logan Corporation will reimburse a maximum of ninety dollars (\$90) per hour for labor for repairs approved by Logan Corporation.
- All power take-off units, hydraulic pumps, hoses, and associated fittings will be warranted for a period of thirty (30) days from original delivery date only. This additional limitation is due to the fact that regular maintenance is necessary to maintain and prevent leaks or fasteners loosening due to vibration and normal use.
- Any equipment that has been added, altered, or removed in any way so as to affect the safety or operational function(s) of the OEM Logan product is expressly exempt from this Limited Warranty.
- Normal maintenance or service is expressly not covered by this Limited Warranty.

Failure to acknowledge receipt and register this warranty shall in no way affect the limitations of warranty outlined herein.

**To register the warranty on a new Logan Corporation dump body, go to:**  
**[www.logandumpbodies.com](http://www.logandumpbodies.com)**.







# CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

10/25/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

<b>PRODUCER</b> ADKINS INSURANCE & FINANCIAL SERVICES INC 5986 US ROUTE 60 E BARBOURSVILLE, WV 25504	<b>CONTACT NAME:</b> JESSICA ROACHELL <b>PHONE (A/C, No, Ext):</b> 304-733-3560 <b>E-MAIL ADDRESS:</b> JESSICA@ADKINSINSURANCE.COMCASTBIZ.NET <b>FAX (A/C, No):</b> <b>INSURER(S) AFFORDING COVERAGE</b> <table border="1"><thead><tr><th>INSURER</th><th>NAIC #</th></tr></thead><tbody><tr><td>INSURER A: The Charter Oak Fire Insurance Company</td><td>25615</td></tr><tr><td>INSURER B: Travelers Property Casualty Company of America</td><td>36137</td></tr><tr><td>INSURER C: The Travelers Indemnity Company of Connecticut</td><td>25658</td></tr><tr><td>INSURER D:</td><td></td></tr><tr><td>INSURER E:</td><td></td></tr><tr><td>INSURER F:</td><td></td></tr></tbody></table>	INSURER	NAIC #	INSURER A: The Charter Oak Fire Insurance Company	25615	INSURER B: Travelers Property Casualty Company of America	36137	INSURER C: The Travelers Indemnity Company of Connecticut	25658	INSURER D:		INSURER E:		INSURER F:	
INSURER	NAIC #														
INSURER A: The Charter Oak Fire Insurance Company	25615														
INSURER B: Travelers Property Casualty Company of America	36137														
INSURER C: The Travelers Indemnity Company of Connecticut	25658														
INSURER D:															
INSURER E:															
INSURER F:															
<b>INSURED</b> LOGAN CORPORATION AND LOGAN WEST MINING SUPPLY AND SERVICE 1126 20TH STREET HUNTINGTON, WV 25703															

**COVERAGES****CERTIFICATE NUMBER:****REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS														
A	<input checked="" type="checkbox"/> <b>COMMERCIAL GENERAL LIABILITY</b> <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:			Y-630-3T86029A-COF-22	06/30/2023	06/30/2024	<table border="1"><tr><td>EACH OCCURRENCE</td><td>\$ 1,000,000</td></tr><tr><td>DAMAGE TO RENTED PREMISES (Ea occurrence)</td><td>\$ 300,000</td></tr><tr><td>MED EXP (Any one person)</td><td>\$ 5,000</td></tr><tr><td>PERSONAL &amp; ADV INJURY</td><td>\$ 1,000,000</td></tr><tr><td>GENERAL AGGREGATE</td><td>\$ 2,000,000</td></tr><tr><td>PRODUCTS - COMP/OP AGG</td><td>\$ 2,000,000</td></tr><tr><td></td><td>\$</td></tr></table>	EACH OCCURRENCE	\$ 1,000,000	DAMAGE TO RENTED PREMISES (Ea occurrence)	\$ 300,000	MED EXP (Any one person)	\$ 5,000	PERSONAL & ADV INJURY	\$ 1,000,000	GENERAL AGGREGATE	\$ 2,000,000	PRODUCTS - COMP/OP AGG	\$ 2,000,000		\$
EACH OCCURRENCE	\$ 1,000,000																				
DAMAGE TO RENTED PREMISES (Ea occurrence)	\$ 300,000																				
MED EXP (Any one person)	\$ 5,000																				
PERSONAL & ADV INJURY	\$ 1,000,000																				
GENERAL AGGREGATE	\$ 2,000,000																				
PRODUCTS - COMP/OP AGG	\$ 2,000,000																				
	\$																				
B	<input checked="" type="checkbox"/> <b>AUTOMOBILE LIABILITY</b> <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> NON-OWNED AUTOS ONLY			810-3T902118-22-14-G	06/30/2023	06/30/2024	<table border="1"><tr><td>COMBINED SINGLE LIMIT (Ea accident)</td><td>\$ 1,000,000</td></tr><tr><td>BODILY INJURY (Per person)</td><td>\$</td></tr><tr><td>BODILY INJURY (Per accident)</td><td>\$</td></tr><tr><td>PROPERTY DAMAGE (Per accident)</td><td>\$</td></tr><tr><td></td><td>\$</td></tr></table>	COMBINED SINGLE LIMIT (Ea accident)	\$ 1,000,000	BODILY INJURY (Per person)	\$	BODILY INJURY (Per accident)	\$	PROPERTY DAMAGE (Per accident)	\$		\$				
COMBINED SINGLE LIMIT (Ea accident)	\$ 1,000,000																				
BODILY INJURY (Per person)	\$																				
BODILY INJURY (Per accident)	\$																				
PROPERTY DAMAGE (Per accident)	\$																				
	\$																				
B	<input checked="" type="checkbox"/> <b>UMBRELLA LIAB</b> <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$			CUP-3T902536-22-14	06/30/2023	06/30/2024	<table border="1"><tr><td>EACH OCCURRENCE</td><td>\$ 6,000,000</td></tr><tr><td>AGGREGATE</td><td>\$ 6,000,000</td></tr><tr><td></td><td>\$</td></tr></table>	EACH OCCURRENCE	\$ 6,000,000	AGGREGATE	\$ 6,000,000		\$								
EACH OCCURRENCE	\$ 6,000,000																				
AGGREGATE	\$ 6,000,000																				
	\$																				
C	<input checked="" type="checkbox"/> <b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b> ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below Y/N <input type="checkbox"/> N/A			UB-3T902106-14-G	06/30/2023	06/30/2024	<table border="1"><tr><td><input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER</td><td></td></tr><tr><td>E.L. EACH ACCIDENT</td><td>\$ 1,000,000</td></tr><tr><td>E.L. DISEASE - EA EMPLOYEE</td><td>\$ 1,000,000</td></tr><tr><td>E.L. DISEASE - POLICY LIMIT</td><td>\$ 1,000,000</td></tr></table>	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER		E.L. EACH ACCIDENT	\$ 1,000,000	E.L. DISEASE - EA EMPLOYEE	\$ 1,000,000	E.L. DISEASE - POLICY LIMIT	\$ 1,000,000						
<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER																					
E.L. EACH ACCIDENT	\$ 1,000,000																				
E.L. DISEASE - EA EMPLOYEE	\$ 1,000,000																				
E.L. DISEASE - POLICY LIMIT	\$ 1,000,000																				

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

PROOF OF COVERAGE

**CERTIFICATE HOLDER****CANCELLATION**

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

*Jessica Roachell*







One Tower Square, Hartford, Connecticut 06183

Pg-12

**COMMERCIAL GENERAL LIABILITY  
COVERAGE PART DECLARATIONS**

**POLICY NO.:** Y-630-3T86029A-COF-23  
**ISSUE DATE:** 07-12-23

**INSURING COMPANY:**

**THE CHARTER OAK FIRE INSURANCE COMPANY**

**DECLARATIONS PERIOD:** From 06-30-23 to 06-30-24 12:01 A.M. Standard Time at your mailing address shown in the Common Policy Declarations.

The Commercial General Liability Coverage Part consists of these Declarations and the Coverage Form shown below.

**1. COVERAGE AND LIMITS OF INSURANCE:**

**COMMERCIAL GENERAL LIABILITY COVERAGE FORM**

**LIMITS OF INSURANCE**

General Aggregate Limit (Other than Products-Completed Operations)	\$ 2,000,000
Products-Completed Operations Aggregate Limit	\$ 2,000,000
Personal & Advertising Injury Limit	\$ 1,000,000
Each Occurrence Limit	\$ 1,000,000
Damage To Premises Rented To You Limit (any one premises)	\$ 300,000
Medical Expense Limit (any one person)	\$ 5,000

**2. AUDIT PERIOD: ANNUAL**

**3. FORM OF BUSINESS: CORPORATION**

**4. NUMBERS OF FORMS, SCHEDULES AND ENDORSEMENTS FORMING PART OF THIS COVERAGE  
PART ARE ATTACHED AS A SEPARATE LISTING.**

**COMMERCIAL GENERAL LIABILITY COVERAGE  
IS SUBJECT TO A GENERAL AGGREGATE LIMIT**



pg  
13



[www.logandumpbodies.com](http://www.logandumpbodies.com)

124 Ward Road  
Salysersville, KY 41465  
Phone: (606)349-1744  
Fax: (606)349-1144

Quote Date: 10/22/2023

Prepared by: Mike Canada

Quote #: 6378

Reference: OPTION (B) MANUAL TRANSMISSION

**CUSTOMER:** 300052  
PRE-ACCOUNT CUSTOMER

**SHIP TO:**  
PRE-ACCOUNT CUSTOMER

ATTN: patrick mcdougald <pattymackdaddy@gmail.com> 334.263.7594 patrick mcdougald <pattymackdaddy@gmail.c

**Chassis Info:**

OEM:  
VIN:  
Cab to Body:  
Transmission:  
C/A-C/T:  
Pivot:  
Overhang:  
Cab Height:

**Body:**

Model: LE  
Installation: Installed  
Length: 16'  
Inside Width/Outside Width: 86" Inside 96" Outside

**Understructure:**

Deck: 1/4" AR 450  
Longsills: FORMED W/2" RUBBER

X-Members: NONE, FULLY X-MEMBERLESS  
X-Member Spacing: NONE, FULLY X-MEMBERLESS

**Sides:**

Side Height: 62"  
Side Material: 1/4" AR 450  
Bottom Rail / Fender: 10GA HIGH TENSILE  
Side Boards: 2 X 2 X 1/4" INVERTED ANGLE  
Aluminum Fender Covers: NOT INCLUDED

Top Rail: FORMED SELF-SHEDDING  
Vertical Side Bracing: NOT INCLUDED  
Horizontal Side Bracing: NOT INCLUDED  
Boarding Ladder: TREAD GRIP STEPS W/INTEGRATED HAND GRIPS

**Bulkhead:**

Bulkhead Height: NEED  
Bulkhead Material: 1/4" AR 450  
Shovel Holder: NOT INCLUDED  
Inside Steps: DRIVER'S SIDE, INTEGRAL ANTI-SLIP DESIGN

Cabshield: FULL WIDTH, W/FORMED IN WIND DEFLECTOR, 10GA  
Cabshield Length: 36" Width:  
Cabshield Material: 10GA HIGH TENSILE

**Tailgate:**

Tailgate Height: 66"  
Tailgate Material: 1/4" AR 450  
Top Hinge Style: CONVERTIBLE HIGH LIFT  
Tailgate Safety Chains: 3/8" HIGH GRADE, W/PROTECTIVE SLEEVE  
Stoker Door: NOT INCLUDED  
Apron: 8" HEAVY DUTY PIPE BUMPER

Tailgate Slope: NO SLOPE  
# Panels: 3 ✓  
Bottom Latch Style: OVERSLUNG, PLATE STEEL W/BRASS BUSHINGS  
Bottom Latch Controls: ALUMINUM AIR CYLINDER OPERATED  
Wing Latches: NOT INCLUDED  
Tailgate Options: \* TREAD PLATE PROTECTIVE COVER AT SAFETY CHAIN AREA \* INVERTED ANGLE ON TOP OF GATE






**Lights:** All Lights are LED by:  **Maxxima**

Bottom Side Markers: 2  
Rear Stop/Tail/Turn: 1  
Front Strobes: 2


Top Side Markers: 0  
Cabshield Markers: 2  
Rear Strobes: 2  
Light Options:

pg-14

**Hydraulics:** Logan's standard hoists by:  **Custom Hoists, Inc.**

Hoist Model: CUSTOM HOISTS 63-140  
Pump: DIRECT MOUNT 2.5" GEAR  
Pump Controls: AIR FEATHERING  
Pump Cutoff: AIR  
Axle Controls: INSIDE TRUCK CAB

PTO: PARKER CHELSEA HOT SHIFT FOR AUTO TRANSMISSION  
PTO Controls: WIRED TO SWITCH IN DASH  
Console: ALUMINUM, WITH INSPECTION COVER  
Hydraulic Tank: STEEL FRONT MOUNT, 25GAL

**Paint:** All bodies coated with  **AXALTA**

Body Primer: AXALTA TUF-COTE, HIGH SOLIDS ALKYD PRIMER  
Body Topcoat: AXALTA IMRON ELITE, POLYURETHANE ENAMEL

Top Coat Paint Code: NEED  
Side Boards: NOT INCLUDED

**Chassis Components:**

Rear Hinge: 1 3/4" PIN STRAP STYLE, WITH FULL PIN  
Body Safety Prop: INTEGRATED WITH REAR HINGE  
Subframe: FORMED 36" Z BAR, INCLUDED INTEGRAL RETAINER PLATES  
Backup Alarm: INCLUDED

Rear Frame Bumper: 3" ROUND BUMPER, REUSE FACTORY LIGHTS  
Front Flaps: STEEL MUD GUARDS  
Rear Mud Flaps: STANDARD HD LOGAN RUBBER FLAPS

**Tarp:**

Type: MOUNTAIN ELECTRIC FLIP TARP SYSTEM  
Wind Deflector: FORMED IN CAB SHIELD

Material: ASPHALT VINYL  
Tarp Options:

**Options Included:**

	Qty		Qty
1: OP PTO BUZZER IN CAB	1	6: OP AIR VIBRATOR INST	1
2: OP 20K NON STEER AXLE	1	7:	
3: OP 3/4" PINTLE PLATE INST	1	8:	
4: OP 30TON PINTLE HOOK INST	1	9:	
5: OP 8.25X22.5 STEEL RIM	1	10:	

**Special Options:**

\*\*\*THIS BODY WILL HAVE A SPREADER BAR INSTALLED\*\*\*

\*\*\*ADD (4) RECAP TIRES ON THIS BODY ORDER\*\*\*

\*\*\*PINTLE HOOK MUST BE 26" ABOVE GROUND\*\*\*



Company ID Number: 1898520

Approved by:

<b>Employer</b> LOGAN CORPORATION	
Name (Please Type or Print) Kyle Cox	Title
Signature Electronically Signed	Date 10/04/2022
<b>Department of Homeland Security – Verification Division</b>	
Name (Please Type or Print) USCIS Verification Division	Title
Signature Electronically Signed	Date 10/04/2022



Company ID Number: 1898520

**Are you verifying for more than 1 site? If yes, please provide the number of sites verified for in each State:**

KY	1
WV	1





#6386  
16' Option (B)  
Manual

# INVITATION TO BID HEAVY EQUIPMENT NOTICE OF BID OPENING

16 Foot steel  
Option B  
Manual Trans

**NOTICE IS HEREBY GIVEN** that the Association of County Commissions of Alabama, which administers the Alabama County Joint Bid Program on behalf of Alabama's county governing bodies, shall receive and open bids for the purchase of zero (0) or more items of heavy road equipment at its office located at 2 North Jackson Street, Montgomery, Alabama, at **10:00 a.m. on Friday, October 27, 2023**. Bid specifications are available at <http://www.alabamacounties.org/heavy-equipment/> for each of the following items:

Backhoes  
Track Mount Excavators  
Compact Track Mount Excavators  
Mini Track Excavator  
Wheeled Excavators  
Highway Speed Truck Excavators  
Motorgraders  
Heavy Duty Hydrostatic Bulldozers  
Mulching Dozer  
Wheel Loaders  
Heavy Duty Dump Chassis'  
Lowboy Tractors  
Skid Steer Attachments  
Asphalt Milling Attachments

Ride-on Industrial Boom Mowers  
Rubber Tire Roller  
7.5 Ton Single Drum Vibratory Roller  
One-man Pothole Patchers  
Trailer Mounted Patcher s  
Trailer Mount Mastic Patcher/Crack Sealer  
Asphalt Storage Tanks  
Half Round End Dump Trailer  
Lowboy Trailers  
16' Steel Dump Bodies (Automatic and Manual)

**Time is of the essence in submitting bids and only bids received in the Association office by 10:00 a.m. Central Time on Friday, October 27, 2023 will be opened and considered.** Bidders and any other interested individuals are invited to attend the bid opening.

## **NOTICE OF BID OPENING PROCEDURES**

All bids for **Heavy Equipment** will be opened and the name(s) of the bidders read aloud on the morning of the bid opening on Friday, **October 27, 2023 at 10:00 a.m.** at 2 North Jackson Street, Montgomery, AL. The specifics of each bid submitted will be compiled by the Association staff thereafter and will be available, **upon written or emailed request**, one week after the bid opening. Requests should be emailed to [jointbid@alabamacounties.org](mailto:jointbid@alabamacounties.org).

## **THE INVITATION PACKAGE**

The invitation package for each item to be bid includes: this invitation to bid, the written bid specifications for the particular item of heavy road equipment, and a Bid Submittal Form to be used in submitting a bid for that particular item. Bidders should verify that they have received all pages of the invitation package. If there are any omissions, the bidder should contact **Kenya Howard** in the Association office by mail, fax, or e-mail ([jointbid@alabamacounties.org](mailto:jointbid@alabamacounties.org)) to request missing pages. It is the responsibility of the bidder to make this request in sufficient time to prepare and submit the bid in time for the bid opening. Bidders should carefully read and comply with all parts of the invitation package, including all attachments and/or any addendum.



## **PREPARING AND SUBMITTING BIDS**

All bids must be typed or hand written in ink on the attached Bid Submittal Form. **The completed Bid Submittal Form shall be placed in front of and separated from all other documents included in the bid packet, such that it will be the first document viewed upon opening the bid packet.**

Bids submitted in pencil and bids not submitted on the Bid Submittal Form will **not** be considered. All bids shall include a current catalog or model specification document for the equipment model number being offered for consideration. Bids submitted without such documentation will **not** be considered. Only information contained on the attached Bid Submittal Form and in the model specification document will be considered in evaluating bids.

Each separate requirement in the bid specification includes a block for indicating whether or not the item bid meets the specification. The bidder shall indicate compliance with each requirement by checking "Yes" or "No" in the block to the right of each bid specification. In addition, the bidder shall indicate the page number in the supplied manufacturer's equipment literature on which compliance with the specification can be verified. Failure to complete this portion of the bid form may result in the subject bid not being considered. Additionally, all bidders are required to submit a factory build/order sheet showing all of the standard and option items for each piece of equipment bid in order to assist the bid review committee in assuring that each bid is in conformance with the required bid specifications.

Each bid for one of the heavy equipment items included in the bid package must be submitted on the Bid Submittal Form for that item and forwarded in a separate envelope with the bid item and item number clearly identified on the outside of the envelope. Envelopes containing a "no bid" shall also include the words "NO BID" on the outside of the envelope. Facsimiles and e-mails will not be accepted. Bids submitted by "Express/Overnight" services must be in a separate inner envelope or package sealed and identified as stated above. All bids must be received in the Association office prior to the bid opening. Bids received after the deadline will be returned unopened.

The County Joint Bid Program reserves the right to require a performance bond from successful bidders as permitted under Alabama law. However, **no bid bond is required for this bid offering.**

All bids should be mailed or hand-delivered to:

**Attn: Joint Bid Program  
Association of County Commissions of Alabama  
2 North Jackson Street Montgomery, Alabama 36104 (Physical Address)  
P.O. Box 5040, Montgomery, Alabama 36103 (Mailing Address)**





## **BID SPECIFICATIONS**

Please note that each piece of heavy equipment available for bid may include several different sizes and categories of machines. You should read each set of specifications very carefully as the differences vary depending upon the piece and size of equipment.

Where applicable, each bid submission shall include the separate cost of each item listed in the "Options" section of the bid specifications. However, all bids will be awarded on the basis of the **total cost of the machine with all options included**. Therefore, the "Bid Price" stated on the Bid Submittal Form must be the total cost, including the cost of all options.

Once the bids have been awarded, any county participant purchasing under this program may, at its discretion, deduct one or more of the options set out in the bid specifications, and in such event, the cost of the option as stated on the bid shall be deducted from the total cost of the machine. There shall be no other deductions and no additions made to the machine by the purchasing county or by the vendor.

Any use of specific names and/or model numbers in the attached specifications is not intended to restrict the bidder or any seller or manufacturer, but is included solely for the purpose of indicating the type, size, and quality of materials, product services, or equipment considered best adapted to the use of the counties participating in the joint bid program.

## **BIDDER QUALIFICATIONS**

All bidders and all program participants must be in compliance with any applicable federal, state, county and municipal laws, regulations, resolutions and ordinances, including but not limited to, licensing, permitting, and taxation requirements. All bidders should be prepared to submit evidence or documentation as proof that they are properly licensed and permitted under any applicable laws upon request. Such evidence or documentation may be submitted with the bid. Additionally, all bidders shall provide proof that they are in compliance with the e-verify requirements of Alabama's Immigration Law (Ala. Code § 31-13-1 et seq., as amended by Act No. 2012-491).

## **BID AWARD**

The Houston County Commission will serve as the awarding authority for all bids and will award all contracts at a regular meeting of the Houston County Commission. Any and all bids submitted in compliance with this invitation to bid shall be considered, and award will be made to the lowest responsible bidder meeting bid specifications as determined by the awarding authority in compliance with Alabama law. All bids will be reviewed and evaluated by a committee created for that purpose, which committee will make comments and recommendations to the awarding authority regarding the award. All factors contained in each invitation package will be evaluated in determining the successful bidder, and any omissions of the stated requirements may be cause for rejection of the bid submitted. The awarding authority reserves the right to reject any and all bids, to waive any informality in bids, and to accept in whole or in part such bid or bids solely at its discretion.

The contract period will be one year with an option to renew for a second and third year under identical price, terms, and conditions upon the mutual consent of the vendor and the awarding authority. Any renewal contract shall be approved in writing by the vendor and the awarding authority no later than 90 days prior to the expiration of the existing contract.



## **CONTACT REGARDING BIDS AND INVITATION**

Contact initiated by a potential bidder with any county official, county employee, or member of the Association staff shall only be as specifically set out in this Invitation to Bid. Any questions related to the bid or the County Joint Bid Program shall be directed to Association staff in writing under the procedures set out in this Invitation to Bid. Additionally, a bidder may contact the Association in writing to request an appointment to review bid specifications following the bid opening. **However, there shall be no communication with any county official or county employee regarding this bid between the date of this invitation and the date of bid award.** Any contact other than as set out here shall be deemed as an attempt to unduly influence the bid award, and shall be grounds for rejection of the bid submitted by the bidder initiating such other contact.

Any questions or problems related to downloading or obtaining copies of this Invitation to Bid should be directed to **Kenya Howard** at [jointbid@alabamacounties.org](mailto:jointbid@alabamacounties.org) or **334-263-7594**.

Any other questions or requests for additional information regarding this invitation or the bid specifications shall be submitted **in writing** no later than five (5) days prior to bid opening to:


**Patrick McDougald**  
Association of County Commissions of Alabama  
P.O. Box 5040  
Montgomery, Alabama 36103  
E-mail: [pattymackdaddy@gmail.com](mailto:pattymackdaddy@gmail.com)







# Logan LE Dump Body



## FEATURES:

- Elliptical tub floor with AR450 steel
- Cross-memberless
- Axalta automotive quality finish
- Rides on rubber cushion
- Configurations from ultra-light to heavy duty
- Rear hinge with full-width pin
- LED lights
- Flame-cut all steel hardware and hinge, no castings

## OPTIONS:

- Lengths from 10'-30'
- Side heights from 36"-64"
- High lift gate in two configurations
  - -External Cylinders
  - -Cylinders in rear post
- Side swing gate
- One-piece aluminum diamond plate fender covers
- Weld-on or Bolt-on Apron
- Straight, sloped, or asphalt-tapered rear
- Sloped front with externally-mounted hoist



Logan Corporation  
124 Ward Road  
Salyersville, KY 41465  
Phone: 606.349.1744  
Fax: 606.349.1144  
[www.logandumpbodies.com](http://www.logandumpbodies.com)





## Logan LE Dump Body



Whether you're hauling dirt or demolition, asphalt or rock, Logan's LE dump body gets the job done. The LE is a multi-purpose body that uses a unique shaped floor and sides to maximize capacity. This shape also deflects impact and increases rigidity, which in turn offers great resistance to the wear and tear of tough jobs.