BID SUBMITTAL FORM Alabama County Joint Bid Program Heavy Equipment – BID ITEM: RIDE ON INDUSTRIAL BOOM MOWER OPTION B

Company Name: Warrior Tractor & Equipment	Company, Inc.	
Address: 6801 McFarland Blvd, Northport, AL 35	476	
Bid Submitted by: David Schafer		
(Name of com	pany representative)	
Title: District Sales Manager E-r	nail address: <u>dschafer@warriortr</u>	actor.com
Phone: 205-339-0300	Fax: 205-333-0101	
By submitting this bid, we agree:		Initials
The equipment model number identified below meets the	ne bid specs for this bid item.	(1013)
That the bid price will be honored for all counties for the December 31, 2025 .	period from January 1, 2025 to	UB
The equipment will be delivered at the bid price to all co joint bid program.	ounties participating in the	(DC)
The company acknowledges the freight preparation and in the total bid price for the standard machine.	d delivery price is to be included	DR
The company representative listed above will be the conthis bid item under the joint bid program.	ntact person for purchasing	(03)
The bid is accompanied by a current catalog or model smodel number identified below.	specification document for the	(10425)
The bid is accompanied by a copy of the manufacturer's in the bid specifications.	s standard warranty as required	1014
The bid includes the E-Verify documentation required b	y Alabama law.	DED
If awarded the bid, a performance bond will be provided	I upon request.	10PS)
The bid documents include the Manufacturer's Sugg for the Standard Machine.	gested Retail Price Sheet (MSRP)	(DR8)

19 Foot Boom Model
Total Bid Price for Standard Machine: \$ 224,916.00 (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *
Freight Preparation and Delivery: \$8,000.00 (Included in Standard Machine Bid Price)
Manufacturer's Suggested Retail Price for Standard Machine: \$ 238,582.00
Equipment Model #: Aspen Fast 6 - 21 Foot Boom
Description: Industrial Boom Mower
22 Foot Boom Model w/1 telescoping extension and including required counterweight
Total Bid Price for Standard Machine: \$ 225,837.00 (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *
Freight Preparation and Delivery: \$8,000.00 (Included in Standard Machine Bid Price)
Manufacturer's Suggested Retail Price for Standard Machine: \$ 241,053.00
Equipment Model #: Aspen Fast 7 - 24 Foot Boom
Description: Industrial Boom Mower
30 Foot Boom Model w/2 telescoping extensions including required counterweight
Total Bid Price for Standard Machine: \$ 243,236.00 (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *
Freight Preparation and Delivery: \$8,000.00 (Included in Standard Machine Bid Price)
Manufacturer's Suggested Retail Price for Standard Machine: \$ 261,373.00
Equipment Model #: Aspen Fast 9 - 30 Foot Boom
Description: Industrial Boom Mower

Signature of company representative submitting bid:

Title: District Sales Manager

*NOTE: Award will be made based on the total cost of the Standard Machine. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

BID SUBMITTAL FORM: OPTION COST SHEET

By submitting this bid, we agree:	
To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine*	(DB)
The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine	(MB)
Equipment Model #: Aspen Fast 6, Fast 7 & Fast 9	
Description:	
Signature of company representative submitting bid: Lavel R Salaf	
Title: District Sales Manager	

*NOTE: The percent difference between the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the standard machine as specified by these **Bid Specifications** and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation, delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.

BID ITEM: RIDE-ON INDUSTRIAL BOOM MOWER - OPTION B

GENERAL

These specifications shall be construed as the minimum acceptable standards for a ride-on industrial boom mower with universal attachment plate and mowing arm. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The machine must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

MANUALS

Each unit shall be provided with one (1) copy of the operator's manual, (1) copy of the repair manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 7,500 hours of use for the piece of equipment bid. If replacement parts are not delivered within three (3) working days of an order being place d, the bidder will deliver an equivalent machine for the county to use at no cost to the county until such time as the parts are delivered to the county so it can affect repairs to its machine.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty. Warranty shall include service response time of maximum of 36 hours within notification by county.

Yes_X	No
Page#	
or	
Attachr	nent x

BID ITEM: RIDE-ON INDUSTRIAL BOOM MOWER - OPTION B

ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED. THIS UNIT IS NOT INTENDED TO BE A MODIFIED AGRICULTURAL TRACTOR.

TO BE A MODIFIED AGRICULTURAL TRACTOR.	
ENGINE The Engine shall meet the following requirements: Minimum 143 HP 3.6-liter 4-cylinder Tier IV, with heavy duty radiator with high flow air cleaner with pre-cleaner. Electric start with engine pre-heat, and minimum 44-g engine gauge package to include tachometer, water temperature, oil pressure, volt hour meter.	allon fuel tank and full
	Yes X No Page #_11-15 of Attachment
POWER TRAIN: Minimum power train requirements shall consist of permanent 4 Wheel Drive, four-steering modes. Heavy Duty 8 Stud Hub axles or equivalent.	wheel steer and three
Continuously variable hydrostatic transmission with 2 speed mechanical gearbox (Gear)	Work and Transport
Standard 6-disc Oil emersed brake system. Negative parking brake.	
Joystick or pedal control transmission for speed and directional control, with 0-6 m travel mode of 0- 25 MPH.	ph work mode and a
	Yes X No
w	Page #_11-15
BOOM: Equal to or Exceeds ILF ASPEN	
2-piece Booms: 19 Ft non telescoping., 22 Ft. 1-telescoping, 30Ft. 2-telescoping	
	Yes <u>X</u> No Page #_11-15
MOWER ATTACHMENTS: Equal to or ILF ASPEN	
No Boom attachment is considered standard. All attachments shall be optional	Yes X No

Page # 11-15

WHEELS:

Shall be equipped with, Four (4) Heavy Duty, Industrial flotation tires with BKT 500/45-22.5 flotation tires.

Yes	X	No	
Page	e # 1	1-15	

CAB, COMFORT, CONVENIENCE & SAFETY:

Custom designed cab will be mounted in front of the engine and hydraulics for optimum operator visibility. Cab must be certified for both ROPS – ISO 3471 and FOPS – ISO 3449.

• On-board computer with display for controlling the functionalities of the engine • Tilting and height-adjustable steering column • Electrical direction control lever • SEAT ALTO S55 seat with air suspension • Right armrest integrated into the seat and adjustable (with boom joystick housing) • Front windshield washer wiper • Electronical controlled air conditioning system, pollen filter and dedicated exchanger • Left mirror • Cab door with 60/40 opening • Cab rear windows darkened with UV rays reduction treatment • Rear documents holder • Manual halogen courtesy light • Emergency glass break hammer • External electrical socket for 12 V DC services • Two-way USB socket (2x 5 V DC - 1 A) • Clothes hangers • Cup holder • DAB stereo • Right side in-cab mirror DES

Yes X	_No	
Page #_	11-15	

CONDITIONS:

Boom Mower shall be equipped with all standard equipment specified by the manufacturer, and shall comply with EPA emission standards and all motor vehicle standards established by the U.S. Department of Transportation regarding the manufacture of motor vehicles. **This unit shall have a minimum of one-year manufactured warranty**.

Yes X	No	
Page #A	TTACH	

The successful bidder shall be responsible for delivering the unit properly serviced, clean and in first class operating condition. Pre-delivery service at a minimum shall include the following:

Complete lubrication, check all fluid levels, adjustment of engine to proper operating condition, inflate tires to proper operating pressure, check proper operation of all accessories.





ILF ASPEN

PROFESSIONAL VEGETATION MANAGEMENT MACHINE



MSRP 2024 - N° 1 - REV. 00 (in force from January 1, 2024)



ILF ASPEN

ILF Aspen is a self-propelled machine equipped with a telescopic arm suitable for the installation of various attachments to operate in the control of vegetation. Thanks to the fixed cabin and the front mounted arm, the operator has maximum visibility and comfort during work. This self-propelled machine is equipped with the latest generation **Deutz engine** that provides **143 HP** in compliance with the **EU Stage V** anti-pollution regulations. In addition at the two arm lengths at disposal, it is possible to equip the machine with different configurations to manage rear mounted attachments.







Standard equipment

MACHINE:

- · Halogen running lights
- · Service towing hook (not homologated for road circulation)
- Fuel tank capacity 44 gal
 AdBlue® tank capacity 4 gal
- · Hydraulic oil tank capacity 83 gal
- Large tool compartment on the right side of the machine complete with Energreen Service Toolbox
- BKT (500/45 R22,5) tires
- N. 4 hooks in facilitated position to secure the machine on transport trailers

ENGINE:

- Deutz TCD 3.6 L4 3.6-liter liquid-cooled in-line 4-cylinder engine
- Common-Rail injection with 4 valves per cylinder
- Engine power 143 HP (at 2200 rpm)
- Engine data control and regeneration devices management (exhaust gases treatment) integrated in the Deutz display
- Separate cooling circuits (coolant intercooler hydraulic oil) with reinforced multi-section radiator
- 10" two-element air filter (primary and safety) and self-cleaning cyclonic prefilter
- 120 A /14 V DC alternator
- · Automatic battery isolator switch
- Exhaust emissions compliant with EPA TIER 4
- · EGR (Exhaust Gas Recirculation) module with throttle valve and air heat exchanger managed by ECU (Engine Control Unit)
- Exhaust system consisting of EGR (Exhaust Gas Recirculation) + DPF (Diesel Particulate Filter) + DOC (Diesel Oxidation Catalyst) + SCR (Selective Catalytic Reduction) with regeneration without burner

AXLES and BRAKING SYSTEM:

- Axles with 8 Stud Hub with maximum permissible load:
- front: 15388 lbs
- rear: 14330 lbs
- SCD Stability Control Device system for locking/unlocking the rear axle oscillation by means of hydraulic cylinders controlled by in-cab button
- 100% Front and rear Diff lock with electro-hydraulic in-cab control
- 6-Discs Oil immersed brakes system
- Negative parking brake

TRANSMISSION and STEERING:

- · Continuously variable hydrostatic transmission with two-speed mechanical gearbox (work and transfer gear)
- ECO-MODE system to provide efficiency savings when travelling between worksites by lowering engine RPM when travelling at 25 mph
- · Electronic recognition of wheel alignment and in-cab selector of steering mode
- Selectable steering mode:
- 2-wheel steer (only front)
- 4-wheel steer
- Crab steer





Standard equipment

HYDRAULIC SYSTEM:

- Piston pump and motor, in closed circuit, for the arm-mounted equipment
- Piston pump and motor, in closed circuit, for the machine transmission
- Gear pump, in open circuit, for the movements of the boom
- · Gear pump, in open circuit, for the breaking system
- · Gear pump, in open circuit, for the steering system
- Pressurised inlet and outlet filter for closed circuits with filter blockage indicator
- In line high pressure filter for the hydraulic valve block protection with filter blockage indicator
- Hydraulic oil flow (0-100 %) control of the equipment hydraulic circuit by in-cab potentiometer
- Modular 5-section hydraulic valve block:
- on ° 4 proportional elements
- o n° 1 ON/OFF element
- Boom suspension system with nitrogen accumulators
- · Floating movement function of the flail head tilting
- · Hydraulic oil temperature display

STANDARD CAB:

- Cruise Control
- Instant reverse pedal *
- 4 LED working lights (2 cab + 1 boom + 1 hood) **
- DAB/Bluetooth stereo complete with handsfree ***
- Retractable sunshade on front windshield ****
- GRAMMER MAXIMO XXL*****

seat with air suspension and adjustable lumbar shock absorber

DESCRIPTION	PRICE
ILF ASPEN Cod. ENG00701000134	STANDARD





Optional:



DESCRIPTION	PRICE
Windshield glass in Hammer glass (Special polycarbonate)	\$ 2,636.00
Cod. ENG0KT01001064	



DESCRIPTION	PRICE
Right side glass in Hammer glass (Special polycarbonate and steel frame)	\$ 2,661.00
Cod. ENG0KT01001066	



DESCRIPTION	PRICE
Back right side glass in Hammer glass (Special polycarbonate)	\$ 1,449.00
Cod. ENG0KT01001065	\$ 1,449.00











DESCRIPTION	PRICE
ILF ASPEN arm mod. FAST	STANDARD CABIN
ASPEN 7 Total length 7 m 1 telescopic extensions	\$ 222,224.00
ASPEN 9 Total length 9 m 2 telescopic extensions Only use Cutting Head 120 cm	\$ 242,544.00
MOBILE BALLAST 1000 KG INCLUDED	







Homologations:



DESCRIPTION	PRICE
Homologation USA	\$ 891.00
Cod. ENG0KT01000317	\$ 651.00



\$ 2,650.00





Option on 1st set up:



DESCRIPTION	PRICE
Mineral hydraulic oil	STANDARD
Cod. ENG20101000004	





DESCRIPTION	PRICE
Paint STD ENERGREEN	
RAL 2011 Orange	
RAL 7021 Grey	STANDARD
Cod. ENG0KT01000049	





Option on 1st set up:



DESCRIPTION	PRICE
Tires BKT 500/45 R22.5 Machine width 2358 mm Max speed 35 km/h Cod. ENGOKTO1000428	STANDARD
Tires ** NOKIAN 460/65 R24 Machine width 2270 mm Max speed 40 km/h Cod. ENGOKTO1000385	\$ 5,143.00
Tires ** ALLIANCE 600/50 R22,5 331 8 F offset - 25 Machine width 2460 mm Max speed 40 km/h Cod. ENGOKTO1000319	\$ 1,375.00

 $[\]fine **$ in addition to the machine price





Attachments:



ROTATOR NOT INCLUDED





DESCRIPTION	PRICE
Cutting head NEW SPEED 120 ROTOR NOT INCLUDED	\$ 7,697.00
Working width	1120 mm
Max. rotor speed	3000 rpm
Max. absorbed power	90 CV (66 kW)
Pistons hydraulic motor	35 cc/350 bar
Support roller diameter	140 mm
Standard weight	320 kg
35 cc cutting head NEW SPEED hydraulic motor + hoses Cod. ENG01301000016	\$ 2,321.00
Weight	30 kg







DESCRIPTION	PRICE
MULTI Y-BLADES rotor 120 cm through bushing Complete equipped with 16 sets Cod. ENGOKT01001284	\$ 2,671.00
HALF-TURN blade 120 cm rotor equip- ped with 22 sets Cod. ENGOKT01001281	\$ 2,297.00
TURNING HAMMERS 120 cm rotor equipped with 22 sets Cod. ENG01301000216	\$ 4,266.00





Attachments:



ROTATOR NOT INCLUDED





DESCRIPTION	PRICE
Cutting head NEW SPEED 150 ROTOR NOT INCLUDED	\$ 8,600.00
Working width	1420 mm
Max. rotor speed	3000 rpm
Max. absorbed power	100CV (73,5 kW)
Pistons hydraulic motor	35 cc/350 bar
Support roller diameter	140 mm
Standard weight	360 kg
35 cc cutting head NEW SPEED hydraulic motor + hoses	\$ 2,321.00
Cod. ENG01301000016	
Weight	30 kg







DESCRIPTION	PRICE
MULTI Y-BLADES 150 cm rotor Includes 22 sets Cod. ENGOKT01001285	\$ 3,016.00
HALF-TURN blade 150 cm rotor Includes 24 sets Cod. ENGOKT01001282	\$ 2,874.00
TURNING HAMMERS 150 cm rotor. Includes 26 sets Cod. ENG04001000002	\$ 4,843.00





Attachments:



DESCRIPTION	PRICE
Hydraulic rotator equipped with: - Motor - Valves - Quick couplings - Attachments plates Cod. E00301370000	\$ 4,452.00
Weight	82 kg



DESCRIPTION	PRICE
Electro-hydraulic opening	\$ 1,349.00
Cod. E00301371400	\$ 1,545.00



* In addition to rubber protections

DESCRIPTION	PRICE
* Front chain protection for cutting head Mod. New Speed 120 cm includes: - Galvanized steel support - Screws - 120 cm chains Cod. E207003NS120	\$ 658.00
Weight	17 kg
* Front chain protection for cutting head Mod. New Speed 150 cm includes: - Galvanized steel support - Screws - 150 cm chains Cod. E207003NS150	\$ 727.00
Weight	21 kg




ILF ASPEN

Option on 1st set up:



DESCRIPTION	PRICE
S.P.P. electronic system for arm suspension (Suspension Proportional Potentiometer) The system allows the flotation of the arm and the automatic adjustment according to the terrain Cod. E459SPP00000	\$ 9,284.00



DESCRIPTION	PRICE
Hydraulic quick couplings plane face on the arm (n° 2 Female 1"+ n° 2 Male 1" + 1 Female 3 ^{1/4} * 1 Male 3 ^{1/4} + 2 Female 3/8" + 2 Male 3/8" + 2 Female 1/4 + 2 Male 1/4)	\$ 2,224.00
Cod. E620KITBRA02	



Option on 1st set up:



DESCRIPTION	PRICE
Air filter protection	\$ 245.00
Cod. ENG0KT01000660	\$ 245.00

ILF ASPEN



DESCRIPTION	PRICE
Fire extinguisher 2 kg CO₂	
	STANDARD
Included in Cabin	



Additional accessories, only on 1st set-up:



DESCRIPTION	PRICE
Blower complete with parallelogram, quick couplings and hydraulic system. It includes salt spreader function. Cod. ENGOKT01000617	\$ 9,194.00



DESCRIPTION	PRICE
Hydraulic system for blower or salt spre- ader complete with hydraulic system - 40 I, 180 bar and 3 couplings P (pressu- re/delivery), T (return) and D (drainage with line connected to the tank).	\$ 3,438.00
Cod. ENG0KT01000321	

	24 ENGOKT01000617	23 ENG00101000136	22 ENG0KT01000605	22 ENGOKT01000660		21 E620KITBRA02	21 ENGOKTO1000788 21 E620KITBRA02	21 E459SPP00000 21 ENGOKTO1000788 21 E620KITBRA02	20 E207003NS150 21 E459SPP00000 21 ENGOKT01000788 21 E620KITBRA02	20 E207003NS120 20 E207003NS150 21 E459SPP00000 21 ENGOKT01000788 21 E620KITBRA02	20 E00301371400 20 E207003NS120 20 E207003NS150 21 E459SPP00000 21 ENGOKT01000788 21 E620KITBRA02	20 E00301370000 20 E00301371400 20 E207003NS120 20 E207003NS150 21 E459SPP00000 21 ENGOKTO1000788 21 ENGOKTO1000788	19 ENG0400100002 20 E00301370000 20 E00301371400 20 E207003NS120 20 E207003NS150 21 E459SPP00000 21 ENG0KT01000788 21 E620KITBRA02	19 E00301302400 19 ENG04001000002 20 E00301370000 20 E207003NS120 20 E207003NS150 21 E459SPP00000 21 ENG0KT01000788 21 E620KITBRA02	19 E00301302100 19 E00301302400 19 ENG04001000002 20 E00301370000 20 E207003NS120 20 E207003NS120 21 E459SPP00000 21 ENG0KT01000788 21 ENGOKT01000788	19 E00301302900 19 E00301302100 19 E00301302400 19 ENG04001000002 20 E00301370000 20 E00301371400 20 E207003NS120 20 E207003NS120 21 E459SPP00000 21 ENG0KT01000788 21 ENGOKT01000788	19 E00301320000 19 E00301302900 19 E00301302400 19 E00301302400 19 ENGO4001000002 20 E00301370000 20 E00301371400 20 E207003NS120 20 E207003NS120 21 E459SPP00000 21 ENGOKT01000788 21 E620KITBRA02	19 ENG01301000016 19 E00301320000 19 E00301302100 19 E00301302400 19 E00301370000 20 E00301370000 20 E00301371400 20 E207003NS120 20 E207003NS120 21 E459SPP00000 21 ENG0KT01000788 21 E620KITBRA02
1000321 Presd		1	1000				2000		200	88	8	88	88	88	88	88	88	100 AND AND BEAUTY 100 AND 100
Precdisposition	Blower (predisposition included)	Rear warning sign with LED lights - Size: 60 x 60cm	Fire extinguisher	Protection for cyclone filter	10 To	Hydraulic quick couplings mounted on the boom	Automatic lubrification system with 10 greasing points Hydraulic quick couplings mounted on the boom	S.P.P. electronic system for boom suspension (Suspension Proportional Potentiometer) Automatic lubrification system with 10 greasing points Hydraulic quick couplings mounted on the boom	Front protection chains for cutting head New Speed 150 cm S.P.P. electronic system for boom suspension (Suspension F Automatic lubrification system with 10 greasing points Hydraulic quick couplings mounted on the boom	Front protection chains for cutting head New Speed 120 cm Front protection chains for cutting head New Speed 150 cm S.P.P. electronic system for boom suspension (Suspension Pautomatic lubrification system with 10 greasing points Hydraulic quick couplings mounted on the boom	Electro-hydraulic opening for New Speed cutting head Front protection chains for cutting head New Speed 12 Front protection chains for cutting head New Speed 15 Front protection chains for cutting head New Speed 15 S.P.P. electronic system for boom suspension (Suspens Automatic lubrification system with 10 greasing points Hydraulic quick couplings mounted on the boom	Hydraulic rotator Electro-hydraulic Front protection Front protection S.P.P. electronic s Automatic lubrifi Hydraulic quick c	Rotor 150 cm for forest hammers (360° rotating) (Includes 26 hammers kits m Hydraulic rotator Electro-hydraulic opening for New Speed cutting head Front protection chains for cutting head New Speed 120 cm Front protection chains for cutting head New Speed 150 cm S.P.P. electronic system for boom suspension (Suspension Proportional Poten Automatic lubrification system with 10 greasing points Hydraulic quick couplings mounted on the boom	Rotor 150 cm for hammers 034M (Includes 14 hammers kits mounted on the Rotor 150 cm for forest hammers (360° rotating) (Includes 26 hammers kits m Hydraulic rotator Electro-hydraulic opening for New Speed cutting head Front protection chains for cutting head New Speed 120 cm Front protection chains for cutting head New Speed 150 cm S.P.P. electronic system for boom suspension (Suspension Proportional Poten Automatic lubrification system with 10 greasing points Hydraulic quick couplings mounted on the boom	Rotor 150 cm for half turn flails (Includes 24 flails kits mounted on the rotor) Rotor 150 cm for hammers 034M (Includes 14 hammers kits mounted on the Rotor 150 cm for forest hammers (360° rotating) (Includes 26 hammers kits n Hydraulic rotator Electro-hydraulic opening for New Speed cutting head Front protection chains for cutting head New Speed 120 cm Front protection chains for cutting head New Speed 150 cm S.P.P. electronic system for boom suspension (Suspension Proportional Poter Automatic lubrification system with 10 greasing points Hydraulic quick couplings mounted on the boom	Rotor 150 cm for polyvalent flails (Includes 22 flails kits mounted on the rotor Rotor 150 cm for half turn flails (Includes 24 flails kits mounted on the rotor) Rotor 150 cm for half turn flails (Includes 14 hammers kits mounted on the rotor) Rotor 150 cm for forest hammers (360° rotating) (Includes 26 hammers kits m Hydraulic rotator Electro-hydraulic opening for New Speed cutting head Front protection chains for cutting head New Speed 120 cm Front protection chains for cutting head New Speed 150 cm S.P.P. electronic system for boom suspension (Suspension Proportional Poten Automatic lubrification system with 10 greasing points Hydraulic quick couplings mounted on the boom	Rotor 150 cm for articulated flails (Includes 36 flails kits mounted on the rotor Rotor 150 cm for polyvalent flails (Includes 22 flails kits mounted on the rotor Rotor 150 cm for half turn flails (Includes 24 flails kits mounted on the rotor) Rotor 150 cm for hammers 034M (Includes 14 hammers kits mounted on the Includes 150 cm for forest hammers (360° rotating) (Includes 26 hammers kits mounted on the Includes 150 cm Hydraulic opening for New Speed cutting head Front protection chains for cutting head New Speed 120 cm Front protection chains for cutting head New Speed 150 cm S.P.P. electronic system for boom suspension (Suspension Proportional Poten Automatic lubrification system with 10 greasing points Hydraulic quick couplings mounted on the boom	Motor for NEW SPEED cutting head of 35 cc + pipes Rotor 150 cm for articulated flails (Includes 36 flails Rotor 150 cm for polyvalent flails (Includes 22 flails Rotor 150 cm for half turn flails (Includes 24 flails k Rotor 150 cm for half turn flails (Includes 14 ham) Rotor 150 cm for forest hammers 034M (Includes 14 ham) Rotor 150 cm for forest hammers (360° rotating) (In Hydraulic rotator Electro-hydraulic opening for New Speed cutting he Front protection chains for cutting head New Speed Front protection chains for cutting head New Speed S.P.P. electronic system for boom suspension (Susp Automatic lubrification system with 10 greasing po Hydraulic quick couplings mounted on the boom
on for blowe	lisposition in	g sign with Lt	sher	or cyclone filt		ick couplings	ibrification sy	onic system for ibrification sylick couplings	tion chains for tion chains for the system for the system for the system system for the system f	tion chains for tion chains for the chains for the chains for the chains for the chain state of the chain st	aulic opening tion chains for tion chains for nic system for shrification so ick couplings	aulic opening aulic opening tion chains for tion chains for tion chains for tion chains for the tion chain	ator aulic opening tion chains for the chains for the chain chains for the chain chain chain chain chain chain the chain chain chain chain chain chain the chain chain chain chain chain chain chain the chain chain chain chain chain chain chain the chain the chain chai	n for hammen for forest heator aulic opening tion chains for tion chains for tion chains for the conic system for ibrification system for the couplings in the coupling in	n for half turn for hammen for for forest hator aulic opening tion chains for the price system for ibrification system for the price s	n for polyvale n for half turn n for half turn n for forest h tator aulic opening tion chains for tion chains for pinic system f abrification sy	n for articular n for polyvale n for half turn n for harmen n for forest h tator aulic opening tion chains for tion chains for pric system f abrification sy	M SPEED cur n for articular n for polyvale n for half turn n for hammen n for forest h tator aulic opening tion chains for chains for phic system f brification system f
	ncluded)	ED lights - !		iter		s mounted	system with	for boom s system with system with	for cutting I for boom s for with system with	for cutting I for cutting I for boom s for boun s system with	g for New ? for cutting I for cutting I for boom s for boom s system with	g for New of for cutting I for cutting I for boom s for bounted system with the system with th	g for New () g for cutting I for cutting I for boom s for boom s system with s mounted	hammers (a hammers (a g for New s for cutting I for cutting I for boom s system with	rn flails (Incers 034M (Incers	lent flails (Incers 034M (Incer	lent flails (I lent flails (I lent flails (Inc rn flails (Inc ers 034M (I hammers (3 leng for New for cutting I for cutting I for boom system with sys	ated flails (I lent flails (I lent flails (Inc rn flails (Inc ers 034M (I hammers (3 for New for cutting I for cutting I for boom system with system with system with
		- Size: 60 x				d on the b	th 10 grea: d on the b	suspensio th 10 great d on the b	g head Nev suspensio th 10 great d on the b	g head Nev g head Nev suspensio th 10 grea: th on the b	A Speed cut A head Nev B head Nev B head Nev B head Nev Suspension The book on the b	head Nev shead Nev suspensio th 10 great	/ Speed cut head Nev head Nev suspensio th 10 great	(Speed cut ghead Nev suspensio th 10 great	(Includes 24 (Includes 1 (360° rota) Speed cut g head Nev g head Nev suspensio th 10 great	(Includes 24) (Includes 24) (Includes 1) (360° rota) (Speed cut) (Speed cut) (Speed Nev) ((Includes 2 (Includes 24 (Includes 14 (Includes 1 (360° rota) Speed cut shead Nev suspensio th 10 great	(Includes : (Includes : (Includes 24 (Includes 24 (Includes 1 (Includes 2 (Inc
		x 60cm				oom	asing point	on (Susper asing point	w Speed 1 on (Susper asing point	w Speed 1 w Speed 1 on (Susper asing point	w Speed 1 w Speed 1 on (Susper	w Speed 1 w Speed 1 on (Susper	ating) (Inclustring head w Speed 1 w Speed 1 on (Susper asing point soom	ating) (Incl ating) (Incl atting head w Speed 1 w Speed 1 on (Susper asing point	14 flails kits 14 hamma ating) (Incl atting head w Speed 1 w Speed 1 on (Susper asing point	14 flails kits 14 flails kits 14 hamme ating) (Incl ating head w Speed 1 w Speed 1 w Speed 1 on (Susper asing point	22 flails ki 22 flails kits 4 flails kits 14 hamma ating) (Incl ating head w Speed 1 w Speed 1 on (Susper asing point	36 flails k 22 flails kits 14 hamme 14 hamme 14 hamme 15 head w Speed 1 w Speed 1 on (Susper asing point
							its	nsion Pro	150 cm Insion Pro	150 cm 150 cm Insion Pro	120 cm 150 cm insion Pro	120 cm 150 cm nsion Pro	ld 120 cm 150 cm nsion Pro	cludes 26 I	s mounted hers kits m cludes 26 l ludes 26 l	s mounted sers kits mounted ludes 26 I ludes	kits mount cits mounts s mounted ners kits m cludes 26 I cludes 26	kits mount dits mount s mountes s mountes res kits malers kits malers 26 land and 120 cm 150 cm resion Propits
								oportional	oportional	oportional	oportional	oportional	hammers	hammers oportional	hammers hammers oportional	hammers oportional	nted on the ed on the ed on the nounted on the hammers operational	nted on the sed on the sed on the remounted or the remounted or hammers opportional
								Il Potentio	l Potentio	Il Potentio	Il Potentio	l Potentio	Il Potentio	s kits mou	on the rote skits mou	ne rotor) rotor) on the rot s kits mou	he rotor) ne rotor) rotor) on the rot s kits mou	he rotor) ne rotor) on the rot s kits mou
					AND PROPERTY OF THE PROPERTY OF			ometer)	ometer)	ometer)	ometer)	ometer)	nounted on the rotor)	rotor) ounted on t tiometer)	unted on t	tor) unted on t ometer)	tor) unted on t ometer)	tor) unted on t
													the rotor	the rotor	the rotor	the rotor	the rotor	the rotor
	10	10.	10	10	7	^	0 10	0 10 10	0 10 10 10	0 10 10 10 10	0 10 10 10 10 10	0 10 10 10 10 10 10	0 10 10 10 10 10 10 10	0 10 10 10 10 10 10 10 10	0 10 10 10 10 10 10 10 10 10	0 10 10 10 10 10 10 10 10 10 10	0 10 10 10 10 10 10 10 10 10 10 10	0 10 10 10 10 10 10 10 10 10 10 10 10
\$ 3 A38 DO	\$ 9,194.00	\$ 1,852.00	\$ 220	\$ 24	7717	* 111	\$ 3,921.00	\$ 9,284.00 \$ 3,921.00 \$ 3,921.00	9,284 5 3,92 5 3,92	5 658 5 723 5 9,284 5 3,92 6 3,92	\$ 1,349.00 \$ 658.00 \$ 727.00 \$ 9,284.00 \$ 3,921.00	\$ 4,452.00 \$ 1,349.00 \$ 658.00 \$ 727.00 \$ 9,284.00 \$ 3,921.00	\$ 4,843.00 \$ 4,452.00 \$ 1,349.00 \$ 658.00 \$ 727.00 \$ 9,284.00 \$ 3,921.00	\$ 2,700.00 \$ 4,843.00 \$ 4,452.00 \$ 1,349.00 \$ 658.00 \$ 727.00 \$ 9,284.00 \$ 3,921.00	\$ 2,874.00 \$ 2,700.00 \$ 4,443.00 \$ 4,452.00 \$ 1,349.00 \$ 1,349.00 \$ 658.00 \$ 727.00 \$ 9,284.00 \$ 3,921.00	\$ 3,016.00 \$ 2,700.00 \$ 2,700.00 \$ 4,843.00 \$ 4,452.00 \$ 1,349.00 \$ 1658.00 \$ 727.00 \$ 9,284.00 \$ 3,921.00	\$ 2,977.00 \$ 3,016.00 \$ 2,874.00 \$ 2,700.00 \$ 4,843.00 \$ 4,452.00 \$ 1,349.00 \$ 1,349.00 \$ 658.00 \$ 727.00 \$ 9,284.00 \$ 3,921.00	\$ 2,321.00 \$ 2,977.00 \$ 3,016.00 \$ 2,874.00 \$ 2,700.00 \$ 4,843.00 \$ 4,452.00 \$ 4,452.00 \$ 1,349.00 \$ 1,349.00 \$ 658.00 \$ 9,284.00 \$ 3,921.00
8.00	4.00	2.00	220.00	245.00	2,224.00	The second second	1.00	1.00	727.00),284.00),921.00	658.00 727.00 ,284.00 ,921.00	9.00 8.00 7.00 4.00	2.00 9.00 8.00 7.00 4.00	3.00 2.00 9.00 9.00 7.00 4.00	3.00 2.00 9.00 8.00 1.00	4.00 0.00 3.00 2.00 9.00 8.00 7.00 14.00	4.00 0.00 3.00 2.00 9.00 9.00 1.00	7.00 6.00 4.00 0.00 3.00 2.00 9.00 9.00 9.00 1.00	7.00 6.00 4.00 0.00 0.00 2.00 9.00 1.00

\$ 7,672.00	E1702G991425 CUTTER BAR 175 (2 blades)
\$ 1,469.00	ENG03401000006 90° bucket rotation (LMZ bucket models) for transport position. HYDRAULIC
\$ 20,849.00	ENG10702000005 River bucket mod. LMZ 300 (3 m)
\$ 852.00	E00303470700 90° bucket rotation for TRANSPORT POSITION. MANUAL
\$ 1,469.00	E00303401900 90° bucket rotation for TRANSPORT POSITION. HYDRAULIC
\$ 10,400.00	E00303400100 RIVER BUCKET 200
\$ 3,837.00	ENGOKT01000936 DITCH BUCKET 150
\$ 2,813.00	ENGOKT01000935 DITCH BUCKET 100
\$ 439.00	ENG01301000140 Chain protection set for FORESTRY HEAD 120 T 35/44 cc
\$ 388.00	ENG01301000138 Chain protection set for FORESTRY HEAD 100 T 35/44 cc
\$ 22,014.00	ENG01301000134 FORESTRY HEAD 120 T 35 cc (ONLY for Kommunal and Aspen)
\$ 17,631.00	ENG01301000133 FORESTRY HEAD 100 T 35 cc (ONLY for Kommunal and Aspen)
\$ 6,762.00	E00302800500 BLOWER (with hydraulic motor, parallelogram and hoses) predisposition not included in base machine
	ATTACHMENTS FOR ILF

\$ 261,373.00	TOTAL	
\$ 2,069.00	31 Quick coupling MULAG male for mounting under hydraulic rotator	ENG03602000431
\$ 684.00	09 Quick coupling MULAG female for direct mounting on hydraulic rotator	ENG0KT01000809
	BOOM	
\$ 26,875.00	30 ROTARY CUTTER HD 50" US MOWER	ENG10723000030
\$ 27,378.00	64 STUMP GRINDER H40S complete with hydraulic lateral movements and attachment for ILF	ENG0KT01000364
\$ 12,527.00	26 DITCH CLEANERS FF50	ENG03800000026
\$ 1,941.00	98 HOSES FOR SAW BAR ONLY WITHOUT TILTING (NOT SUITABLE FOR LEM 9001 + 9002)	ENG62403000098
\$ 1,941.00	03 HOSES FOR SAW BAR (ONLY WITHOUT TILTING)	ENG62403000003
\$ 1,128.00	.45 COUPLING PLATE FOR L.E.M. 9002 (not suitable with tilting)	ENG03801000145
\$ 128.00	01 COUPLING PLATE FOR SAW BAR TO BE USED WITH ROTATOR BUT NO TILTING	ENG03601000001
\$ 22,614.00	02 SAW BAR L.E.M. 7004. 4-28" blades 84" tall	ENG10724000002
\$ 8,842.00	12 PLASTIC BRUSH	ENG03800000012
\$ 9,203.00	.62 IRON BRUSH (with protection)	ENG03801000162
\$ 8,378.00	23 IRON BRUSH without protection	ENg03801000023
\$ 8,948.00	63 TRUNK PINCERS with hydraulic rotator	ENG03801000063
\$ 10,889.00	Orange peel grapple Mod. FSG120/5 with hydraulic rotator	ENG04201000082
\$ 10,044.00	81 "Octopus" grapple Mod. FSG120/4 with hydraulic rotator	ENG04201000081
\$ 6,820.00	82 Forc-one with hydraulic rotator KIT	ENG03801000082
\$ 5,116.00	Forc-one	E00703801100
\$ 18,895.00	46 Extra Trunk - 40 lt hydraulic system	ENG03801000146
\$ 8,183.00	CUTTER BAR 235 (2 blades)	E1702G996418

			MSRP 2024	State / S
10		A Cabin	\$ -	×
11	ENG00701000028		\$ 4,157.00	
12			\$ 12,865.00	
13	1	Windsheld Hammer Glass (special polycarbonate)	\$ 2,636.00	
13	ENG0KT01001066	Right side Hammer Glass (Special polycarbonate and steel frame)	\$ 2,661.00	×
13	ENG0KT01001065	Back right side Hammer Glass (special polycarbonate)	\$ 1,449.00	
14			\$ 219,753.00	×
14		ILF Aspen (complete with boom mod. FAST 7+ballast)	\$ 222,224.00	
14		and mobile ballast)	\$ 242,544.00	L
15	ENG0KT01000317	Approval KIT for USA	\$ 891.00 x	×
15	ENG0KT01000708	Special lights-kit USA homologation	\$ 2,650.00	×
16	ENG20101000004	Mineral hydraulic oil	\$ -	×
16	ENG20102000005	Biodegradable hydraulic oil	\$ 3,344.00	L_
16	ENG20102000006	Biodegradable PANOLIN HPL SYNTH 46	\$ 6,259.00	L_
16	ENG0KT01000049	STD ENERGREEN paint - RAL 2011 Orange/RAL 7021 Grey	\$ -	×
16	ENG21401000029	Custom paint State of the Custom paint State	\$ 2,025.00	<u> </u>
16	ENG0KT01000281	Reversible fan 9	\$ 5,040.00	×
17	ENG0KT01000428	Tires BKT 500/45 R 22.5	\$ -	L
17	ENG0KT01000385	NOKIAN 460/65 R 24	\$ 5,143.00	×
17	ENG0KT01000072	CONTINENTAL / MITAS MPT 445/65	\$ 856.00	<u> </u>
17	17 ENGOKT01000319	Tires Alliance 600/50R22.5 OFST-25	\$ 1,375.00	<u> </u>
17	ENG0KT01000575	Mudguards set (not avaiable for Tires600)	\$ 2,244.00	
18		New Speed 120	\$ 7,697.00	<u> </u>
18	ENG01301000016	Motor for NEW SPEED cutting head of 35 cc + pipes	\$ 2,321.00	L
18	E00301301600	Rotor 120 cm for articulated flails (Includes 24 flails kits mounted on the rotor)	\$ 2,400.00	L_
18	E00301303000	Rotor 120 cm for polyvalent flails (Includes 16 flails kits mounted on the rotor)	\$ 2,671.00	
18	E00301301700	Rotor 120 cm for half turn flails (Includes 22 flails kits mounted on the rotor)	\$ 2,297.00	
18	E00301302300	Rotor 120 cm for hammers 034M (Includes 10 hammers kits mounted on the rotor)	\$ 2,589.00	L
18	ENG01301000216	Rotor 120 cm for forest hammers (360° rotating) (Includes 22 hammers kits mounted on the rotor)	\$ 4,266.00	

à

	New Speed 150	\$	8,600.00
ENG01301000016	Motor for NEW SPEED cutting head of 35 cc + pipes	\$	\$ 2,321.00
19 E00301320000	Rotor 150 cm for articulated flails (Includes 36 flails kits mounted on the rotor)	\$	2,977.00
19 E00301302900	Rotor 150 cm for polyvalent flails (Includes 22 flails kits mounted on the rotor)	\$	3,016.00
19 E00301302100	Rotor 150 cm for half turn flails (Includes 24 flails kits mounted on the rotor)	\$	2,874.00
E00301302400	Rotor 150 cm for hammers 034M (Includes 14 hammers kits mounted on the rotor)	\$	2,700.00
ENG04001000002	Rotor 150 cm for forest hammers (360° rotating) (Includes 26 hammers kits mounted on the rotor)	\$	4,843.00
E00301370000	Hydraulic rotator	\$	4,452.00
20 E00301371400	Electro-hydraulic opening for New Speed cutting head	\$	1,349.00
20 E207003NS120	Front protection chains for cutting head New Speed 120 cm	\$	658.00
20 E207003NS150	Front protection chains for cutting head New Speed 150 cm	S	727.00
E459SPP00000	S.P.P. electronic system for boom suspension (Suspension Proportional Potentiometer)	\$	9,284.00
ENG0KT01000788	Automatic lubrification system with 10 greasing points	\$	3,921.00
E620KITBRA02	Hydraulic quick couplings mounted on the boom	\$	\$ 2,224.00 ×
ENG0KT01000660	Protection for cyclone filter	\$	245.00
ENGOKT01000605	Fire extinguisher	\$	220.00 ×
23 ENG00101000136	Rear warning sign with LED lights - Size: 60 x 60cm	\$	1,852.00
24 ENG0KT01000617	Blower (predisposition included)	\$	9,194.00
ENG0KT01000321	24 ENGOKT01000321 Presdisposition for blower or salt spreader	\$	\$ 3,438.00

LIC LIC osition. HYDRAULIC	ENGONTO1000935 DITCH BUCKET 150 ENGOKT01000936 DITCH BUCKET 150 E00303400100 RIVER BUCKET 200 E00303401900 90° bucket rotation for TRANSPORT POSITION. HYDRAULIC ENG10702000005 River bucket mod. LMZ 300 (3 m) ENG03401000006 90° bucket rotation (LMZ bucket models) for transport position. HYDRAULIC	ENGOKTO1000936 E00303400100 E00303401900 E00303470700 ENG10702000005 ENG03401000006
\$ 20 \$ 20 \$ 20	the state of the s	ENGOKT01000936 E00303400100 E00303401900 E00303470700 ENG107020000005
\$ 22 \$ 2 \$ 2 \$ 10 LIC \$ 10	Annual Control of the	ENGOKT01000936 E00303400100 E00303401900 E00303470700
\$ 22 \$ 2 \$ 3 \$ 10 UC \$ 1	and the second second second second	ENGOKT01000936 E00303400100 E00303401900
\$ 22 \$ 3 \$ 3 \$ 10	36 DITCH BUCKET 150 RIVER BUCKET 200	ENGOKT01000936 E00303400100
\$ \$ 2. \$ \$ 2.	36 DITCH BUCKET 150	ENG0KT01000936
\$ 2.2 \$ 2.2		
\$ \$		ENG0KT01000935
	ENG01301000140 Chain protection set for FORESTRY HEAD 120 T 35/44 cc	ENG01301000140
	ENG01301000138 Chain protection set for FORESTRY HEAD 100 T 35/44 cc	ENG01301000138
\$ 22 014 00	ENG01301000134 FORESTRY HEAD 120 T 35 cc (ONLY for Kommunal and Aspen)	ENG01301000134
nd Aspen) \$ 17,631.00	ENG01301000133 FORESTRY HEAD 100 T 35 cc (ONLY for Kommunal and Aspen)	ENG01301000133
hoses) predisposition not included in base machine \$ 6,762.00	BLOWER (with hydraulic motor, parallelogram and hoses) predisposition not inc	E00302800500
	ATTACHMENTS FOR ILF	

\$ 238,582.00	TOTAL	6
\$ 2,069.00	602000431 Quick coupling MULAG male for mounting under hydraulic rotator	ENG03602000431
\$ 684.00	T01000809 Quick coupling MULAG female for direct mounting on hydraulic rotator	ENG0KT01000809
	BOOM	
\$ 26,875.00	723000030 ROTARY CUTTER HD 50" US MOWER	ENG10723000030
\$ 27,378.00	T01000364 STUMP GRINDER H40S complete with hydraulic lateral movements and attachment for ILF	ENG0KT01000364
\$ 12,527.00	80000026 DITCH CLEANERS FF50	ENG03800000026
\$ 1,941.00	403000098 HOSES FOR SAW BAR ONLY WITHOUT TILTING (NOT SUITABLE FOR LEM 9001 + 9002)	ENG62403000098
\$ 1,941.00	403000003 HOSES FOR SAW BAR (ONLY WITHOUT TILTING)	ENG62403000003
\$ 1,128.00	801000145 COUPLING PLATE FOR L.E.M. 9002 (not suitable with tilting)	ENG03801000145
\$ 128.00	601000001 COUPLING PLATE FOR SAW BAR TO BE USED WITH ROTATOR BUT NO TILTING	ENG03601000001
\$ 22,614.00	724000002 SAW BAR L.E.M. 7004. 4-28 " blades 84" tall	ENG10724000002
\$ 8,842.00	80000012 PLASTIC BRUSH	ENG03800000012
\$ 9,203.00	801000162 IRON BRUSH (with protection)	ENG03801000162
\$ 8,378.00	301000023 IRON BRUSH without protection	ENg03801000023
\$ 8,948.00	801000063 TRUNK PINCERS with hydraulic rotator	ENG03801000063
\$ 10,889.00	201000082 Orange peel grapple Mod. FSG120/5 with hydraulic rotator	ENG04201000082
\$ 10,044.00	201000081 "Octopus" grapple Mod. FSG120/4 with hydraulic rotator	ENG04201000081
\$ 6,820.00	801000082 Forc-one with hydraulic rotator KIT	ENG03801000082
\$ 5,116.00	801100 Forc-one	E00703801100
\$ 18,895.00	801000146 Extra Trunk - 40 lt hydraulic system	ENG03801000146
\$ 8,183.00	3996418 CUTTER BAR 235 (2 blades)	E1702G996418



STANDARD WARRANTY TERMS

ENERGREEN guarantees that all products are free of any workmanship and material defects at the time of despatch from the factory, and undertakes during the specified warranty period, to repair or replace free of charge, all those parts found to be defective due to poor material quality or workmanship defects, within the limits and according to the specifications of the present warranty terms.

The warranty will come into effect from the date of retail sale by Company or a Company dealer and will have a duration of a maximum of 12 months, limited to 1.500 (fifteen hundred) working hours (whichever term expires first).

The warranty will be implemented on behalf of ENERGREEN by the workshops authorised by ENERGREEN which will undertake to either repair or replace, the parts of the relative product for the entire period of warranty, at the conditions as listed below.

ENERGREEN may at any time request the return of the parts replaced under warranty on a carriage free basis. On receipt of the relative parts it reserves the right to accept or refuse replacement under warranty, after checking the same at its own premises or that of its suppliers.

A direct supplier warranty may be applied on certain product parts, the workshop entrusted to undertake the repairs will contact the supplier concerned.

The detective parts may, at the discretion of ENERGREEN, be replaced with either new parts or parts overhauled by ENERGREEN, or by its own suppliers.

The Customer is obliged, during the warranty period, to immediately contact an authorised workshop to notify any product defects found, it must also undertake programmed maintenance operations (servicing).

The User and maintenance manual is consigned with the product and it must be thoroughly read in order to ensure the correct use of the machine itself and the carryng out of the maintenance operations.

The warranty will loose validity in the event of:

- Incorrect use of the vehicle, not in compliance with the instructions handbook and operating maintenance;
- the application of equipment or accessoires which fail to comply with specifications;
- use of non-original spares;
- use of lubricants not in specifications;
- failure to undertake programmed maintenance operations;
- repairs not carried out by authorised workshops;
- unauthorized electric and/or mechanical modifications.

Except in the case of fraud or serious fault of ENERGREEN, all responsibility of ENERGREEN is specifically exempted or of the retailer (dealer) of ENERGREEN, for product defects or faults, any such responsibility being replaced by the warranty indicated above. Any responsibility of ENERGREEN or its retailers (dealers) (both contractual and non-contractual) is also excluded in the event of product defects or damage (as the result of machine standstill or loss of earnings), or any costs or expenses deriving from faults, neither may it be possible to either cancel the contract or suspend (or reduce) payments, ENERGREEN obligations being limited to the repair and replacement of the parts in accordance with warranty terms.

SERVICE CONDITIONS DURING THE STANDARD WARRANTY PERIOD

The Customer is delivered this Customer warranty manual which describes the rights and obligations in relation to the purchased product, the warranty is assured by means of the Dealer/ Agent network.

As well as the Standard warranty conditions the present document also contains:

DELIVERY REPORT - Certifyng that the Dealer/Agent has carried out a complete check and setting up of the product before delivery, and that it has also undertaken to supply the use and maintenance instructions descibed in this same manual and that it has informed the customer of the warranty terms applied.

PROGRAMMED MAINTENANCE SERVICING - During the warranty period the final Customer is obliged to notify the Dealer/Agent within the pre-established expiry date, for them to arrange programmed servicing, according to the specifications described in the User and maintenance manual and recorded in the relative register.



The programmed maintenance operations during the warranty period is subject to the following regulations:

- the maintenance operations are to be undertaken at regular fixed intervals (the first after 100 hours, the second after 500 hours and subsequently every 500 hours), with a tolerance of +/- 10% on the hour-meter reading;
- maintenance must be undertaken by authorised organisations;
- should it be necessary to substitute materials or undertake other operations that are not envisaged in the maintenance programme, standard warranty procedures will be applied;
- the cost involved in the programmed maintenance operations at 100/500/1000/1500 hours intervals will be totally at the expense of the final customer (lubricants, filtering elements, travelling expenses, travelling and working hours).

WARRANTY CERTIFICATE - Permits the implementation of the standard or special warranty terms. The repair operations undertaken during the warranty period will be undertaken by the Dealer/Agent. Lubricants and expendable materials are not covered by the warranty.

CUSTOMER OBLIGATIONS - In order to ensure product efficiency the final Customer undertakes to notify its dealer/agent of the following:

- eventual machine transfers outside its own zone;
- should the hour meter fall to work:
- eventual theft of the machine;
- the approach of the expiry date for undertaking the programmed maintenance;
- any defects, even minor, which may cause greater damage to the machine.





Company ID Number: 513478

THE E-VERIFY PROGRAM FOR EMPLOYMENT VERIFICATION MEMORANDUM OF UNDERSTANDING

ARTICLE I

PURPOSE AND AUTHORITY

This Memorandum of Understanding (MOU) sets forth the points of agreement between the Department of Homeland Security (DHS) and Warrior Tractor & Equipment Co., Inc. (Employer) regarding the Employer's participation in the Employment Eligibility Verification Program (E-Verify). This MOU explains certain features of the E-Verify program and enumerates specific responsibilities of DHS, the Social Security Administration (SSA), and the Employer. E-Verify is a program that electronically confirms an employee's eligibility to work in the United States after completion of the Employment Eligibility Verification Form (Form I-9). For covered government contractors, E-Verify is used to verify the employment eligibility of all newly hired employees and all existing employees assigned to Federal contracts or to verify the entire workforce if the contractor so chooses.

Authority for the E-Verify program is found in Title IV, Subtitle A, of the Illegal Immigration Reform and Immigrant Responsibility Act of 1996 (IIRIRA), Pub. L. 104-208, 110 Stat. 3009, as amended (8 U.S.C. § 1324a note). Authority for use of the E-Verify program by Federal contractors and subcontractors covered by the terms of Subpart 22.18, "Employment Eligibility Verification", of the Federal Acquisition Regulation (FAR) (hereinafter referred to in this MOU as a "Federal contractor with the FAR E-Verify clause") to verify the employment eligibility of certain employees working on Federal contracts is also found in Subpart 22.18 and in Executive Order 12989, as amended.

ARTICLE II

FUNCTIONS TO BE PERFORMED

A. RESPONSIBILITIES OF SSA

- 1. SSA agrees to provide the Employer with available information that allows the Employer to confirm the accuracy of Social Security Numbers provided by all employees verified under this MOU and the employment authorization of U.S. citizens.
- 2. SSA agrees to provide to the Employer appropriate assistance with operational problems that may arise during the Employer's participation in the E-Verify program. SSA agrees to provide the Employer with names, titles, addresses, and telephone numbers of SSA representatives to be contacted during the E-Verify process.
- 3. SSA agrees to safeguard the information provided by the Employer through the E-Verify program procedures, and to limit access to such information, as is appropriate by law, to individuals responsible for the verification of Social Security Numbers and for evaluation of the E-Verify program or such other persons or entities who may be authorized by SSA as governed





Company ID Number: 513478

To be accepted as a participant in E-Verify, you should only sign the Employer's Section of the signature page. If you have any questions, contact E-Verify at 888-464-4218.

Employer Warrior Tractor & Equipment Co., Inc.				
Stanley McCracken				
Name (Please Type or Print)		Title		
Electronically Signed		03/01/2012		
Signature		Date		
Department of Homeland Secur	ity – Verification Di	vision		
USCIS Verification Division Name (Please Type or Print)	***************************************	Title		
		738		
Electronically Signed Signature		03/01/2012		
Signature		Date		
Inforn	ation Required fo	or the E-Verify Program		
illion)	iation required it	or the E-verify r regram		
Information relating to you	ır Company:			
Company Name	Warrior Tractor & Eq	ulpment Co., Inc.		
Company Facility Address	6801 McFarland Blvd			
	Northport, AL 35476			
Company Alternate Address:	P O Box 412			
	Northport, AL 35476			
County or Parish:	TUSCALOOSA			
Employer Identification Number:	630588737			





Company ID Number: 513478

North American Industry Classification Systems Code:	423		
Administrator:	Warrior Tractor and Equipment Co., Inc.		
Number of Employees:	100 to 499		
Number of Sites Verified for:	1		
are you verifying for more than 1 site? If yes, please provide the number of sites verified for a each State:			
• ALABAMA	1 site(s)		

Information relating to the Program Administrator(s) for your Company on policy questions or operational problems:

Name:

Stanley N McCracken

Telephone Number: E-mail Address: wte024@warriortractor.com

(205) 339 - 0300

Fax Number:

(205) 333 - 0101