BID SUBMITTAL FORM Alabama County Joint Bid Program

Heavy Equipment – BID ITEM: RIDE ON INDUSTRIAL BOOM MOWER OPTION C

| Company Name:VVarrior Tractor & Equi | pment Company, Inc. | |
|---|--|------------|
| Address: 6801 McFarland Blvd, Northpo | ort, AL 35476 | |
| | · | |
| Bid Submitted by: David Schafer | | |
| (Name of c | ompany representative) | |
| Title: District Sales Manager | E-mail address: dschafer@warrior | ractor.com |
| Phone: 205-339-0300 | Fax: 205-333-0101 | |
| By submitting this bid, we agree: | | Initials |
| The equipment model number identified below me | ets the bid specs for this bid item. | (1013) |
| That the bid price will be honored for all counties for December 31, 2025. | or the period from January 1 , 2025 to | (DED) |
| The equipment will be delivered at the bid price to joint bid program. | all counties participating in the | (0/2) |
| The company acknowledges the freight preparation in the total bid price for the standard machine. | n and delivery price is to be included | 10-123) |
| The company representative listed above will be the this bid item under the joint bid program. | ne contact person for purchasing | (OC) |
| The bid is accompanied by a current catalog or moment model number identified below. | odel specification document for the | 1018) |
| The bid is accompanied by a copy of the manufac in the bid specifications. | turer's standard warranty as required | (Des) |
| The bid includes the E-Verify documentation requi | red by Alabama law. | 10R3 |
| If awarded the bid, a performance bond will be pro | vided upon request. | (10-129) |
| The bid documents include the Manufacturer's for the Standard Machine. | Suggested Retail Price Sheet (MSRP) | (00) |

31 Foot Boom F Model ALPHA or Equivalent with 2-piece Boom and telescoping Total Bid Price for Standard Machine: \$ NO BID (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) * Freight Preparation and Delivery: \$ (Included in Standard Machine Bid Price) Manufacturer's Suggested Retail Price for Standard Machine: \$ Equipment Model #: Description: 36 Foot Boom F Model ALPHA or Equivalent with 2-piece Boom and telescoping Total Bid Price for Standard Machine: \$ NO BID (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) * Freight Preparation and Delivery: \$ (Included in Standard Machine Bid Price) Manufacturer's Suggested Retail Price for Standard Machine: \$_____ Equipment Model #: _____ Description: 39 Foot Boom F Model ALPHA or Equivalent with 2-piece Boom and telescoping Total Bid Price for Standard Machine: \$ NO BID (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) * Freight Preparation and Delivery: \$ (Included in Standard Machine Bid Price) Manufacturer's Suggested Retail Price for Standard Machine: \$ Equipment Model #: Description: ____

Title: District Sales Manager

Signature of company representative submitting bid: Waved Kills

26 Foot Boom T Model ALPHA or Equivalent with 2-piece Boom and telescoping Total Bid Price for Standard Machine: \$ NO BID (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) * Freight Preparation and Delivery: \$ (Included in Standard Machine Bid Price) Manufacturer's Suggested Retail Price for Standard Machine: \$_____ Equipment Model #: _____ Description: 33 Foot Boom T Model ALPHA or Equivalent with 2-piece Boom and telescoping Total Bid Price for Standard Machine: \$ 269,309.00 (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) * Freight Preparation and Delivery: \$8,000.00 (Included in Standard Machine Bid Price) Manufacturer's Suggested Retail Price for Standard Machine: \$ 290,343.00 Equipment Model #: Alpha T10 33 Foot Boom Description: Industrial Boom Mower 39 Foot Boom T Model ALPHA or Equivalent with 2-piece Boom and telescoping Total Bid Price for Standard Machine: \$ NO BID (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) * Freight Preparation and Delivery: \$ (Included in Standard Machine Bid Price) Manufacturer's Suggested Retail Price for Standard Machine: \$_____ Equipment Model #: _____

Title: District Sales Manager

Description:

Signature of company representative submitting bid:

32 Foot Boom 3P Model ALPHA or Equivalent with 3-piece Boom and telescoping

| Total Bid Price for Standard Machine: \$ NO BID |
|---|
| (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) * |
| Freight Preparation and Delivery: \$ |
| (Included in Standard Machine Bid Price) |
| Manufacturer's Suggested Retail Price for Standard Machine: \$ |
| Equipment Model #: |
| Description: |

^{*} NOTE: Award will be made based on the total cost of the Standard Machine. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

BID SUBMITTAL FORM: OPTION COST SHEET BID ITEM: RIDE-ON INDUSTRIAL BOOM MOWER OPTION C

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine*



The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the Standard Machine



Equipment Model #: Alpha T10 33 Foot Boom

Description: Industrial Boom Mower

Signature of company representative submitting bid: 2

Title: District Sales Manager

*Note: The percent difference between the Manufacturer's Suggested Retail Price Sheet (MSRP) for the standard machine as specified by these Bid Specifications and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation, delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.

BID ITEM: RIDE-ON INDUSTRIAL BOOM MOWER OPTION C

GENERAL

These specifications shall be construed as the minimum acceptable standards for a ride-on industrial boom mower with universal attachment plate and mowing arm. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The machine must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

MANUALS

Each unit shall be provided with one (1) copy of the operator's manual, (1) copy of the repair manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 7,500 hours of use for the piece of equipment bid. If replacement parts are not delivered within three (3) working days of an order being place d, the bidder will deliver an equivalent machine for the county to use at no cost to the county until such time as the parts are delivered to the county so it can affect repairs to its machine.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty. Warranty shall include service response time of maximum of 36 hours within notification by county.

| Yes_X_ No |
|-------------------|
| Page# |
| or |
| Attachment ATTACH |

BID ITEM: RIDE-ON INDUSTRIAL BOOM MOWER-OPTION C

ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED. THIS UNIT IS NOT INTENDED TO BE A MODIFIED AGRICULTURAL TRACTOR.

| TO BE A MODIFIED AGRICULTURAL TRACTOR. | |
|--|--|
| ENGINE The Engine shall meet the following requirements: Minimum 173 HP 4.5-liter 4-cylinder Tier IV, with heavy duty radiator with high flow air cleaner with pre-cleaner. Electric start with engine pre-heat, and minimum 65-gengine gauge package to include tachometer, water temperature, oil pressure, volhour meter. | allon fuel tank and full |
| | Yes <u>X</u> No of Attachment |
| <u>POWER TRAIN:</u> Minimum power train requirements shall consist of permanent 4 Wheel Drive, four steering modes. | -wheel steer and three |
| Continuously variable hydrostatic transmission with 2 speed mechanical gearbox Gear) | (Work and Transport |
| Standard 8-disc Oil emersed brake system. Negative parking brake. | |
| Joystick or pedal control transmission for speed and directional control from 0-24 | MPH. |
| | Yes <u>X</u> No Page # <u>11-29</u> |
| BOOMS: Equal to or Exceeds ILF ALHPA | |
| 2-piece Booms: 31 Ft telescoping., 36 Ft. telescoping, 39 Ft. telescoping | |
| 2-piece Booms: 26 Ft telescoping., 33 Ft. telescoping, 39 Ft. telescoping | |
| 3-piece Booms: 32 Ft telescoping | Yes X No |

Page #_11-29

MOWER ATTACHMENTS: Equal to or ILF ALHPA

| No Boom attachment is considered standard. All attachments shall be optional | |
|--|--|
| | Yes X No |
| | Page # ATTACH |
| WHEELS: Shall be equipped with, Four (4) Heavy Duty, Industrial flotation tires with Michelin XF 18 R 22.5 flotation tires. | · |
| | Yes <u>×</u> No |
| | Page # <u>27</u> |
| CAB, COMFORT, CONVENIENCE & SAFETY: | |
| 90 Degree Rotating custom designed cab will be mounted in front of the engine and optimum operator visibility. Cab must be certified for both ROPS – ISO 3471 and F | |
| • On-board computer with display for controlling the functionalities of the engine • Tilti adjustable steering column • Electrical direction control lever • SEAT ALTO S55 seat Right armrest integrated into the seat and adjustable (with boom joystick housing) • F washer wiper • Electronical controlled air conditioning system, pollen filter and dedica mirror • Cab door with 60/40 opening • Cab rear windows darkened with UV rays redudended to the seat and adjustable (with boom joystick housing) • F washer wiper • Electronical controlled air conditioning system, pollen filter and dedicated mirror • Cab door with 60/40 opening • Cab rear windows darkened with UV rays redudended to the seat and adjustable (with boom joystick housing) • F washer wiper • Cab door with 60/40 opening • Cab rear windows darkened with UV rays reduced to the seat and adjustable (with boom joystick housing) • F washer wiper • Cab door with 60/40 opening • Cab rear windows darkened with UV rays reduced to the seat and adjustable (with boom joystick housing) • F washer wiper • Cab door with 60/40 opening • Cab rear windows darkened with UV rays reduced to the seat and adjustable (with boom joystick housing) • F washer wiper • Cab door with 60/40 opening • Cab rear windows darkened with UV rays reduced to the seat and adjustable (with boom joystick housing) • F washer wiper • Cab door with 60/40 opening • Cab rear windows darkened with UV rays reduced to the seat and adjustable (with boom joystick housing) • F washer wiper • Cab door with 60/40 opening • Cab rear windows darkened with UV rays reduced to the seat and adjustable (with boom joystick housing) • F washer wiper • Cab door with 60/40 opening • Cab rear windows darkened with UV rays reduced to the seat and adjustable (with boom joystick housing) • F washer wiper • Cab door with 60/40 opening • Cab rear windows darkened with UV rays reduced to the seat and adjustable (with boom joystick housing) • Cab rear windows darkened with UV rays reduced to the seat and adjustable (with boom joyst | with air suspension • ront windshield sted exchanger • Left suction treatment • Rear • External electrical |
| Ye Pa | es <u>×</u> No age # <u>11-29</u> |
| CONDITIONS: | |
| Boom Mower shall be equipped with all standard equipment specified by the manufactomply with EPA emission standards and all motor vehicle standards established by of Transportation regarding the manufacture of motor vehicles. This unit shall have year manufactured warranty. | the U.S. Department |
| Ye | es <u>X</u> No |
| Pa | age #ATTACH |
| The successful bidder shall be responsible for delivering the unit properly serv first class operating condition. Pre-delivery service at a minimum shall include | iced, clean and in the following: |
| Complete lubrication, check all fluid levels, adjustment of engine to proper ope inflate tires to proper operating pressure, check proper operation of all accessors. | rating condition, ories. |

| | 1,349.00 | \$ | Electro-hydraulic opening for New Speed cutting head | E00301371400 |
|-------------|------------|-------|---|----------------|
| 40 | 4,452.00 | \$ | Hydraulic rotator | E00301370000 |
| | 4,843.00 | \$ | Rotor 150 cm for forest hammers (360° rotating) (Includes 26 hammers kits mounted on the rotor) | ENG04001000002 |
| | 2,700.00 | \$ | Rotor 150 cm for hammers 034M (Includes 14 hammers kits mounted on the rotor) | E00301302400 |
| | 2,874.00 | \$ | Rotor 150 cm for half turn flails (Includes 24 flails kits mounted on the rotor) | E00301302100 |
| | 3,016.00 | \$ | Rotor 150 cm for polyvalent flails (Includes 22 flails kits mounted on the rotor) | E00301302900 |
| | 2,977.00 | \$ | Rotor 150 cm for articulated flails (Includes 36 flails kits mounted on the rotor) | E00301320000 |
| | 2,919.00 | \$ | Motor for NEW SPEED mower-head of 44 cc + pipes | ENG01301000017 |
| | 8,600.00 | \$ | New Speed 150 | |
| _ | 4,266.00 | \$ | Rotor 120 cm for forest hammers (360° rotating) (Includes 22 hammers kits mounted on the rotor) | ENG01301000216 |
| | 2,589.00 | \$ | Rotor 120 cm for hammers 034M (Includes 10 hammers kits mounted on the rotor) | E00301302300 |
| L | 2,297.00 | \$ | Rotor 120 cm for half turn flails (Includes 22 flails kits mounted on the rotor) | E00301301700 |
| | 2,671.00 | \$ | Rotor 120 cm for polyvalent flails (Includes 16 flails kits mounted on the rotor) | E00301303000 |
| | 2,400.00 | \$ | Rotor 120 cm for articulated flails (Includes 24 flails kits mounted on the rotor) | E00301301600 |
| | 2,919.00 | \$ | Motor for NEW SPEED mower-head of 44 cc + pipes | ENG01301000017 |
| L | 7,697.00 | \$ | NEW SPEED 120 | |
| | 198.00 | \$ | Additional right mirror | ENG0KT01000929 |
| × | 2,610.00 | \$ | Fenders for tires 600 and 650 | ENG0KT01000908 |
| L | 2,508.00 | \$ | Fenders for tires 450 | ENG0KT01000915 |
| × | 2,489.00 | \$ | Rightside Hammer Glass (special polycarbonate) | ENG00701000227 |
| | 1,663.00 | \$ | Door lower Hammer Glass (special polycarbonate) | ENG00701000232 |
| | 2,422.00 | \$ | Door upper Hammer Glass (special polycarbonate) | ENG00701000231 |
| × | 3,019.00 | \$ | Windsheld Hammer Glass (special polycarbonate) | ENG00701000230 |
| | - | \$ | Special lights-kit USA homologation | ENG0KT01000705 |
| | 1 | \$ | 1233 | ENG0KT01001076 |
| | | \$ | Automatic lubrication system with 12 greasing points, programmable control (ONLY FOR ARMS mod. T) | ENG0KT01001073 |
| × | 279,781.00 | \$ 27 | BOOM T10 + Nokian 600/50 R 22,5 159D Tires | |
| | 278,631.00 | \$ 27 | BOOM T10 + Alliance 600/50 Tires | V |
| | - | \$ | ALPHA Eagle (cabin with glass roof and passenger seat included) | ENG00001000054 |
| | | | ILF ALPHA EAGLE | |
| | MSRP 2024 | MS | | 11 |
| | | | | |
| The same of | | | | |

| 7 1701 2:00 | THE COLLEGE DAILY TO SE DIGUES! | LT/02033T# |
|---------------|--|----------------|
| \$ 7,672.00 | | E1702G991425 |
| \$ 1,469.00 | | ENG03401000006 |
| \$ 20,849.00 | .000005 River bucket mod. LMZ 300 (3 m) | ENG10702000005 |
| \$ 852.00 | 0700 90° bucket rotation for TRANSPORT POSITION. MANUAL | E00303470700 |
| \$ 1,469.00 | 1900 90° bucket rotation for TRANSPORT POSITION. HYDRAULIC | E00303401900 |
| \$ 15,090.00 | 1100 RIVER BUCKET 300 | E00303401100 |
| \$ 12,107.00 | 0900 RIVER BUCKET 250 | E00303400900 |
| \$ 10,400.00 | 0100 RIVER BUCKET 200 | E00303400100 |
| \$ 3,837.00 | .000936 DITCH BUCKET 150 | ENG0KT01000936 |
| | .000935 DITCH BUCKET 100 | ENG0KT01000935 |
| \$ 439.00 | .000140 Chain protection set for FORESTRY HEAD 120 T 35/44 cc | ENG01301000140 |
| \$ 388.00 | .000138 Chain protection set for FORESTRY HEAD 100 T 35/44 cc | ENG01301000138 |
| \$ 22,435.00 | .000136 FORESTRY HEAD 120 T 44 cc | ENG01301000136 |
| \$ 17,970.00 | .000135 FORESTRY HEAD 100 T 44 cc | ENG01301000135 |
| \$ 6,188.00 | 0200 BLOWER (with hydraulic motor, hoses, and WITHOUT parallelogram) | E00302800200 |
| \$ 6,762.00 | 0500 BLOWER (with hydraulic motor, parallelogram and hoses) | E00302800500 |
| \$ 2,069.00 | .000431 Quick coupling MULAG male for mounting under hydraulic rotator | ENG03602000431 |
| \$ 684.00 | .000809 Quick coupling MULAG female for direct mounting on hydraulic rotator | ENG0KT01000809 |
| | BOOM | |
| \$ 245.00 | .000786 Protection for cyclone filter | ENG0KT01000786 |
| \$ 1,691.00 | 376 | ENG00101000421 |
| \$ 1,852.00 | | ENG00001000045 |
| \$ 2,094.00 | .000043 Rear warning sign with LED lights. Size 90x90 cm | ENG00001000043 |
| \$ 9,194.00 | .000725 Blower complete | ENG0KT01000725 |
| \$ 10,825.00 | | ENG03001000073 |
| \$ 25,338.00 | | ENG03001000074 |
| \$ 25,148.00 | _ | ENG03001000072 |
| \$ 220.00 x | .000605 Fire extinguisher | ENG0KT01000605 |
| \$ 2,224.00 x | A02 Hydraulic quick couplings mounted on the arm | E620KITBRA02 |
| \$ 3,466.00 | .000030 Custom paint | ENG21401000030 |
| \$ - | .000049 STD ENERGREEN paint - RAL 2011 Orange/RAL 7021 Grey | ENG0KT01000049 |
| \$ - | | ENG20101000017 |
| \$ 727.00 | | E207003NS150 |
| \$ 658.00 | S120 Front protection chains for cutting head New Speed 120 cm | E207003NS120 |
| | | |

| EI(17020996418 CUPTER BAR 235 (2 blades) 5 8,8133.00 ENGIOTOZO00012 FOWER SHEARS 155 5 1,3356.00 ENGIOTOZO00013 FOWER SHEARS 155 5 1,3356.00 ENGIOTOZO00013 FOWER SHEARS 255 + second inclination 5 17,725.00 ENGIOTO4000001 FOWER SHEARS 255 + second inclination 5 17,725.00 ENGIOTO4000001 FOWER SHEARS 255 + second inclination 5 17,725.00 ENGIOTO4000001 FOWER SHEARS 255 + second inclination 5 17,725.00 ENGIOTO4000001 FOWER SHEARS 255 + second inclination 5 18,895.00 ENGIOTO30010001 Extra Trunk - 40 it hydraulic system 5 18,895.00 ENGIOSS0110001 Extra Trunk - 40 it hydraulic system 5 18,895.00 ENGIOSS0110001 Extra Trunk - 40 it hydraulic system 5 18,895.00 ENGIOSS01100012 Extra Trunk - 40 it hydraulic system 5 18,895.00 ENGIOSS01100023 Trunk pincers with hydraulic system 5 18,895.00 ENGIOSS01100023 Trunk pincers with hydraulic system 5 10,943.00 ENGIOSS011000023 Trunk pincers with hydraulic rotator 5 10,943.00 ENGIOSS011000023 TRUNK PINCERS with hydraulic rotator 5 2,923.00 ENGIOSS011000012 ENATTIC BRUSH With protection 5 2,923.00 ENGIOSS011000012 ENATTIC BRUSH without protection 5 2,923.00 ENGIOSS011000012 ENATTIC BRUSH without protection 5 2,923.00 ENGIOSS011000012 ELEM. 7.004. 4-28" blades 84" tall 5 1,927.00 ENGIOSS011000013 FOUR SAW BAR (ONLY WITHOUT TILTING 1007 SUITABLE FOR LEM 9001 + 9002) 5 1,991.00 ENGIOSS011000013 ENGIST SORS AW BAR (ONLY WITHOUT TILTING 1007 SUITABLE FOR LEM 9001 + 9002) 5 1,991.00 ENGIOSS011000014 ENGINERS FF50 5 1,991.00 5 12,977.00 ENGISS011000015 ENGINERS FF50 5 1,991.00 5 12,977.00 ENGISS011000015 ENGINERS FF50 5 1,991.00 5 12,977.00 ENGISS011000016 ENGINERS FF50 5 1,991.00 5 1,997.00 ENGISS01100016 ENGINERS FF50 5 1,997.00 5 1,997.00 ENGISS01100016 ENGINERS FF50 5 1,997.00 5 1,997.00 ENGISS01100016 ENGINERS FF50 5 1,997.00 5 1,997.00 | \$ 290,343.00 | TOTAL | TOTAL |
|--|---------------|---|--------------|
| CUTTER BAR 235 (2 blades) S POWER SHEARS 135 POWER SHEARS 225 POWER SHEARS 225 POWER SHEARS 225 POWER SHEARS 225 + second inclination POWER SHEARS 225 + second inclination Extra Trunk - 100 It hydraulic system Extra Trunk - 40 It hydraulic system Extra Trunk - 40 It hydraulic system Extra Trunk - 40 It hydraulic rotator Forc-one with hydraulic rotator Forc-one with hydraulic rotator Corange peel grapple Mod. FSG120/4 with hydraulic rotator Forc-one with hydraulic rotato | | | |
| CUTTER BAR 235 (2 blades) S | \$ 1,013.00 | UNG | ENG214010000 |
| CUTTER BAR 235 (2 blades) S | \$ - | | ENG214010000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 225 + second inclination \$ POWER SHEARS 225 + second inclination \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 It hydraulic system \$ Forc-one \$ Extra Trunk - 40 It hydraulic system \$ Forc-one with hydraulic rotator KIT \$ Forc-one with hydraulic rotator \$ Forc-one with hydraulic rotator \$ Forc-one with hydraulic rotator \$ Poole grapple Mod. FSG120/4 with hydraulic rotator \$ Process grapple Mod. FSG120/5 with hydraulic rotator \$ IRON BRUSH (with protection) \$ PLASTIC BRUSH \$ IRON BRUSH (with protection) \$ PASTIC BRUSH \$ IRON BRUSH (with protection) \$ PUASTIC BRUSH \$ COUPLING PLATE FOR LEM. 9002 (not suitable with tilting) \$ COUPLING PLATE FOR LEM. 9002 (not suitable with tilting) | 1000 | .88 | ENG012000000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 225 \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 401 t hydraulic system \$ Extra Trunk - 400 t hydraulic system \$ Forc-one with hydraulic system \$ Forc-one with hydraulic rotator \$ "Octopus" grapple Mod. FSG120/5 with hydraulic rotator \$ "TRUNK Plotes with hydraulic rotator \$ "RON BRUSH without protection \$ IRON BRUSH without protection \$ PLASTIC BRUSH \$ COUPLING PLATE FOR SAW BAR TO BE USED WITH ROTATOR BUT NO TILTING \$ COUPLING PLATE FOR SAW BAR SAY SAY SAY SAY SAY SAY SAY SAY SAY | | RAIBER | |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 254 \$ POWER SHEARS 255 \$ POWER SHEARS 255 \$ POWER SHEARS 255 \$ Extra Trunk - 100 It hydraulic system \$ Extra Trunk - 401 It hydraulic system \$ Forc-one with hydraulic system \$ Forc-one with hydraulic rotator KIT \$ "Octopus" grapple Mod. FSG120/5 with hydraulic rotator \$ "TRUNK PlnCERS with hydraulic rotator \$ IRON BRUSH without protection \$ IRON BRUSH without protection \$ IRON BRUSH without protection \$ PLASTIC BRUSH \$ LE.M. 7004. 4-28" blades 84" tall \$ COUPLING PLATE FOR SAW BAR TO BE USED WITH ROTATOR BUT NO TILTING \$ HOSES FOR SAW BAR (ONLY WITHOUT TILTING) </td <td>\$ 26,875.00</td> <td></td> <td>ENG107230000</td> | \$ 26,875.00 | | ENG107230000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 225 + second inclination \$ POWER SHEARS 155 + second inclination \$ POWER SHEARS 225 + second inclination \$ POWER SHEARS 215 + second inclination \$ POWER SHEARS 225 + second inclination \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 40 It hydraulic system \$ For cone \$ For cone with hydraulic system \$ For cone with hydraulic rotator \$ "Octopus" grapple Mod. FSG120/4 with hydraulic rotator \$ "COLDER graph in Mod. FSG120/5 with hydraulic rotator \$ IRON BRUSH (with protection) \$ < | \$ 27,378.00 | STUMP GRINDER H40S complete with hydraulic lateral movements and attach | ENG0KT010003 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 215 + second inclination \$ POWER SHEARS 215 + second inclination \$ POWER SHEARS 225 + second inclination \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 It hydraulic system \$ Extra Trunk - 40 It hydraulic system \$ Forcone \$ Forcone \$ Forcone \$ Forcone \$ \$ \$ \$ | \$ 12,527.00 | 100000 | ENG038000000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 215 + second inclination \$ POWER SHEARS 225 + second inclination \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 it hydraulic system \$ Extra Trunk - 40 it hydraulic system \$ Forc-one \$ Forc-one \$ Forc-one \$ Forc-one \$ Forc-one with hydraulic rotator KIT \$ "Octopus" grapple Mod. FSG120/4 with hydraulic rotator \$ "OCTOPUS grapple Mod. FSG120/5 with hydraulic rotator \$ TRUNK PINCERS with hydraulic rotator \$ TRUNK PINCERS with hydraulic rotator \$ IRON BRUSH (with protection) \$ PLASTIC BRUSH \$ COUPLING PLATE FOR SAW BAR TO BE USED WITH ROTATOR BUT NO TILTING \$ COUPLING PLATE FOR LEM. SAY WITHOUT TILTING (NOT SUITABLE | 100 | 15577 | ENG038010002 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 It hydraulic system \$ Extra Trunk - 40 It hydraulic system \$ Forc-one with hydraulic system \$ Forc-one with hydraulic rotator \$ "Octopus" grapple Mod. FSG120/5 with hydraulic rotator \$ TRUNK PINCERS with hydraulic rotator \$ IRON BRUSH (with protection) \$ PLASTIC BRUSH \$ IRON BRUSH (with protection) \$ PLASTIC BRUSH \$ COUPLING PLAST (black states and states and states and states and states and s | | HOSES FOR SAW BAR ONLY WITHOUT TILTING (NOT SUITABLE FOR LEM 9001 | ENG624030000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 It hydraulic system \$ Forc-one \$ Forc-one \$ Forc-one \$ Forc-one with hydraulic system \$ Forc-one with hydraulic rotator \$ PLOSTIC Brush Hydraulic rotator \$ IRON BRUSH with hydraulic rotator \$ IRON BRUSH with protection \$ PLASTIC BRUSH \$ IRON BRUSH with protection \$ PLASTIC BRUSH WITH ROTATOR BUT NO TILTING \$ < | | | ENG624030000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 225 + second inclination \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 It hydraulic system \$ Extra Trunk - 40 It hydraulic system \$ Forc-one Forc-one with hydraulic rotator KIT \$ "Octopus" grapple Mod. FSG120/4 with hydraulic rotator \$ Orange peel grapple Mod. FSG120/5 with hydraulic rotator \$ TRON BRUSH without protection \$ IRON BRUSH (with protection) \$ PLASTIC BRUSH \$ LE.M. 7004. 4-28" blades 84" tall \$ COUPLING PLATE FOR SAW BAR TO BE USED WITH ROTATOR BUT NO TILTING \$ | | | ENG038010001 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 40 It hydraulic system \$ Forc-one with hydraulic system \$ Forc-one with hydraulic rotator \$ "Octopus" grapple Mod. FSG120/4 with hydraulic rotator \$ "Orange peel grapple Mod. FSG120/5 with hydraulic rotator \$ IRON BRUSH (with protection) \$ PLE.M. 7004. 4-28" blades 84" tall | | | ENG036010000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 155 + second inclination \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 lt hydraulic system \$ Extra Trunk - 40 lt hydraulic system \$ Forc-one Forc-one with hydraulic rotator KIT \$ "Octopus" grapple Mod. FSG120/4 with hydraulic rotator \$ Orange peel grapple Mod. FSG120/5 with hydraulic rotator \$ IRON BRUSH without protection \$ IRON BRUSH (with protection) \$ PLASTIC BRUSH \$ | | | ENG107240000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 155 + second inclination \$ POWER SHEARS 225 + second inclination \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 lt hydraulic system \$ Extra Trunk - 40 lt hydraulic system \$ Forc-one \$ Forc-one with hydraulic rotator KIT \$ Forc-one with hydraulic rotator \$ "Octopus" grapple Mod. FSG120/4 with hydraulic rotator \$ "Orange peel grapple Mod. FSG120/5 with hydraulic rotator \$ IRON BRUSH without protection \$ IRON BRUSH (with protection) \$ | | | ENG038000000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 155 + second inclination \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 It hydraulic system \$ Extra Trunk - 40 It hydraulic system \$ Forc-one \$ Forc-one with hydraulic rotator KIT \$ "Octopus" grapple Mod. FSG120/4 with hydraulic rotator \$ Orange peel grapple Mod. FSG120/5 with hydraulic rotator \$ IRON BRUSH without protection \$ | | | ENG038010001 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 225 + second inclination \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 It hydraulic system \$ Extra Trunk - 40 It hydraulic system \$ Forc-one \$ Forc-one with hydraulic rotator KIT \$ "Octopus" grapple Mod. FSG120/4 with hydraulic rotator \$ Orange peel grapple Mod. FSG120/5 with hydraulic rotator \$ TRUNK PINCERS with hydraulic rotator \$ | | | ENg038010000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 155 + second inclination \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 It hydraulic system \$ Extra Trunk - 40 It hydraulic system \$ Forc-one \$ Forc-one with hydraulic rotator KIT \$ "Octopus" grapple Mod. FSG120/4 with hydraulic rotator \$ Orange peel grapple Mod. FSG120/5 with hydraulic rotator \$ | | | ENG038010000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 155 + second inclination \$ POWER SHEARS 225 + second inclination \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 lt hydraulic system \$ Extra Trunk - 40 lt hydraulic system \$ Forc-one \$ Forc-one with hydraulic rotator KIT \$ "Octopus" grapple Mod. FSG120/4 with hydraulic rotator \$ | 18.3 | | ENG042010000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 155 + second inclination \$ POWER SHEARS 225 + second inclination \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 lt hydraulic system \$ Extra Trunk - 40 lt hydraulic system \$ Forc-one \$ Forc-one with hydraulic rotator KIT \$ | | 15007 | ENG042010000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 155 + second inclination \$ POWER SHEARS 225 + second inclination \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 lt hydraulic system \$ Extra Trunk - 40 lt hydraulic system \$ Forc-one \$ | | 177 | ENG038010000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 155 + second inclination \$ POWER SHEARS 225 + second inclination \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 lt hydraulic system \$ Extra Trunk - 40 lt hydraulic system \$ | | Forc-one | E00703801100 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 155 + second inclination \$ POWER SHEARS 225 + second inclination \$ Extra Trunk - 100 lt hydraulic system \$ | | | ENG038010001 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 155 + second inclination \$ POWER SHEARS 225 + second inclination \$ | | Attabas | ENG038010000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ POWER SHEARS 155 + second inclination \$ | 989 | 1170 | ENG107040000 |
| CUTTER BAR 235 (2 blades) \$ POWER SHEARS 155 \$ POWER SHEARS 225 \$ | 1000 | | ENG107040000 |
| CUTTER BAR 235 (2 blades) \$ 12 POWER SHEARS 155 \$ 1 | 23 | 100 | ENG107020000 |
| CUTTER BAR 235 (2 blades) | 155.00 | | ENG107020000 |
| | \$ 8,183.00 | CUTTER BAR 235 (2 blades) | E1702G996418 |





PROFESSIONAL VEGETATION MANAGEMENT MACHINE



MSRP 2024 - N° 1 - REV. 00 (in force from January 1st 2024)



ILF Alpha is a self-propelled machine equipped with a telescopic arm suitable for the installation of various attachment to operate in the control of vegetation. A fundamental and unique feature of its kind is the possibility of rotating the cabin up to 90° with respect to the longitudinal axis of the machine in order to give the operator maximum visibility and comfort during work. This self-propelled machine is equipped with the latest generation John Deere engine that provides 173 HP in compliance with the EU Stage V anti-pollution regulations. In addition to the wide range of types and arm lengths, it is possible to equip the machine with different configurations to manage attachments installed at the front and rear.







Standard equipment:

MACHINE:

- LED daytime running lights.
- Steel reinforced rear light bar.
- Integrated LED rear lights for road traffic.
- 8 t towbar (without braking systems) ONLY WITH "AGRICULTURAL MACHINE" APPROVAL.
 Service towbar (not homologated for road circulation) ONLY WITHOUT "AGRICULTURAL MACHINE" APPROVAL.
- Fuel tank capacity 245 I.
- · AdBlue* tank capacity 23 I.
- Hydraulic oil tank capacity 300 l.
- · Retractable folding step on the counterweight for easy refueling.
- Double front steps on left and right for safe cab Ingress/Egress (right step only when the cabin is rotate).
- Large tool compartment on the right side of the machine complete with Energreen Service Toolbox.
- MICHELIN XF (18 R22,5) tires.

- John Deere 4045CI 4.5-liter liquid-cooled in-line 4-cylinder engine.
- HPCR (High-Pressure Common-Rail) injection with 4 valves per cylinder.
- . Engine power 129 kW (at 2200 rpm).
- Engine data control and regeneration devices management (exhaust gases treatment) integrated in the ECI Energreen Control Interface (in-cab 10" monitor).
- FLEXXAIRE proportional hydraulic reversible fan system (AUTO and MANUAL activation).
- Separate cooling circuits (coolant intercooler hydraulic oil) with reinforced multi-section radiator.
- 11" two-element air filter (primary and safety) and self-cleaning cyclonic prefilter.
- 200 A /14 V DC alternator.
- · Automatic battery isolator switch.
- Exhaust emissions compliant with EU Stage V.
- EGR (Exhaust Gas Recirculation) module with throttle valve and air heat exchanger managed by ECU (Engine Control Unit).
- Exhaust system consisting of EGR (Exhaust Gas Recirculation) + DPF (Diesel Particulate Filter) + DOC (Diesel Oxidation Catalyst) + SCR (Selective Catalytic Reduction) with regeneration without burner.

AXLES AND BRAKING SYSTEM:

- Axles with 10 Stud Hub with maximum permissible load:
- front: 8700 kg
- rear: 9150 kg
- SCD Stability Control Device system for locking/unlocking the front axle oscillation by means of hydraulic cylinders controlled by ECI.
- 100% Front and rear Diff lock with electro-hydraulic in-cab control.
- · Centralized axle lubrication system via two easily locate access points.
- 8-Discs Oil immersed brakes system.
- Negative parking brake.

TRANSMISSION AND STEERING:

- · Continuously variable hydrostatic transmission with two-speed mechanical gearbox (work and transfer gear)
- ECO-MODE system to provide efficiency savings when travelling between worksites by lowering engine RPM when travelling at 40 km/h
- · Selectable drive modes 4wd or 2wd
- Electronic recognition of wheel alignment and selection of steering mode by ECI
- Selectable steering mode:
- 2-wheel steer (only front)
- 4-wheel steer
- Crab steer





Standard equipment:

HYDRAULIC SYSTEM:

- Piston pump and motor, in closed circuit, for the arm-mounted equipment
- · Piston pump and motor, in closed circuit, for the machine transmission
- · Gear pump, in open circuit, for the movements of the arm
- · Gear pump, in open circuit, for the breaking system
- · Gear pump, in open circuit, for the steering system
- · Pressurised inlet and outlet filter for closed circuits with filter blockage indicator
- In line high pressure filter for the hydraulic valve block protection with filter blockage indicator
- Hydraulic oil flow (0-100 %) control of the equipment hydraulic circuit by ECI
- Modular 6-section hydraulic valve block:
- n° 5 proportional elements (electronic piloting)
 n° 1 hydraulic safety element (electronic piloting)
- · Boom suspension system with nitrogen accumulators
- · Floating movement function of the cutting head tilting
- · Hydraulic oil temperature display

STANDARD CAB:

- 90° Rotating cabin.
- FOPS (ISO 3449) ROPS (ISO 3471) cabin approval.
 ECI (Energreen Control Interface) consisting of on-board computer with 10" touchscreen display, PowerTrack (navigation knob) and electronic keypads for controlling the functionalities of the machine and the engine.
- Tilting (in two points) and height-adjustable steering column.
- · Electronic direction control lever.
- GRAMMER MAXIMO XXL seat with air suspension and adjustable lumbar shock absorber.
- Innovative and redesigned ergonomic right armrest, integrated into the seat and adjustable (with joystick housing for boom, fingertip joysticks housing for machine settings and mini-joystick housing for front hydraulic functions if the machine is equipped with front options).
- · Front windshield washer wiper.
- Electronical controlled air conditioning system, pollen filter and dedicated exchanger.
- Retractable sunshade on front windshield.
- · Left mirror.
- Right mirror ONLY WITH "AGRICULTURAL MACHINE" APPROVAL
- · Height-adjustable LED beacon
- Cab door with partial opening upper window
 Cab rear window partial opening and darkened with UV rays reduction treatment
- · Lateral documents holder
- · Automatic LED courtesy lights (LED courtesy lights with automatic switch-on system (door opening)
- · Emergency glass break hammer
- External electrical socket for 12 V DC services
 Internal 12 V DC socket
- Two-way USB socket (2x 5 V DC 1 A)
- · Clothes hangers



| DESCRIPTION | PRICE |
|--|-------------|
| Passenger seat (It is a courtesy seat not suitable for circulating on the roads) | \$ 1,088.00 |
| Cod. ENG70204000037 | |



Optional Cabin: PRESTIGE CAB:









IN ADDITION TO STANDARD CAB:

- Cruise Control
- · Instant reverse pedal
- · DAB/Bluetooth stereo complete with handsfree
- 6 LED working lights (2 cab + 1 boom + 1 rightside rear hood + 2 rear lights bar)
- N.1 reversing camera (integrated view in the ECI) *
- Twin LED beacon
- · Roof window with safety grill, retractable sunshade and windshield wiper **
- · Right side window with windshield wiper
- 2 kg CO₂ fire extingulsher ***
 GRAMMER MAXIMO EVOLUTION
 DYNAMIC **** seat with larger seat dimensions, air suspension system, longitudinal shock absorber, side suspension, lumbar shock absorber and active climate control system



**** Seat GRAMMAR MAXIMO EVOLUTION DYNAMIC

| DESCRIPTION | PRICE |
|---|--------------|
| PRESTIGE Cabin | |
| Cod. ENG00701000197 + ENG70207000008 | \$ 12,865.00 |

| DESCRIPTION | PRICE |
|---|-----------|
| Cab accessories kit (cup holder, usb socjet kit 12/24V) | \$ 716.00 |
| Cod. ENG0KT01000893 | |



| - |
|---------|
| |
| ,088.00 |
| 1 |





Option:



| DESCRIPTION | PRICE |
|--|-------------|
| Windshield glass | |
| in Hammer glass (Special polycarbonate) | \$ 3,019.00 |
| Cod. ENG00701000230 | |



| DESCRIPTION | PRICE |
|--|-------------|
| Upper door glass in Hammer glass (Special polycarbonate) | \$ 2,422.00 |
| Cod. ENG00701000231 | |



| DESCRIPTION | PRICE |
|--|-------------|
| Lower door glass In Hammer glass (Special polycarbonate) | \$ 1,663.00 |
| Cod. ENG00701000232 | |



| DESCRIPTION | PRICE |
|--|-------------|
| Right side glass in Hammer glass (Special polycarbonate) | \$ 2,489.00 |
| Cod. ENG00701000227 | |







| DESCRIPTION | PRICE |
|---|-------------------|
| 順手 為しわける Arm mod. T | STANDARD CABIN |
| ALPHA T10 Total length 10 m 2 telescopic extensions | \$ 287,686.00 |
| ALPHA T12 Total length 12 m 3 telescopic extensions | \$ 310,114.00 |









| DESCRIPTION | PRICE |
|---|-------------------|
| 以F 為し? HA Arm mod. F | STANDARD CABIN |
| ALPHA F11 Total length 11 m 2 telescopic extensions | \$ 323,618.00 |
| ALPHA F12 Total length 12 m 2 telescopic extensions | \$ 336,479.00 |





Option on 1st set up:

180° ARM ROTATION:





| DESCRIPTION | PRICE |
|-------------------|-------------|
| 180° Arm rotation | \$ 7,859.00 |

The 180° arm rotation easily and quickly allows the operator to place the telescopic arm and its Flail Head anywhere on the side and to the front of the Alpha machine: boosting visibility, working efficiency and safety.







TELESCOPIC ARM



TELESCOPIC ARM







Option on 1st set up:


EASY - RIDE:



TRANSFER MODE



WORK MODE



| DESCRIPTION | PRICE |
|----------------------|--------------|
| Suspended front axle | \$ 15,718.00 |

Front Suspended Axle (Easy Ride system) is automatically activated in all transfers of the machine, and/or when the second gear is activated. The system allows a vertical front axle movement of 110 mm, for a perfect cushioning result during transfers.

When in work mode the front axle automatically locks left and right suspensions to maximize working stability and

The system allows you to unlock the suspension on the right while keeping that of the side armrest locked (on the left).

When working on uneven terrain, this system guarantees greater support to the ground and maximum grip.





Homologations:



| DESCRIPTION | PRICE |
|---------------------|-------------|
| HomologationUSA | ¢ 1 025 00 |
| Cod. ENG0KT01000940 | \$ 1,025.00 |



| DESCRIPTION | PRICE |
|---|-------------|
| Special lights Kit USA homologation Cod. ENGOKT01000705 | \$ 2,483.00 |







| DESCRIPTION | | PRICE |
|----------------------------|----------------------|---|
| Tires ** ALLIANCE 18 PR | REALLIANCE AMELIANCE | |
| 600/50 331 | | \$ 1,513.00 |
| Cod. ENGOKT0100029 | 99 | |
| Tires | nokicin TYRES | *************************************** |
| ** NOKIAN COUNTRY | KING | |
| 600/50 R 22,5 10F | | \$ 2,661.00 |
| Cod. ENGOKTO100043 | 38 | |

^{**} In addition to the machine price as difference







| DESCRIPTION | PRICE |
|---|-------------|
| Mudguards for tires 450 Cod. ENGOKT01000915 | \$ 2,508.00 |
| Mudguards for tires 600 Cod. ENGOKT01000908 | \$ 2,610.00 |



| DESCRIPTION | PRICE |
|------------------------------|-----------|
| Additional mirror right side | |
| Cod. ENG0KT01000929 | \$ 198.00 |







| DESCRIPTION | PRICE |
|-----------------------|----------|
| Mineral hydraulic oil | CTANDADD |
| Cod. ENG20101000017 | STANDARD |





| DESCRIPTION | PRICE |
|--------------------------|----------|
| Paint STANDARD Energreen | |
| RAL 2011 Orange | |
| RAL 7021 Grey | STANDARD |
| Cod. ENG0KT01000049 | |





| DESCRIPTION | PRICE |
|---|-------------|
| SNOW BLADE KEY + HEAVY DUTY WORK MODE Snow blade key allows the enabling of the frontal distributor while on 2nd gear; when steering is concentric, speed limit is 20 km/h Heavy Duty key allows the enabling of Work Mode while on 2nd gear, redu- cing max speed to 20 km/h | \$ 1,966.00 |
| Cod. ENG0KT01001023 | |



| DESCRIPTION | PRICE |
|---|-------------|
| Compressor air set with tank (11 lt) | \$ 4,802.00 |
| Cod. ENG0KT01001011 | |




| DESCRIPTION | PRICE |
|--|-------------|
| Ultra-bright working lights (10 lights 50 watt) | \$ 7,484.00 |
| Cod. ENG0KT01000864 | |





| DESCRIPTION | PRICE |
|---|-------------|
| Dig function for STANDARD and COMFORT cabin The set up is not possible if the machine is equipped with passenger seat and left armrest Cod. ENGOKTO1000891 Dig function for PRESTIGE cabin (seat ENG70207000008) Cod. ENGOKT01001000 | \$ 2,869.00 |



| DESCRIPTION | PRICE |
|--|-------------|
| S.P.P. electronic system for arm suspension (Suspension | \$ 9,605.00 |
| Proportional Potentiometer) The system allows the flotation of the arm and the automatic adjustment | |
| according to the terrain Cod. ENGOKT01000720 | |





| DESCRIPTION | PRICE |
|---|-------------|
| Automatic lubrication system with 12 greasing points, on the arm and automatic greasing on axles (For arm mod. T) Cod. ENGOKTO1001073 | \$ 6,060.00 |
| Automatic lubrication system with 15 greasing points, on the arm and automatic greasing on axles (For arms mod. 3P e F) Cod. ENGOKTO1000991 | \$ 6,338.00 |



| DESCRIPTION | PRICE |
|---|-------------|
| Quick hydraulic coupling plate face on the arm (n° 2 Female 1"+ n° 2 Male 1" + 1 Female 3 ^{1/4} 1 Male 3 ^{1/4} + 2 Female 3/8" + 2 Male 3/8" + 2 Female 1/4 + 2 Male 1/4) | \$ 2,224.00 |
| Cod. E620KITBRA02 | |






Option on 1st set up:



| DESCRIPTION | PRICE |
|--|-------------|
| LS PUMP FOR ARM MOVEMENTS (distributor LS, for 50% faster movements) | \$ 5,860.00 |



| DESCRIPTION | PRICE |
|--|-------------|
| Additional hydraulic system (open circuit on the 60 It arm 270 bar, suggested for Extra Trunk, Mower Bucket, Conveyor He attachments) LS PUMP REQUIRED | |
| Cod. ENGOKT01001286 (Braccio T 10) | \$ 3,699.00 |
| Cod. ENGOKT01001287 (Bracclo F11) | |
| Cod. ENGOKT01001288 (Braccio F12) | |
| Cod. ENGOKT01001289 (Braccio 3P) | |
| Cod. NG0KT01001290 - (Braccio F11 - 180°) | |
| Code: ENGOKT01001291 - (Bracclo F12 - 180) | |



NOT AVAILABLE FOR T12 ARM







| DESCRIPTION | PRICE |
|--|--------------|
| MOVABLE BALLAST Hydraulic drive device through cab control, for displacing the counterweight mass in opposition to the arm of the machine. The total maximum weight of the counter weight swing can reach up to 2,500 kg (it depends on the length of the arm). The mass displacement is of 60 cm by means of a robust telescopic frame cohesive with the bearing frame of the machine. Cod. ENG00101000477 | \$ 15,396.00 |



| DESCRIPTION | PRICE |
|---|-----------|
| Fire extinguisher 2 kg CO ₂ Cod. ENGOKTO1000605 | \$ 220.00 |
| Already included only with Prestige Cabin | |







| DESCRIPTION | PRICE |
|---|--------------|
| OPTION A Hercules front lifter Piloted by right mini-joystick Arm floating function Lifting capacity - 2800 Kg overhang 0 cm - 1750 Kg overhang 50 cm - 1300 Kg overhang 100 cm Mechanical PTO hydraulically powered Bidirectional rotation 1000 rpm Powered by dedicated closed circuit pump Auxiliary hydraulic lines Piloted by right mini-joystick 2 X 25 I/min @ 190/190 bar - double effect Faster "agri" quick couplings m - 1/2" Front distibutor power supply in parallel with primary distributor (arm movements) | \$ 27,603.00 |
| Auxiliary headlight bar for road circulation | |
| Cod. ENG03001000051 | |

| DESCRIPTION | PRICE |
|----------------------------|--------------|
| OPTION A + Lift suspension | \$ 28,994.00 |
| Cod. ENG0KT01000854 | \$ 20,994.00 |








| DESCRIPTION | PRICE |
|--|--------------|
| OPTION B Hercules front lifter Piloted by right mini-joystick Arm floating function Lifting capacity 2800 Kg overhang 0 cm 1750 Kg overhang 50 cm 1300 Kg overhang 100 cm Heavy Duty direct outputs Bi-directional working possibility 150 I/min @ 340 bar Powered by dedicated closed circuit pump "Screw-on flat face" quick couplings m/f - 1"1/4 for HD "Flat face" quick coupling m - 3/4" for drain | \$ 21,924.00 |
| Auxiliary hydraulic lines Piloted by right mini-joystick 2 X 25 I/min @ 190/190 bar - double effect Faster "agri" quick couplings m - 1/2" Front distibutor power supply in parallel with primary distributor (arm movements) | |
| Auxiliary headlight bar for road circulation | (|
| Cod. ENG03001000055 | |







| DESCRIPTION | PRICE |
|---------------------------|-------------|
| LED lights bar for lifter | \$ 3,602.00 |
| Cod. ENG00101000440 | \$ 3,602.00 |





THIS OPTION ALSO ALLOWS YOU TO INSTALL RAIBER

| DESCRIPTION | PRICE |
|--|--------------|
| OPTION M Hercules front lifter • Piloted by right mini-joystick • Arm floating function • Lifting capacity - 2800 Kg overhang 0 cm - 1750 Kg overhang 50 cm - 1300 Kg overhang 100 cm Mechanical PTO hydraulically powered | \$ 37,539.00 |
| Bidirectional rotation 1000 rpm Powered by dedicated closed circuit pump | |
| Auxiliary hydraulic lines Piloted by right mini-joystick 1 X 40 I/min @ 180/180 bar - double effect | |
| 1* X 65 l/min @ 80/200 bar - double effect + floating 1 X 25 l/min @ 130/130 bar - double effect | |
| 1 X 40 I/min @ 210/220 bar - double effect 1 X 65 I/min @ 80/190 bar - double effect + floating "Flat face" quick couplings m - 3/8" Front distibutor power supply In parallel with primary distributor (arm movements) | |
| Continuous hydraulic outputs in open circuit On/off piloting by keyboard keys Mono-directional working 2 X 48 l/min @ 210 bar "Flat face" quick couplings m - 1/2" Powered by dedicated open circuit tandem pumps | |
| Auxiliary headlight bar for road circulation *This line is used for lifter arms movement | |








| DESCRIPTION | PRICE |
|--|-------------|
| DIN Plate for Raiber attachment when OPTION M is present | \$ 2,210.00 |
| Cod. ENG03601000042 | |





| OPTION N Mechanical PTO hydraulically powered Bidirectional rotation 1000 rpm Powered by dedicated closed circuit pump Auxiliary hydraulic lines Piloted by right mini-joystick 1 X 40 l/min @ 180/180 bar - double effect 1 X 65 l/min @ 80/200 bar - double effect + floating 1 X 25 l/min @ 130/130 bar - double effect 1 X 40 l/min @ 210/220 bar - double | |
|--|--------------|
| effect • 1 X 65 I/min @ 80/190 bar - double effect + floating • "Flat face" quick couplings m - 3/8" • Front distibutor power supply in parallel with primary distributor (arm movements) | \$ 24,791.00 |







| DESCRIPTION | PRICE |
|--|--------------|
| Predisposition Raiber system + hydraulic PTO + DIN plate • Type 76060B Hydraulic PTO with direct outputs Heavy Duty • Bidirectional rotation • 150 I/min @ 340 bar dedicated • Powered by dedicated closed circuit pump • "Screw-on flat face" quick couplings m/f - 1'1/4 for HD • "Flat face" quick coupling f - 3/4" for drain Auxiliary hydraulic lines • Piloted by right mini-joystick • 1 x 40I/min @ 180/180 bar double effect • 1 x 65 I/min @ 80/200 bar double effect + floating • 1 x 25 I/min @ 130/130 bar double effect | \$ 31,260.00 |
| 1 x 40 l/min @ 210/220 bar double effect 1 x 65 l/min @ 80/190 bar double effect + floating "Flat face" quick couplings f - 3/8" | |
| Front distibutor power supply in parallel with primary distributor (arm movements) Cod. ENGOKTO1000999 | |











| DESCRIPTION | PRICE |
|---|--------------|
| Hydraulic system for Raiber DISCOVERY 840 equipped with pump, distributor, quick couplings set and DIN 76060 B plate Cod. ENGOKT01000749 | \$ 16,331.00 |
| Raiber Discovery 840 with qucik hydraulic couplings plate face. DIN 76060A plate, mowing discs diameter 84 cm - MANDATORY LIGHT BAR IS INCLUDED Cod. ENGOKTO1000825 - HYDRAULIC SYSTEM NOT INCLUDED Cod. E00301202700 | \$ 35,642.00 |
| Hydraulic disc opening with automatic return into the working position Cod. E00300500800 | \$ 4,549.00 |





Rear attachments:



| DESCRIPTION | PRICE |
|--|-------------|
| Blower equipped with quick couplings and onboard hydraulic system | \$ 9,194.00 |
| Cod. ENG0KT01000725 | |



| DESCRIPTION | PRICE |
|-------------------------------------|-------------|
| Hydraulic predisposition for blower | \$ 3,005.00 |
| Cod. ENG03801000148 | |





Rear attachments:



| DESCRIPTION | PRICE |
|-----------------------------|-----------|
| Tow hook WITHOUT BRAKING | \$ 903.00 |
| Cod. ENG0KT01000878 | |







| DESCRIPTION | PRICE |
|-----------------------|-----------|
| Air filter protection | \$ 245.00 |
| Cod. ENG0KT01000786 | \$ 243.00 |



STANDARD WARRANTY TERMS

ENERGREEN guarantees that all products are free of any workmanship and material defects at the time of despatch from the factory, and undertakes during the specified warranty period, to repair or replace free of charge, all those parts found to be defective due to poor material quality or workmanship defects, within the limits and according to the specifications of the present warranty terms.

The warranty will come into effect from the date of retail sale by Company or a Company dealer and will have a duration of a maximum of 12 months, limited to 1.500 (fifteen hundred) working hours (whichever term expires first).

The warranty will be implemented on behalf of ENERGREEN by the workshops authorised by ENERGREEN which will undertake to either repair or replace, the parts of the relative product for the entire period of warranty, at the conditions as listed below.

ENERGREEN may at any time request the return of the parts replaced under warranty on a carriage free basis. On receipt of the relative parts it reserves the right to accept or refuse replacement under warranty, after checking the same at its own premises or that of its suppliers.

A direct supplier warranty may be applied on certain product parts, the workshop entrusted to undertake the repairs will contact the supplier concerned.

The detective parts may, at the discretion of ENERGREEN, be replaced with either new parts or parts overhauled by ENERGREEN, or by its own suppliers.

The Customer is obliged, during the warranty period, to immediately contact an authorised workshop to notify any product defects found, it must also undertake programmed maintenance operations (servicing).

The User and maintenance manual is consigned with the product and it must be thoroughly read in order to ensure the correct use of the machine itself and the carrying out of the maintenance operations.

The warranty will loose validity in the event of:

- incorrect use of the vehicle, not in compliance with the instructions handbook and operating maintenance;
- the application of equipment or accessoires which fail to comply with specifications;
- use of non-original spares;
- use of lubricants not in specifications;
- failure to undertake programmed maintenance operations;
- repairs not carried out by authorised workshops;
- unauthorized electric and/or mechanical modifications.

Except in the case of fraud or serious fault of ENERGREEN, all responsibility of ENERGREEN is specifically exempted or of the retailer (dealer) of ENERGREEN, for product defects or faults, any such responsibility being replaced by the warranty indicated above. Any responsibility of ENERGREEN or its retailers (dealers) (both contractual and non-contractual) is also excluded in the event of product defects or damage (as the result of machine standstill or loss of earnings), or any costs or expenses deriving from faults, neither may it be possible to either cancel the contract or suspend (or reduce) payments, ENERGREEN obligations being limited to the repair and replacement of the parts in accordance with warranty terms.

SERVICE CONDITIONS DURING THE STANDARD WARRANTY PERIOD

The Customer is delivered this Customer warranty manual which describes the rights and obligations in relation to the purchased product, the warranty is assured by means of the Dealer/ Agent network.

As well as the Standard warranty conditions the present document also contains:

DELIVERY REPORT - Certifying that the Dealer/Agent has carried out a complete check and setting up of the product before delivery, and that it has also undertaken to supply the use and maintenance instructions descibed in this same manual and that it has informed the customer of the warranty terms applied.

PROGRAMMED MAINTENANCE SERVICING - During the warranty period the final Customer is obliged to notify the Dealer/Agent within the pre-established expiry date, for them to arrange programmed servicing, according to the specifications described in the User and maintenance manual and recorded in the relative register.



The programmed maintenance operations during the warranty period is subject to the following regulations:

- the maintenance operations are to be undertaken at regular fixed intervals (the first after 100 hours, the second after 500 hours and subsequently every 500 hours), with a tolerance of +/- 10% on the hour-meter reading.
- maintenance must be undertaken by authorised organisations;
- should it be necessary to substitute materials or undertake other operations that are not envisaged in the maintenance programme, standard warranty procedures will be applied;
- the cost involved in the programmed maintenance operations at 100/500/1000/1500 hours intervals will be totally at the expense of the final customer (lubricants, filtering elements, travelling expenses, travelling and working hours).

WARRANTY CERTIFICATE - Permits the implementation of the standard or special warranty terms. The repair operations undertaken during the warranty period will be undertaken by the Dealer/Agent. Lubricants and expendable materials are not covered by the warranty.

CUSTOMER OBLIGATIONS - In order to ensure product efficiency the final Customer undertakes to notify its dealer/agent of the following:

- eventual machine transfers outside its own zone;
- should the hour meter fall to work;
- eventual theft of the machine;
- the approach of the expiry date for undertaking the programmed maintenance;
- any defects, even minor, which may cause greater damage to the machine.





Company ID Number: 513478

THE E-VERIFY PROGRAM FOR EMPLOYMENT VERIFICATION MEMORANDUM OF UNDERSTANDING

ARTICLE I

PURPOSE AND AUTHORITY

This Memorandum of Understanding (MOU) sets forth the points of agreement between the Department of Homeland Security (DHS) and Warrior Tractor & Equipment Co., Inc. (Employer) regarding the Employer's participation in the Employment Eligibility Verification Program (E-Verify). This MOU explains certain features of the E-Verify program and enumerates specific responsibilities of DHS, the Social Security Administration (SSA), and the Employer. E-Verify is a program that electronically confirms an employee's eligibility to work in the United States after completion of the Employment Eligibility Verification Form (Form I-9). For covered government contractors, E-Verify is used to verify the employment eligibility of all newly hired employees and all existing employees assigned to Federal contracts or to verify the entire workforce if the contractor so chooses.

Authority for the E-Verify program is found in Title IV, Subtitle A, of the Illegal Immigration Reform and Immigrant Responsibility Act of 1996 (IIRIRA), Pub. L. 104-208, 110 Stat. 3009, as amended (8 U.S.C. § 1324a note). Authority for use of the E-Verify program by Federal contractors and subcontractors covered by the terms of Subpart 22.18, "Employment Eligibility Verification", of the Federal Acquisition Regulation (FAR) (hereinafter referred to in this MOU as a "Federal contractor with the FAR E-Verify clause") to verify the employment eligibility of certain employees working on Federal contracts is also found in Subpart 22.18 and in Executive Order 12989, as amended.

ARTICLE II

FUNCTIONS TO BE PERFORMED

A. RESPONSIBILITIES OF SSA

- 1. SSA agrees to provide the Employer with available information that allows the Employer to confirm the accuracy of Social Security Numbers provided by all employees verified under this MOU and the employment authorization of U.S. citizens.
- 2. SSA agrees to provide to the Employer appropriate assistance with operational problems that may arise during the Employer's participation in the E-Verify program. SSA agrees to provide the Employer with names, titles, addresses, and telephone numbers of SSA representatives to be contacted during the E-Verify process.
- 3. SSA agrees to safeguard the information provided by the Employer through the E-Verify program procedures, and to limit access to such information, as is appropriate by law, to individuals responsible for the verification of Social Security Numbers and for evaluation of the E-Verify program or such other persons or entities who may be authorized by SSA as governed





Company ID Number: 513478

To be accepted as a participant in E-Verify, you should only sign the Employer's Section of the signature page. If you have any questions, contact E-Verify at 888-464-4218.

| Employer Warrior Tractor | & Equipment Co., | Inc. | |
|---------------------------------|---|--------------------------|----------|
| Stanley McCracken | | | |
| Name (Please Type or Print) | | Title | |
| | | | |
| Electronically Signed Signature | | 03/01/2012 | ******** |
| Signature | | Date | |
| Department of Homeland Secu | ırity – Verification D | ivision | |
| USCIS Verification Division | i | | |
| Name (Please Type or Print) | | Title | |
| Electronically Signed | | 03/01/2012 | |
| Signature Signature | *************************************** | 03/01/2012 Date | |
| | | | |
| Info | mostice Described | | |
| Infor | mation Required | for the E-Verify Program | |
| Information relating to yo | ur Company: | | |
| | 1 , | | |
| Company Nam | e:Warrior Tractor & Ec | guipment Co., Inc. | |
| | <u> </u> | | |
| Company Facility Addres | e 6801 McFarland Blv | d | |
| Company Facility Address | 0. | | |
| | Northport, AL 35476 | | |
| | | | |
| | | | |
| Company Alternate | | | |
| Address: | P O Box 412 | | |
| .57 | Northport, AL 35476 | | |
| | | | |
| | | | |
| | | | |
| County or Parish: | TUSCALOOSA | | |
| | | | |
| Employer Identification Number: | 630588737 | | |





Company ID Number: 513478

| North American Industry Classification Systems Code: | 423 | | | |
|--|---|--|--|--|
| Administrator: | Warrior Tractor and Equipment Co., Inc. | | | |
| Number of Employees: | 100 to 499 | | | |
| Number of Sites Verified for: | 1 | | | |
| Are you verifying for more than 1 site? If yes, please provide the number of sites verified for in each State: | | | | |
| • ALABAMA | l site(s) | | | |
| | | | | |

Information relating to the Program Administrator(s) for your Company on policy questions or operational problems:

Name: Telephone Number: Stanley N McCracken

(205) 339 - 0300

E-mail Address: wte024@warriortractor.com

Fax Number:

(205) 333 - 0101