



Rebuild Alabama Act Advertisement for Bid Bibb County Commission

Bibb County is taking sealed bids for labor, equipment, materials, and any incidentals required to complete the work required for the Project Number BCP 04-01-25, Resurfacing and placement of Traffic Stripes and Pavement Markers on Cahaba River Dr (CR 24) and Bulldog Bend Rd (CR 65). This bid is intended to comply with the Rebuild Alabama Act, Act No. 2019-2, as amended, and the Alabama Public Works Law, Alabama Code Title 39, as amended. Bidders shall be required to comply with the provisions of the Rebuild Alabama Act, Act No. 2019-2, as amended, and the Alabama Public Works Law, Alabama Code Title 39, as amended, regardless if the requirement is explicitly detailed in the bid proposal or not.

All bids must be marked on the outside of the bid package with:

- 1. County Commission of Bibb County
- 2. Bid Proposal for BCP 04-01-25
- 3. To be opened June 18, 2025
- 4. Alabama General Contractor's License Number and Names

The Contractor shall meet all Alabama Department of Transportation (ALDOT) Bonding and Licensing requirements as well as all applicable laws, ordinances, and codes of the U.S. Government, the State of Alabama, any relevant municipality, and Bibb County, and, specifically and without limitation, shall comply with all provisions of the Beason-Hammond Alabama Taxpayer and Citizen Protection Act, commonly referred to as the Immigration Act.

Sealed bids will be received by the Bibb County Commission at 157 Southwest Davidson Dr. Centreville, AL 35042 until 10 AM Central Time on June 18, 2025, and then publicly opened, in the Bibb County Commission Meeting Chambers, as soon thereafter as practicable. Award will be made at the next regularly scheduled or special meeting of the Bibb County Commission.

Specifications are on file and may be acquired at the Bibb County, Alabama Engineering Department, 10651 Hwy 5, Brent, AL 35034.

Phone Number: (205) 926-3111

Bibb County Engineering Department Hours of Operation are 7:00 AM to 5:00 PM (Central Time) from Monday through Thursday.

The Bibb County Commission reserves the right to waive any informalities or to reject all Bids or any portion thereof.



County Rebuild Alabama Fund Bibb County Bid Invitation



	PROPOSAL NO.
	, 20
	FOR THE CONSTRUCTION OF COUNTY PROJECT PROJECT NO. BCP 04-01-25
	BIBB COUNTY, ALABAMA
Proposal of Contractor Name:	
Of (City, State):	
ALDOT Contractor (To be used to docu	Identification Number:ment E-Verify)
Alabama General C	Contractors License Number:
For constructing the	e

The plans are composed of the drawings identified as follows: County Project No. BCP 04-01-25

The specifications are hereto attached.

In order to be considered, proposals must be received at the location and time below:

Bibb County Commission 157 Southwest Davidson Dr Centreville, Alabama 35042 Phone: (205) 926-3111

BEFORE: 10:00 AM on June 18, 2025

Bids will be opened as soon thereafter as practicable. Award will be made at the next regularly scheduled or special meeting of the Bibb County Commission.

Bidder	's Initi	ale.	
Diadei	SHIIII	ais.	





INSTRUCTIONS TO BIDDERS

1. PREPARATIONS OF BIDS:

Forms furnished, or copies thereof, shall be used, and strict compliance with the requirements of the invitation, these instructions, and the instructions printed on the forms is necessary. Special care should be exercised in the preparation of bids. Bidders must make their own estimates of the facilities and difficulties attending the performance of the proposed contract, including local conditions, uncertainty of weather, and all other contingencies. All designations and prices shall be fully and clearly set forth. The proper space in the bid and guaranty/bid bond forms shall be suitably filled in.

2. LABOR AND MATERIALS NOT TO BE FURNISHED BY BIBB COUNTY, ALABAMA:

The County Commission of Bibb County, Alabama, will not furnish any labor, material, or supplies unless specifically provided in the Contract.

3. SIGNATURE TO BIDS:

Each bid must give the full business address of the Bidder and must be signed by the Bidder with their usual signature. Bids by partnerships must furnish the full names of all partners and must be signed with the partnership name by one of the members of the partnership, or by an authorized representative, followed by the signature and designation of the person signing. Bids by corporations must be signed with the legal name of the corporation followed by the name of the State of Incorporation and by the signature and designation of the president, secretary, or other person authorized to bind it in the matter. The name of each person shall also be typed or printed below the signature. A bid by a person who affixes to this signature the word "president," "secretary," "agent," or other designation without disclosing his principal, may be held to be the bid of the individual signing. When requested by the County Commission of Bibb County, Alabama, satisfactory evidence of the authority of the officer signing on behalf of the corporation shall be furnished.

4. BIDS FOR ALL OR PART:

Each project will be bid separately unless otherwise expressly requested in the Proposal. Combination bids, that are bids on separate projects lumped together as a single bid or on all or none bid or on all or none basis, will not be accepted unless the Proposal expressly requests or permits same.

Bidder'	's Initials:	
DIGGE	S IIIIIIais.	





5. ALTERNATE BIDS:

Alternate bids will not be considered unless called for.

6. SPECIFICATIONS AND SCHEDULES:

The specifications, conditions, schedules and drawings which form the basis of any bid will be considered as a part thereof and will form a part of the Contract.

Copies of these papers, together with a copy of the standard contract form, including authorized additions, or deletions, if any, will be furnished to or made available for the inspection of bidders by the office indicated in the advertisement of invitation.

7. CORRECTIONS:

Erasures, white-outs, or other changes in the bids must be initialed by the bidder.

8. OWNER:

Where the word "Owner" appears herein, the same refers to Bibb County, Alabama, and includes the County Commission of Bibb County, its governing body.

9. GUARANTY, BONDS AND INSURANCE:

Security is required to ensure the execution of Contract and for performance of the services, and no bid will be considered unless it is so guaranteed. The bidder must furnish with his bid a bid bond or cashier's check drawn on an Alabama bank in the amount of 5% of his bid price, but in no event more than ten thousand dollars (\$10,000.00) payable to Bibb County Commission, of Bibb County, Alabama. Cashier's check or bid bonds, will, at the option of the Owner, be paid into the funds of Bibb County Commission as liquidated damages upon failure of the successful bidder to execute the written contract and furnish the performance bond, payment bond, and insurance coverages as hereinafter required, within fifteen (15) consecutive calendar days following written notice of the award of the Contract unless an extension is granted, in writing, by an authorized representative of Bibb County, Alabama.





10. BONDS AND INSURANCE:

The bonds and insurance policies of any surety company or insurance company respectively, authorized to do business in the State of Alabama, will be accepted as security and insurance as required for any bid or contract. See the instructions hereinafter contained and the applicable standard forms with respect to the type, form, and amounts of required bonds and insurance policies.

11. MARKING AND MAILING BIDS:

Bids, with their guarantee, must be securely sealed in suitable envelopes, addressed and marked on the outside "County Commission of Bibb County, Bid Proposal for BCP 04-01-25, to be opened June 18, 2025." (List Alabama General Contractor License Number and Names on envelope.)

12. TIME FOR RECEIVING BIDS:

Bids received prior to the time of opening will be securely kept, unopened. The Owner will decide when the specified time has arrived, and no bid will be considered if received thereafter, except that when a bid arrives by mail after time for opening, but before award is made, and it is shown to the satisfaction of the Owner that the non-arrival on time was due solely to delay in the mails for which the bidder was not responsible, such bid may be received and considered. No responsibility will attach to Bibb County or the County Commission for the premature opening of a bid not properly addressed or identified. Unless specifically authorized, telegraphic bids will not be considered, but modifications by telegraph of bids already submitted will be considered if received prior to the hour set for opening.

13. WITHDRAWAL OF BIDS:

Bids may be withdrawn on written or telegraph request received from bidders prior to the time fixed for opening. Negligence on the part of the Bidder in preparing the bid confers no right for the withdrawal of the bid after it has been opened.

14. <u>BIDDERS PRESENT</u>:

At the time fixed for the opening of bids, their contents will be made public for the information of bidders and others properly interested who may be present either in person or by representation.

1	ь.	1.1		Initia	1.	
	D1	aa	ier s	initia	IS:	





15. AWARD OR REJECTION OF BIDS:

The Contract will be awarded to the lowest responsive and responsible bidder complying with conditions of the invitation for bids, provided his bid is reasonable and it is in the interest of the Owner to accept it. The bidder to whom the award is made will be notified at the earliest possible date. The Owner, however, reserves the right to reject any and all bids and to waiver any informality in bids received whenever such rejection or waiver is in the interest of the Owner. It also reserves the right to reject the bid of a bidder who has previously failed to perform properly or complete on time contracts of a similar nature, or a bid of a bidder who is not, in the judgment of the Owner, in a position to perform the Contract.

16. BIDDERS INTERESTED IN MORE THAN ONE BID:

If more than one bid is offered by any one party, by or in a name of his clerk, partner, corporation in which he has a substantial interest, or in which he is an officer, or other person, all such bids may be rejected. A party who has quoted prices on materials to a bidder is not thereby disqualified from quoting prices to other bidders or from submitting a bid directly for the materials or work. The County Commission of Bibb County reserves the right to determine in its discretion whether the provisions of this clause have been violated by any bidder.

17. ERRORS IN BIDS:

Bidders or their authorized agents are expected to examine the maps, drawings, specifications and all other instructions pertaining to the work, which will be open to their inspection. Failure to do so will be at the Bidder's own risk, and he cannot secure relief on the plea of error in the bid. In case of error in the extension of prices, the unit price will govern.

18. CONTRACT AND BOND:

The bidder to whom award is made must, when requested, enter into written contract on the standard form as set out herein, with satisfactory security in the amount required, within the period specified, or, if no period be specified, within 15 days after the required forms are presented to him for signature.

19. COLLUSION:

If there is any reason for believing that collusion exists among the Bidders any or all Proposals may be rejected, and those participating in such collusion may be barred from submitting bids on the same or other work with the County.

Bidder's	Initiale	
DIGGELS	HIIIIIais.	





20. SUBLETTING OR ASSIGNING OF CONTRACT:

- (a) <u>Limitations</u>. The Contractor shall not sublet, assign, transfer, convey, sell, or otherwise dispose of any portion of the contract, his right, title or interest therein, or his power to execute such contract, to any person, firm or corporation without written consent of the County, and such written consent shall not be construed to relieve the Contractor of any responsibility for the fulfillment of the contract. Unless otherwise stipulated in the proposal or special provisions, the Contractor shall perform with his own organization, and with the assistance of workmen under his immediate superintendence and reported on his payroll, all contract work of a value not less than 30 percent of the total contract amount, except that any items designated in the contract as "Specialty Items" so performed by subcontract may be deducted from the total contract amount before computing the amount of work required to be performed by the Contractor with his own organization.
- (b) <u>Subcontractor's Status</u>: A Subcontractor shall be recognized only in the capacity of an employee or agent of the Contractor and the Contractor will be responsible to the County for all of the subcontractor's work, including failures or omissions; and his removal may be required by the Engineer, as in the case of an employee.

21. PROSECUTION OF WORK:

- (a) <u>Notice of Intent</u>: The Contractor shall give the Engineer definite notice of his intention to start work at least 72 hours in advance of beginning work and at least 24 hours in advance of beginning particular features of construction, such as driving piles, placing concrete, etc. Should prosecution of the work be discontinued by the Contractor with the consent of the Engineer, the Contractor shall give the Engineer at least 48 hour notice in writing before resuming operations.
- (b) <u>General</u>: The Contractor shall prosecute the work continuously and diligently in the order and manner set out in his schedule as approved by the Engineer. He shall provide sufficient satisfactory materials, labor, and equipment to ensure that the work will be completed in a satisfactory manner within the time specified in the contract.

Should the Contractor fail to maintain a satisfactory rate of progress, the Engineer will require that additional forces and equipment be placed on the work to bring the project up to schedule and maintain it at that level.

Should the Contractor fail to furnish sufficient satisfactory equipment and labor for maintaining the quality and progress of the work at satisfactory level, the Engineer may withhold all estimates which are or may become due until satisfactory quality and progress are maintained; or the contract may be annulled.

Bidder'	's Initials:	
DIGGE	S IIIIIIais.	





PROPOSAL FOR PROJECT NO. BCP 04-01-25 BIBB COUNTY, ALABAMA

TO: The County Commission of Bibb County, Centreville, Alabama

Dear Sirs:
The following proposal is made on behalf of and no others. Evidence of authority to submit the proposal is herewith furnished. The proposal is made without collusion on the part of any person, firm, or corporation. This bid offering is intended to comply with the Rebuild Alabama Act, Act No. 2019-2, as amended, and Title 39 of the Alabama Code, 1975 edition, as amended, the Alabama Public Works Law. Bidders shall be required to comply with the provisions of the Rebuild Alabama Act, Act No. 2019-02, as amended, and Title 39 of the Alabama Code, as amended, regardless if the requirement is explicitly detailed in the bid proposal or not.
Sealed bids will be received by the Bibb County Commission at 157 Southwest Davidson Dr, Centreville, Alabama 35042 until 10:00 AM Central Time on June 18, 2025, and then publicly opened as soon thereafter as practicable. Award will be made at the next regularly scheduled or special meeting of the Bibb County Commission.
This project is being advertised, let to contract, and administered by an awarding authority other than the Alabama Department of Transportation (ALDOT). All references made in the standard specifications and in other related and included documents of this proposal, to ALDOT (except as applies to references made to ALDOT considering a bidder to be disqualified from bidding, or to the awarding authority consulting or interacting with ALDOT, etc.), the "State", the "Department" or "Highway Department", etc. shall be understood to mean the awarding authority for this project.

The undersigned certifies that he or she has carefully examined the plans for this project and the specifications hereto attached including the special provisions and have also personally examined the site of work. On the basis of the specifications and plans the undersigned proposes to furnish all necessary machinery, tools, apparatus, and other means of construction, and do all the work and furnish all the material in the manner specified.

The undersigned further agrees to complete all the work in:

Forty Five (45) Working Days

as defined in the current revision of the Alabama Department of Transportation Standard Specifications. Should the undersigned fail to complete the project awarded within the working

D:	11.	1-1	r:	1	
151	aaei	r's I	Initia	IS:	





days stipulated, liquidated damages shall be assessed as defined in section 108.10 in the current revision of the Alabama Department of Transportation Standard Specifications or as amended by Special Provision.

The undersigned understands that the quantities below are approximate only and are subject to either increase or decrease, and hereby propose to perform any increased or decreased quantities of work at the unit price bid, subject to adjustments as specified in Section 104 of the Alabama Department of Transportation Standard Specifications for Highway Construction, 2022 edition. The undersigned further understands and specifically agrees that in making this proposal, in case of error in the extension of prices in the bid, the unit price will govern.

By signing this contract, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the State of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom.

The undersigned further proposes to begin the work within fifteen (15) days of receiving the Proceed Order should he/she be awarded the bid and to complete the work within the time specified.

Enclosed is a cashier's check, drawn on an Alabama bank, or a bidder's bond, payable to Bibb County, for an amount not less than five percent (5%) of the amount bid, but in no event more than ten thousand dollars (\$10,000.00), as a bid guaranty. The undersigned hereby agrees that in case of his/her failure to execute a Contract and furnish the Performance Bond, the Payment Bond, and a certificate of insurance coverage as specified within fifteen (15) days after notice of award, the awarding authority shall retain from the proposed guaranty if it be a cashier's check, or recover from the principal or the sureties if the guaranty be a bid bond, the difference between the amount of the contract as awarded and the full amount of the proposal of the next lowest responsible bidder. If no other bids are received, the full amount of the proposal guaranty shall be so retained or recovered as liquidated damages for such default. It is understood that in case the work is not awarded to the undersigned, the check will be returned as provided in the Specifications hereto attached. The bidder's bond shall be prepared on the form attached to this proposal and issued by a surety company authorized to do business in the State of Alabama.

Upon notification of award of the bid, the undersigned, within fifteen (15) days, proposes to furnish a Performance Bond equal to 100% of the total amount of the bid and a Payment Bond equal to 50% of the total amount of the bid to Bibb County. The undersigned also proposes to furnish a certificate of insurance coverage in the amounts specified in this proposal.

Bidder	's Initi	ale.	
Diadei	SHIIII	ais.	





The undersigned shall submit the Advertisement of Project Completion to Bibb County immediately following the completion and acceptance of all work required. The County Engineer will submit the advertisement to the Association of County Commissions of Alabama (ACCA) to be posted on a website maintained by ACCA for a period of four consecutive weeks.

The undersigned shall give notice of the project completion by advertising for four consecutive weeks in a newspaper of general circulation published within the county where the work has been performed.

Upon completion and acceptance of all work required, the undersigned will be paid upon presentation of the following:

- a. A properly executed and duly certified voucher for final payment.
- b. A release of all claims and claims of liens against the awarding authority arising by virtue of the contract.
- c. Proof of Advertisement of project completion (AL Code 39-1-1(f) requires a 30 day waiting period after the notice has run before final settlement can be made)

The undersigned agrees: Final payment will be made within 35 days after all the above requirements are met; Partial Payments, to be paid no more than monthly, will be provided under this contract; Retainage shall be withheld as required under Code of Alabama Section 39-2-12.





BID ITEMS

PROJECT NO: BCP 04-01-25

The following items shall be constructed in accordance with the Alabama Department of Transportation Standard Specifications for Highway Construction, 2022 edition, except as modified herein.

NOTES:

- 1. The following unit prices shall include all labor, materials, equipment, equipment rental, overhead, profit, insurance, etc., to cover the finished work of the several kinds called for.
- 2. Bidder understands that the Owner reserves the right to reject any and all bids.

BID ITEMS

(Separate Document Attached)





The undersigned hereby states that this Bid Proposal is to the best of their knowledge; their true and correct bid, except for changes initiated herein, and is submitting these bid items for review and consideration.

Signature of Bidder (If Firm	or Individual)	
	Ву:	
Address of Bidder		
Name and Address of Memb	oer of Firm	
	***********	**********
Signature of Bidder (Corpor	ation)	
	Business Address	
President		
	Business Address	
Secy. & Treas.		
Attest:	Incorporated in	
		State
	(Corporate Seal)	

BIDS WILL NOT BE CONSIDERED UNLESS THIS FORM FOR BID BOND IS USED AND IS SIGNED IN INK BY PRINCIPAL AND SURETY.





BID BOND

KNOW ALL MEN BY THESE PRESENTS: That_____of
(Name of Contractor) (Address) as Principal, and (Name of Surety) _____, as Suretv, (Address) are held firmly bound unto BIBB COUNTY COMMISSION, a Political Subdivision of and Body Corporate in the State of Alabama as Obligee, in the full and just sum of FIVE PERCENT (5%) OF AMOUNT BID (Maximum Amount of Bond \$10,000), lawful money of the United States, for the payment of which sum, well and truly to be made, we bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents. WHEREAS, the said Principal is herewith submitting its proposal for Resurfacing and placement of Traffic Stripes and Pavement Markers The condition of this obligation is such that if the aforesaid Principal shall be awarded the contract the said Principal will, within the time required, enter into a formal contract and give a good and sufficient bond to secure the performance of the terms of and conditions of the Contract, then this obligation to be void; otherwise, the Principal and the Surety will pay unto the Obligee the difference in money between the amount of the Contract as awarded and the amount of the proposal of the next lowest responsible bidder, which amount shall not exceed \$10,000. If no other bids are received, the full amount of the proposal guarantee shall be so retained or recovered as liquidated damages for such default. Witness our hands and seals this _____ day of ______, 20____. Signature of Individual Bidder: (Use only where bidder is an individual) _____, doing business as _____(Business Name) (Name of Individual)

Business Mailing Address: ______(Mailing Address)

Page 2 of 2





Name of Corporation, Partnership, or Joint Venture:

1)	Name of Partnership, J	oint Venture or Corpor	ation)
Business Mailing Address:	(Address)	(Signatur	(L.S.) re and Position or Title of Officer red to Sign Bids and Contracts for Firm
Business Mailing Address:			(L.S.)
Business Mailing	(Address)	, 0	e and Position or Title of Officer red to Sign Bids and Contracts for Firm
Address:			(L.S.) e and Position or Title of Officer sed to Sign Bids and Contracts for Firm
	(Address)		Ü
(Corporate Seal) Attest:			State under the laws of which the ion was chartered:
(Secretary)			(State)
(Corporate Seal) Attest:			State under the laws of which the ion was chartered:
(Secretary)			(State)
		SURETY: _	
			(Name of Surety)
		BY (AGENT):	(Attorney in Fact)
	AGI	ENT'S ADDRESS:	
			(Mailing Address)

NOTICE: Valid Power of Attorney Must Be Attached.





INSURANCE REQUIREMENTS

The Contractor, at its sole expense, shall obtain and maintain in full force the following insurance to protect the Contractor and the County Commission of Bibb County, Alabama (CCBC) at limits and coverages specified below. These limits and coverages specified are the minimum to be maintained and are not intended to represent the correct insurance needed to fully and adequately protect the Contractor. The requirements shown for "large projects" are for those projects whose bid are greater than or equal to \$250,000. The requirements shown for "small projects" are for those with bids less than \$250,000.

All insurance will be provided by insurers licensed to conduct business in the State of Alabama and shall have a minimum A.M. Best rating of A- VII and must be acceptable to the CCBC. Self-insured plans and/or group funds not having an A.M. Best rating must be submitted to the CCBC for prior approval.

No work shall be performed until proof of compliance with the insurance requirements has been received by the CCBC.

(a) Worker's Compensation and Employers Liability

Part One: Statutory Benefits as required by the State of Alabama

Part Two: Employers Liability

	Large <u>Projects</u>	Small <u>Projects</u>
Each Accident	\$3,000,000	\$500,000
Each Employee	\$3,000,000	\$500,000
Policy Limit	\$3,000,000	\$500,000

- U. S. Longshoremen & Harborworkers' Act (USL&H) Required if contract involves work near a navigable waterway that may be subject to the USL&H law.
- ii. Maritime Endorsement (Jones Act) –
 Endorsement required if contract involves the use of a Vessel.
 Or include coverage for "Master or Members or Crew" under "Protection and Indemnity" coverage

Bidder's	Initiale	
biader s	miniais:	





Insurance Requirements
Page 2 of 4

	Large <u>Projects</u>	Small <u>Projects</u>
Bodily Injury by accident (Each Accident)	\$3,000,000	\$500,000
Bodily Injury by disease (Aggregate)	\$3,000,000	\$500,000

(b) Commercial General Liability

Coverage on an Occurrence form with a combined single limit (Bodily Injury and Property Damage combined) as follows:

	Large <u>Projects</u>	Small <u>Projects</u>
Each Occurrence	\$3,000,000	\$500,000
Personal and Advertising Injury	\$3,000,000	\$500,000
Products/completed	\$3,000,000	\$500,000
Operation Aggregate		
General Aggregate	\$3,000,000	\$500,000

- Coverage to include:
 - Premises and operations
 - Personal Injury and Advertising Injury
 - Independent Contractors
 - Blanket Contractual Liability
 - Explosion, Collapse and Underground hazards
 - Broad Form Property Damage
 - Products/Completed Operations This shall remain in effect for 24 months beyond completion and acceptance by owner of the project, whichever is later.
 - Railroad Protective Liability Insurance if work involves construction, demolition or maintenance operations on or within 50 feet of a railroad.
- The contractor shall name the CCBC, its officers, appointees, employees, and agents as additional insured for claims arising out of the Contractors and/or Subcontractors work. The ISO Form CG 20 10 11 85 or a comparable form that is no more restrictive shall be required. The Additional Insured form MUST include

Bidder's	Initiale	
biader s	miniais:	





Insurance Requirements
Page 3 of 4

the current Operations and Products/Completed Operations of the contractor. The naming of the additional insured does not obligate the additional insured to pay any premiums due.

- Aggregate limits to be on a "per project" basis OR an Owners and Contractors
Protective Liability Policy shall be provided in the name of CCBC, the contractor
and Subcontractors. Limits to be the same as above Commercial General Liability.

(c) Automobile Liability

Covering all Owned, Non-Owned, and Hired vehicles with a Combined single limit (bodily injury and property damage combined) of \$3,000,000 each accident for **large** projects and \$500,000 for **small** projects. The policy shall name CCBC its officers, appointees, employees, and agents as an Additional Insured.

(d) Protection and Indemnity Insurance

If the contract involves work aboard an Owned, Non-Owned or Hired Vessel, Liability coverage in the amount of \$3,000,000 per occurrence shall be maintained.

(d) Indemnification and Liability

Under this section the term County shall include Bibb County, the Bibb County Commission, the officers, appointees, department heads, agents, and employees of the Bibb County Commission

The County shall not be liable for any injury to the person or property of any person, firm, or corporation resulting directly or indirectly from Contractor's performance of this Contract, and the Contractor assumes full and complete responsibility therefore.

The Contractor shall further indemnify the County and hold the County safe and harmless from any and all liability, lawsuits, judgments, attorney fees, and other costs incurred by the County in defending any claim or lawsuit made against the County by any person, firm, or corporation arising directly or indirectly out of the Contractor's work performed pursuant to this contract or any breach or alleged breach of duty or responsibility of the Contractor under the scope of this contract; the Contractor shall

ь.	1 1	,	T		
Вı	dd	er's	Initia	ls:	





Insurance Requirements
Page 4 of 4

not be responsible for indemnifying the County for claims arising from the engineering or design decisions of the County or claims that are unrelated to the scope of the Contractor's work.

Waiver of Subrogation

The Workers Compensation Policy shall contain a Waiver of Subrogation in favor of the CCBC, its officers, appointees, employees, and agents.

Certificate of Insurance

A Certificate of Insurance evidencing the above minimum requirements must be provided to and accepted by the CCBC PRIOR to commencement of any work on the contract. Each policy shall be endorsed by the issuing insurer to provide thirty (30) days prior written notice of cancellation to the CCBC.

Bidder's Initials: _____





END OF PROPOSAL

Bidder's Initials: _____

Bid Items Bibb County Project Number: BCP 04-01-25

Rebuild Alabama Resurfacing of Cahaba River Dr & Bulldog Bend Rd

401B-108 Bituminous Treatment G (With Polymer Additive) 131,000 Square Yard	Item No.	Item Description	Quantity	<u>Unit</u>	<u>Unit Price</u>	Bid Amount
424A-340 Superpave Bituminous Concrete Wearing Surface Layer, 11,300 Ton 1/2" Maximum Aggregate Size Mix, ESAL Range A/B 3,200 Ton Ton Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B 424B-640 Superpave Bituminous Concrete Upper Binder Layer, 8,350 Ton 424B-642 Superpave Bituminous Concrete Upper Binder Layer, 8,350 Ton 424B-648 Superpave Bituminous Concrete Upper Binder Layer, 750 Ton 424B-648 Superpave Bituminous Concrete Upper Binder Layer, 750 Ton 430B-043 Aggregate Size Mix, ESAL Range A/B 424B-648 Superpave Bituminous Concrete Upper Binder Layer, 750 Ton 430B-043 Aggregate Surfacing (1" Down, Crusher Run) 3,200 Ton 500A-000 Mobilization 1 Lump Sum 665J-002 Sit Pence 3,000 Linear Foot 6650-001 Sit Fence Removal 3,000 Linear Foot 6650-001 Sit Fence Removal 3,000 Linear Foot 698A-000 Construction Fuel (Maximum Bid Limited To S 1 Lump Sum 701A-301 Solid White, Class III, Type A Traffic Stripe 21 Mile 701A-309 Solid Vellow, Class III, Type A Traffic Stripe 17 Mile 701A-310 Broken Yellow, Class III, Type A Traffic Stripe 3 Mile 701C-000 Broken Temporary Traffic Stripe 49 Mile 701C-010 Solid Temporary Traffic Stripe 49 Mile 701G-148 Solid White, Class W, Type A Traffic Stripe 1,042 Linear Foot 701G-148 Solid White, Class W, Type A Traffic Stripe 245 Linear Foot 701G-152 Solid Yellow, Class W, Type A Traffic Stripe 79 Linear Foot 703A-004 Traffic Control Markings, Class 2T, Type A 994 Square Foot 703A-004 Traffic Control Markings, Class 2T, Type A 994 Square Foot 705A-032 Pavement Markers, Class A-H, Type 1-B 120 Each 705A-032 Pavement Markers, Class A-H, Type 2-D 812 Each 705D-000 Construction Signs 880 Square Foot 700C-000 700C-000	401B-108	Bituminous Treatment G (With Polymer Additive)	131,000	Square Yard		
1/2" Maximum Aggregate Size Mix, ESAL Range A/B		, ,	20,000	Gallon		
424B-640 Superpave Bituminous Concrete Upper Binder Layer, 3,200 Ton Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B 424B-642 Superpave Bituminous Concrete Upper Binder Layer, 8,350 Ton Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B 424B-648 Superpave Bituminous Concrete Upper Binder Layer, 750 Ton Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B 430B-043 Aggregate Surfacing (1" Down, Crusher Run) 3,200 Ton 600A-000 Mobilization 1 Lump Sum 665J-002 Silt Fence 3,000 Linear Foot 6650-001 Silt Fence Removal 3,000 Linear Foot 698A-000 Construction Fuel (Maximum Bid Limited To \$ 1 Lump Sum 701A-301 Solid White, Class 1H, Type A Traffic Stripe 21 Mile 701A-303 Solid Yellow, Class 1H, Type A Traffic Stripe 3 Mile 701C-000 Broken Temporary Traffic Stripe 7 Mile 701C-001 Solid Temproary Traffic Stripe 49 Mile 701G-148 Broken Yellow, Class W, Type A Traffic Stripe <	424A-340	Superpave Bituminous Concrete Wearing Surface Layer,	11,300	Ton		
Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B		1/2" Maximum Aggregate Size Mix, ESAL Range A/B				
424B-642 Superpave Bituminous Concrete Upper Binder Layer, 8,350 Ton Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B 1 1 424B-648 Superpave Bituminous Concrete Upper Binder Layer, 750 Ton Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B 430B-043 Aggregate Surfacing (1" Down, Crusher Run) 3,200 Ton 600A-000 Mobilization 1 Lump Sum 665J-002 Silt Fence 3,000 Linear Foot 665D-001 Silt Fence Removal 3,000 Linear Foot 698A-000 Construction Fuel (Maximum Bid Limited To \$ 1 Lump Sum 701A-301 Solid White, Class 1H, Type A Traffic Stripe 21 Mile 701A-301 Solid Yellow, Class 1H, Type A Traffic Stripe 17 Mile 701A-310 Broken Yellow, Class 1H, Type A Traffic Stripe 3 Mile 701A-310 Broken Temporary Traffic Stripe 7 Mile 701C-001 Solid White, Class W, Type A Traffic Stripe 49 Mile 701G-144 Solid White, Class W, Type A Traffic Stripe 1,042 Linear Foot 701G-148 Linear Foot 701G-148 Broken Yellow, Class W, Type A Traffic Stripe	424B-640	Superpave Bituminous Concrete Upper Binder Layer,	3,200	Ton		
Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B		Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B				
424B-648 Superpave Bituminous Concrete Upper Binder Layer, 750 Ton Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B 430B-043 Aggregate Surfacing (1" Down, Crusher Run) 3,200 Ton 600A-000 Mobilization 1 Lump Sum 665J-002 Silt Fence 3,000 Linear Foot 698A-000 Construction Fuel (Maximum Bid Limited To \$ 1 Lump Sum 701A-301 Solid White, Class 1H, Type A Traffic Stripe 21 Mile 701A-309 Solid Yellow, Class 1H, Type A Traffic Stripe 17 Mile 701C-000 Broken Yellow, Class 1H, Type A Traffic Stripe 3 Mile 701C-010 Bolid Temproary Traffic Stripe 7 Mile 701G-144 Solid White, Class W, Type A Traffic Stripe 49 Mile 701G-148 Broken Yellow, Class W, Type A Traffic Stripe 1,042 Linear Foot 701G-152 Solid Yellow, Class W, Type A Traffic Stripe 245 Linear Foot 703A-004 Traffic Control Markings, Class 2T, Type A 994 Square Foot 705A-032 Pavement Markers, Class A-H, Type 1-B 120 Each <tr< td=""><td>424B-642</td><td>Superpave Bituminous Concrete Upper Binder Layer,</td><td>8,350</td><td>Ton</td><td></td><td></td></tr<>	424B-642	Superpave Bituminous Concrete Upper Binder Layer,	8,350	Ton		
Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B		Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B				
430B-043 Aggregate Surfacing (1" Down, Crusher Run) 3,200 Ton 600A-000 Mobilization 1 Lump Sum 665J-002 Silt Fence 3,000 Linear Foot 665O-001 Silt Fence Removal 3,000 Linear Foot 698A-000 Construction Fuel (Maximum Bid Limited To \$ 1 Lump Sum 701A-301 Solid White, Class 1H, Type A Traffic Stripe 21 Mile 701A-309 Solid Yellow, Class 1H, Type A Traffic Stripe 17 Mile 701A-310 Broken Yellow, Class 1H, Type A Traffic Stripe 3 Mile 701C-000 Broken Temporary Traffic Stripe 7 Mile 701C-001 Solid Temproary Traffic Stripe 49 Mile 701G-144 Solid White, Class W, Type A Traffic Stripe 1,042 Linear Foot 701G-148 Broken Yellow, Class W, Type A Traffic Stripe 245 Linear Foot 703A-004 Traffic Control Markings, Class 2T, Type A 994 Square Foot 705A-032 Pavement Markers, Class A-H, Type 1-B 120 Each 705B-000 Construction Signs 880 Square Foot	424B-648	Superpave Bituminous Concrete Upper Binder Layer,	750	Ton		
600A-000 Mobilization 1 Lump Sum 665J-002 Silt Fence 3,000 Linear Foot 665O-001 Silt Fence Removal 3,000 Linear Foot 698A-000 Construction Fuel (Maximum Bid Limited To \$ 1 Lump Sum 701A-301 Solid White, Class 1H, Type A Traffic Stripe 21 Mile 701A-309 Solid Yellow, Class 1H, Type A Traffic Stripe 17 Mile 701A-310 Broken Yellow, Class 1H, Type A Traffic Stripe 3 Mile 701C-000 Broken Temporary Traffic Stripe 7 Mile 701C-001 Solid Temporary Traffic Stripe 49 Mile 701G-144 Solid White, Class W, Type A Traffic Stripe 1,042 Linear Foot 701G-148 Broken Yellow, Class W, Type A Traffic Stripe 245 Linear Foot 701G-152 Solid Yellow, Class W, Type A Traffic Stripe 797 Linear Foot 703A-004 Traffic Control Markings, Class 2T, Type A 994 Square Foot 705A-032 Pavement Markers, Class A-H, Type 1-B 120 Each 740B		Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B				
665J-002 Silt Fence 3,000 Linear Foot 6650-001 Silt Fence Removal 3,000 Linear Foot 698A-000 Construction Fuel (Maximum Bid Limited To \$ 1 Lump Sum 701A-301 Solid White, Class 1H, Type A Traffic Stripe 21 Mile 701A-309 Solid Yellow, Class 1H, Type A Traffic Stripe 17 Mile 701A-310 Broken Yellow, Class 1H, Type A Traffic Stripe 3 Mile 701C-000 Broken Temporary Traffic Stripe 7 Mile 701C-001 Solid Temproary Traffic Stripe 49 Mile 701G-144 Solid White, Class W, Type A Traffic Stripe 1,042 Linear Foot 701G-148 Broken Yellow, Class W, Type A Traffic Stripe 245 Linear Foot 701G-152 Solid Yellow, Class W, Type A Traffic Stripe 797 Linear Foot 703A-004 Traffic Control Markings, Class 2T, Type A 994 Square Foot 705A-032 Pavement Markers, Class A-H, Type 1-B 120 Each 705A-037 Pavement Markers, Class A-H, Type 2-D 812 Each	430B-043	Aggregate Surfacing (1" Down, Crusher Run)	3,200	Ton		
6650-001 Silt Fence Removal 3,000 Linear Foot 698A-000 Construction Fuel (Maximum Bid Limited To \$ 1 Lump Sum 701A-301 Solid White, Class 1H, Type A Traffic Stripe 21 Mile 701A-309 Solid Yellow, Class 1H, Type A Traffic Stripe 17 Mile 701A-310 Broken Yellow, Class 1H, Type A Traffic Stripe 3 Mile 701C-000 Broken Temporary Traffic Stripe 7 Mile 701C-01 Solid Temproary Traffic Stripe 49 Mile 701G-144 Solid White, Class W, Type A Traffic Stripe 1,042 Linear Foot 701G-148 Broken Yellow, Class W, Type A Traffic Stripe 245 Linear Foot 701G-152 Solid Yellow, Class W, Type A Traffic Stripe 797 Linear Foot 703A-004 Traffic Control Markings, Class 2T, Type A 994 Square Foot 705A-032 Pavement Markers, Class A-H, Type 1-B 120 Each 705A-037 Pavement Markers, Class A-H, Type 2-D 812 Each 740B-000 Construction Signs 880 Square Foot 740E-000 Cones (36 Inches High) 50	600A-000	Mobilization	1	Lump Sum		
698A-000 Construction Fuel (Maximum Bid Limited To \$ 1 Lump Sum 701A-301 Solid White, Class 1H, Type A Traffic Stripe 21 Mile 701A-309 Solid Yellow, Class 1H, Type A Traffic Stripe 17 Mile 701A-310 Broken Yellow, Class 1H, Type A Traffic Stripe 3 Mile 701C-000 Broken Temporary Traffic Stripe 7 Mile 701C-001 Solid Temporary Traffic Stripe 49 Mile 701C-101 Solid White, Class W, Type A Traffic Stripe 1,042 Linear Foot 701G-144 Solid White, Class W, Type A Traffic Stripe 245 Linear Foot 701G-148 Broken Yellow, Class W, Type A Traffic Stripe 245 Linear Foot 701G-152 Solid Yellow, Class W, Type A Traffic Stripe 797 Linear Foot 703A-004 Traffic Control Markings, Class 2T, Type A 994 Square Foot 705A-032 Pavement Markers, Class A-H, Type 1-B 120 Each 705A-037 Pavement Markers, Class A-H, Type 2-D 812 Each 740B-000 Construction Signs 880 Square Foot 740E-000 Cones (36 Inches High) 50 Each	665J-002	Silt Fence	3,000	Linear Foot		
701A-301Solid White, Class 1H, Type A Traffic Stripe21Mile701A-309Solid Yellow, Class 1H, Type A Traffic Stripe17Mile701A-310Broken Yellow, Class 1H, Type A Traffic Stripe3Mile701C-000Broken Temporary Traffic Stripe7Mile701C-001Solid Temproary Traffic Stripe49Mile701G-144Solid White, Class W, Type A Traffic Stripe1,042Linear Foot701G-148Broken Yellow, Class W, Type A Traffic Stripe245Linear Foot701G-152Solid Yellow, Class W, Type A Traffic Stripe797Linear Foot703A-004Traffic Control Markings, Class 2T, Type A994Square Foot705A-032Pavement Markers, Class A-H, Type 1-B120Each705A-037Pavement Markers, Class A-H, Type 2-D812Each740B-000Construction Signs880Square Foot740E-000Cones (36 Inches High)50Each	6650-001	Silt Fence Removal	3,000	Linear Foot		
701A-309Solid Yellow, Class 1H, Type A Traffic Stripe17Mile701A-310Broken Yellow, Class 1H, Type A Traffic Stripe3Mile701C-000Broken Temporary Traffic Stripe7Mile701C-001Solid Temproary Traffic Stripe49Mile701G-144Solid White, Class W, Type A Traffic Stripe1,042Linear Foot701G-148Broken Yellow, Class W, Type A Traffic Stripe245Linear Foot701G-152Solid Yellow, Class W, Type A Traffic Stripe797Linear Foot703A-004Traffic Control Markings, Class 2T, Type A994Square Foot705A-032Pavement Markers, Class A-H, Type 1-B120Each705A-037Pavement Markers, Class A-H, Type 2-D812Each740B-000Construction Signs880Square Foot740E-000Cones (36 Inches High)50Each	698A-000	Construction Fuel (Maximum Bid Limited To \$	1	Lump Sum		
701A-310Broken Yellow, Class 1H, Type A Traffic Stripe3Mile701C-000Broken Temporary Traffic Stripe7Mile701C-001Solid Temproary Traffic Stripe49Mile701G-144Solid White, Class W, Type A Traffic Stripe1,042Linear Foot701G-148Broken Yellow, Class W, Type A Traffic Stripe245Linear Foot701G-152Solid Yellow, Class W, Type A Traffic Stripe797Linear Foot703A-004Traffic Control Markings, Class 2T, Type A994Square Foot705A-032Pavement Markers, Class A-H, Type 1-B120Each705A-037Pavement Markers, Class A-H, Type 2-D812Each740B-000Construction Signs880Square Foot740E-000Cones (36 Inches High)50Each	701A-301	Solid White, Class 1H, Type A Traffic Stripe	21	Mile		
701C-000Broken Temporary Traffic Stripe7Mile701C-001Solid Temproary Traffic Stripe49Mile701G-144Solid White, Class W, Type A Traffic Stripe1,042Linear Foot701G-148Broken Yellow, Class W, Type A Traffic Stripe245Linear Foot701G-152Solid Yellow, Class W, Type A Traffic Stripe797Linear Foot703A-004Traffic Control Markings, Class 2T, Type A994Square Foot705A-032Pavement Markers, Class A-H, Type 1-B120Each705A-037Pavement Markers, Class A-H, Type 2-D812Each740B-000Construction Signs880Square Foot740E-000Cones (36 Inches High)50Each	701A-309	Solid Yellow, Class 1H, Type A Traffic Stripe	17	Mile		
701C-001Solid Temproary Traffic Stripe49Mile701G-144Solid White, Class W, Type A Traffic Stripe1,042Linear Foot701G-148Broken Yellow, Class W, Type A Traffic Stripe245Linear Foot701G-152Solid Yellow, Class W, Type A Traffic Stripe797Linear Foot703A-004Traffic Control Markings, Class 2T, Type A994Square Foot705A-032Pavement Markers, Class A-H, Type 1-B120Each705A-037Pavement Markers, Class A-H, Type 2-D812Each740B-000Construction Signs880Square Foot740E-000Cones (36 Inches High)50Each	701A-310	Broken Yellow, Class 1H, Type A Traffic Stripe		Mile		
701G-144Solid White, Class W, Type A Traffic Stripe1,042Linear Foot701G-148Broken Yellow, Class W, Type A Traffic Stripe245Linear Foot701G-152Solid Yellow, Class W, Type A Traffic Stripe797Linear Foot703A-004Traffic Control Markings, Class 2T, Type A994Square Foot705A-032Pavement Markers, Class A-H, Type 1-B120Each705A-037Pavement Markers, Class A-H, Type 2-D812Each740B-000Construction Signs880Square Foot740E-000Cones (36 Inches High)50Each	701C-000	Broken Temporary Traffic Stripe	7	Mile		
701G-148Broken Yellow, Class W, Type A Traffic Stripe245Linear Foot701G-152Solid Yellow, Class W, Type A Traffic Stripe797Linear Foot703A-004Traffic Control Markings, Class 2T, Type A994Square Foot705A-032Pavement Markers, Class A-H, Type 1-B120Each705A-037Pavement Markers, Class A-H, Type 2-D812Each740B-000Construction Signs880Square Foot740E-000Cones (36 Inches High)50Each	701C-001	Solid Temproary Traffic Stripe	49	Mile		
701G-152Solid Yellow, Class W, Type A Traffic Stripe797Linear Foot703A-004Traffic Control Markings, Class 2T, Type A994Square Foot705A-032Pavement Markers, Class A-H, Type 1-B120Each705A-037Pavement Markers, Class A-H, Type 2-D812Each740B-000Construction Signs880Square Foot740E-000Cones (36 Inches High)50Each	701G-144	Solid White, Class W, Type A Traffic Stripe	1,042	Linear Foot		
703A-004Traffic Control Markings, Class 2T, Type A994Square Foot705A-032Pavement Markers, Class A-H, Type 1-B120Each705A-037Pavement Markers, Class A-H, Type 2-D812Each740B-000Construction Signs880Square Foot740E-000Cones (36 Inches High)50Each	701G-148	Broken Yellow, Class W, Type A Traffic Stripe	245	Linear Foot		
705A-032Pavement Markers, Class A-H, Type 1-B120Each705A-037Pavement Markers, Class A-H, Type 2-D812Each740B-000Construction Signs880Square Foot740E-000Cones (36 Inches High)50Each	701G-152	Solid Yellow, Class W, Type A Traffic Stripe	797	Linear Foot		
705A-037Pavement Markers, Class A-H, Type 2-D812Each740B-000Construction Signs880Square Foot740E-000Cones (36 Inches High)50Each	703A-004	Traffic Control Markings, Class 2T, Type A	994	Square Foot		
740B-000 Construction Signs880 Square Foot740E-000 Cones (36 Inches High)50 Each	705A-032	Pavement Markers, Class A-H, Type 1-B	120	Each		
740E-000 Cones (36 Inches High) 50 Each	705A-037	Pavement Markers, Class A-H, Type 2-D	812	Each		
		<u> </u>	880	Square Foot		
7400-000 Pilot Car 1 Each	740E-000	Cones (36 Inches High)	50	Each		
	7400-000	Pilot Car	1	Each		

|--|

Required Constrtuction Signs 740B-000

	Constructioin Signs		MUTCD	Drawing	g Number	
Location	Quantity	Size	SQ FT	Number		
	2	48" x 24"	16	G20-1	SHS-30	HIS-710-12
	2	48" x 24"	16	G20-2	SHS-31	HIS-710-21
	2	48" x 48"	32	W20-1	SHS-29	HIS-710-23
	2	48" x 48"	32	W20-4	SHS-29	TCD-100
Melvin Cutoff	2	48" x 48"	32	W20-7	SHS-29	
Road	2	48" x 48"	32	W 8-11	SHS-28]
	2	48" x 48"	32	W 8-17	SHS-28	
	2	48" x 60"	40	R16-3	SHS-10	
	2	48" x 48"	32	R16-3A	SHS-10	
	2	66" x 30"	27.5	RA-1	SHS-10	
Pin Oak Rd	1	36" x 36"	9	★ W20-1	SHS-29	
Bonner Town Rd	1	36" x 36"	9	★ W20-1	SHS-29	
Kyta Rd	1	36" x 36"	9	★ W20-1	SHS-29]
Melvin Rd	2	48" x 48"	32	★ W20-1	SHS-29	
Needham Rd	2	48" x 48"	32	★ W20-1	SHS-29	

Subtotal 382.5 Total 383

Place As Directed By The Engineer

[★] Traffic Control Plan Note - Road Work 500' (36"x36" low volume, 48"x48" expressway

Name

Road Work Next X Miles
End Road Work
Road Work 1500'
One Lane Road 1000'
Flagman (Symbol)
Uneven Lanes
Shoulder Drop Off (Symbol)
Begin Higher Fines
End Higher Fines
Rebuild Alabama
Road Work 500'

y/freeway)