

INVITATION TO BID HEAVY EQUIPMENT

NOTICE OF BID OPENING

NOTICE IS HEREBY GIVEN that the Association of County Commissions of Alabama, which administers the Alabama County Joint Bid Program on behalf of Alabama's county governing bodies, shall receive and open bids for the purchase of zero (0) or more items of heavy road equipment at its office located at 2 North Jackson Street, Montgomery, Alabama, at 10:00 a.m. on Tuesday, November 18, 2025. Bid specifications are available at <http://www.alabamacounties.org/heavy-equipment/> for each of the following items:

Track Mount Excavators
Compact Excavators
Mini Track Excavators
Wheeled Excavators
Highway Speed Truck Excavators
Motor Graders
Wheel Loaders
Heavy Duty Dump Chassis
Lowboy Tractors
Lowboy Trailers
Half Round End Dump
Skid Steer Loader and Attachments
Ride-on Industrial Boom Mowers
Rubber Tire Roller
Vibratory Roller

One-man Pothole Patchers
Trailer Mount Mastic Patcher/Crack Sealer
Trailer Mounted Patcher – Diesel
Trailer Mounted Patcher – Air Compressor/Tools
Chip Spreader
Asphalt Distributor
Asphalt Milling Attachments
Asphalt Storage Tanks
Backhoes
Bulldozers
Dump Bodies
Road Wideners
Ride On Industrial Boom Mowers

Time is of the essence in submitting bids and only bids received in the Association office by 10:00 a.m. Central Time on Tuesday, November 18, 2025 will be opened and considered. Bidders and any other interested individuals are invited to attend the bid opening.

NOTICE OF BID OPENING PROCEDURES

All bids for Heavy Equipment will be opened and the name(s) of the bidders read aloud on the morning of the bid opening on Tuesday, November 18, 2025 at 10:00 a.m. at 2 North Jackson Street, Montgomery, AL. The specifics of each bid submitted will be compiled by the Association staff thereafter and will be available, upon written or emailed request, one week after the bid opening. Requests should be emailed to jointbid@alabamacounties.org.

THE INVITATION PACKAGE

The invitation package for each item to be bid includes: this invitation to bid, the written bid specifications for the particular item of heavy road equipment, and a Bid Submittal Form to be used in submitting a bid for that particular item. Bidders should verify that they have received all pages of the invitation package. If there are any omissions, the bidder should contact Kenya Howard in the Association office by mail, fax, or e-mail (jointbid@alabamacounties.org) to request missing pages. It is the responsibility of the bidder to make this request in sufficient time to prepare and submit the bid in time for the bid opening. Bidders should carefully read and comply with all parts of the invitation package, including all attachments and/or any addendum.

PREPARING AND SUBMITTING BIDS

All bids must be typed or handwritten in ink on the attached Bid Submittal Form. The completed Bid Submittal Form shall be placed in front of and separated from all other documents included in the bid packet, such that it will be the first document viewed upon opening the bid packet.

Bids submitted in pencil and bids not submitted on the Bid Submittal Form *will not* be considered. All bids shall include a current catalog or model specification document for the equipment model number being offered for consideration. Bids submitted without such documentation *will not* be considered. Only information contained on the attached Bid Submittal Form and in the model specification document will be considered in evaluating bids.

Each separate requirement in the bid specification includes a block for indicating whether or not the item bid meets the specification. The bidder shall indicate compliance with each requirement by checking "Yes" or "No" in the block to the right of each bid specification. In addition, the bidder shall indicate the page number in the supplied manufacturer's equipment literature on which compliance with the specification can be verified. Failure to complete this portion of the bid form may result in the subject bid not being considered.

Each bid for one of the heavy equipment items included in the bid package must be submitted on the Bid Submittal Form for that item and forwarded in a separate envelope with the bid item and item number clearly identified on the outside of the envelope. Envelopes containing a "no bid" shall also include the words "NO BID" on the outside of the envelope. Facsimiles and e-mails will not be accepted. Bids submitted by "Express/Overnight" services must be in a separate inner envelope or package sealed and identified as stated above. All bids must be received in the Association office prior to the bid opening. Bids received after the deadline will be returned unopened.

The County Joint Bid Program reserves the right to require a performance bond from successful bidders as permitted under Alabama law. However, no bid bond is required for this bid offering.

All bids should be mailed or hand-delivered to:

ATTN: Alabama County Joint Bid Program
Association of County Commissions of Alabama or ACCA
2 North Jackson Street, FL 7, Montgomery, Alabama 36104 (Physical Address)
P.O. Box 5040, Montgomery, Alabama 36103 (Mailing Address)

BID SPECIFICATIONS

Please note that each piece of heavy equipment available for bid may include several different sizes and categories of machines. You should read each set of specifications very carefully as the differences vary depending upon the piece and size of equipment.

The award will be based on the total cost of the Standard Machine bid by the lowest responsible bidder. Each Bid shall include a Manufacturer's Suggested Retail Price Sheet (MSRP) for each machine bid. The percent difference between the Manufacturer's Suggested Retail Price (MSRP) for the standard machine as specified by these bid specifications and the actual price bid by the vendor will be calculated and that percentage discount shall be applied to any options an individual county may choose to add to the machine.

Both parties agree that the Vendor SHALL extend to ALL counties purchasing this equipment any factory discounts, incentives or rebates that become available during the Contract Period; provided that there are no alterations from the bid specifications for this item required in order to receive the discount, incentive, or rebate. FURTHER, BOTH PARTIES AGREE THAT THE VENDOR SHALL EXTEND TO ALL COUNTIES PURCHASING THIS EQUIPMENT THE SAME PURCHASE PRICE AND DISCOUNTS AS THEY ARE AWARDED ON ANY OTHER NATIONAL PURCHASING COOPERATIVE APPROVED BY THE DEPARTMENT OF EXAMINERS OF PUBLIC ACCOUNTS FOR USE BY ALABAMA COUNTIES.

Once the bids have been awarded, any county participant purchasing under this program may, at its discretion, add any of the vendor's available options at the same discount off the Manufacturer's Suggested Retail Price Sheet as was applied to the Standard Machine Price Bid.

Any use of specific names and/or model numbers in the attached specifications is not intended to restrict the bidder or any seller or manufacturer, but is included solely for the purpose of indicating the type, size, and quality of materials, product services, or equipment considered best adapted to the use of the counties participating in the joint bid program.

ACQUISITION AND FINANCING OPTIONS

The awarded Vendor will provide the equipment, including any options required by the purchaser, at the awarded price as contracted through the Joint Bid Program. The purchaser may secure its own financing to acquire the equipment or execute any financial options available under Alabama law with the awarded Vendor in order to acquire the equipment.

BIDDER QUALIFICATIONS

All bidders and all program participants must be in compliance with any applicable federal, state, county and municipal laws, regulations, resolutions and ordinances, including but not limited to, licensing, permitting, and taxation requirements. All bidders should be prepared to submit evidence or documentation as proof that they are properly licensed and permitted under any applicable laws upon request. Such evidence or documentation may be submitted with the bid. Additionally, all bidders shall provide proof that they are in compliance with the E-Verify requirements of Alabama's Immigration Law (Ala. Code § 31-13-1 *et seq.*). All bidders shall also affirm that they are in compliance with, and will comply with, Alabama's anti-boycott law (Ala. Code § 41-16-5) and anti-economic boycott law (Ala. Code § 41-16-160 *et seq.*).

BID AWARD

The Houston County Commission will serve as the awarding authority for all bids and will award all contracts at a regular meeting of the Houston County Commission. Any and all bids submitted in compliance with this invitation to bid shall be considered, and award will be made to the lowest responsible bidder meeting bid specifications as determined by the awarding authority in compliance with Alabama law. All bids will be reviewed and evaluated by a committee created for that purpose, which committee will make comments and recommendations to the awarding authority regarding the award. All factors contained in each invitation package will be evaluated in determining the successful bidder, and any omissions of the stated requirements may be cause for rejection of the bid submitted. The awarding authority reserves the right to reject any and all bids, to waive any informality in bids, and to accept in whole or in part such bid or bids solely at its discretion.

The contract period will be six (6) months with an option to renew each six (6) months not to exceed a period of three (3) years under identical price, terms, and conditions upon the mutual consent of the vendor and the awarding authority. Any renewal contract shall be approved in writing by the vendor and the awarding authority no later than 60 days prior to the expiration of the existing contract.

CONTACT REGARDING BIDS AND INVITATION

Contact initiated by a potential bidder with any county official, county employee, or member of the Association staff shall only be as specifically set out in this Invitation to Bid. Any questions related to the bid or the County Joint Bid Program shall be directed to Association staff in writing under the procedures set out in this Invitation to Bid. Additionally, a bidder may contact the Association in writing to request an appointment to review bid specifications following the bid opening. However, there shall be no communication with any county official or county employee regarding this bid between the date of this invitation and the date of bid award. Any contact other than as set out here shall be deemed as an attempt to unduly influence the bid award, and shall be grounds for rejection of the bid submitted by the bidder initiating such other contact.

Any questions or problems related to downloading or obtaining copies of this Invitation to Bid should be directed to Kenya Howard at jointbid@alabamacounties.org or 334-263-7594.

Any other questions or requests for additional information regarding this invitation or the bid specifications shall be submitted in writing no later than five (5) days prior to bid opening to:

ATTN: Patrick McDougald
Association of County Commissions of Alabama
P.O. Box 5040
Montgomery, Alabama 36104

OR

Patrick McDougald
Email: pattymackdaddy@gmail.com

BID SUBMITTAL FORM
Alabama County Joint Bid Program
BID ITEM – ASPHALT MILLING ATTACHMENT- OPTION B – 36/48 INCH

Company Name: _____

Address: _____

Bid Submitted by: _____
(Name of company representative)

Title: _____ E-mail address: _____

Phone: _____ Fax: _____

By submitting this bid, we agree:	Initials
The equipment model number identified below meets the bid specs for this bid item	_____
That the bid price will be honored for all counties for the period from January 1, 2026 to June 30, 2026.	_____
The equipment will be delivered at the bid price to all counties participating in the joint bid program	_____
The company representative listed above will be the contact person for purchasing this bid item under the joint bid program	_____
The bid is accompanied by a current catalog or model specification document for the model number identified below	_____
The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications	_____
The bid includes the E-Verify documentation required by Alabama law	_____
We comply with, and if awarded the contract, we will comply with, the requirements of Section 41-16-50 and Sections 41-16-160 to -166, Code of Alabama 1975.	_____
If awarded the bid, a performance bond will be provided upon request	_____
The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine	_____

BID SUBMITTAL FORM: OPTION COST SHEET ASPHALT MILLING ATTACHMENT- OPTION B – 36/48 INCH

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine* _____

The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) with any available Options for the Standard Machine _____

Equipment Model #: _____

Description: _____

Signature of company representative submitting bid: _____

Title: _____

***Note:** The percent difference between the Manufacturer's Suggested Retail Price Sheet (MSRP) for the standard machine as specified by these **Bid Specifications** and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation, delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.

ASPHALT MILLING ATTACHMENT- OPTION B – 36/48 INCH

Total Bid Price for Standard Machine: \$ _____ (Tier 4) – 36 inches
(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ _____
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ _____

Equipment Model #: _____

Description: _____

Signature of company representative submitting bid: _____

Title: _____

Total Bid Price for Standard Machine: \$ _____ (Tier 4) – 48 inches
(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ _____
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ _____

Equipment Model #: _____

Description: _____

Signature of company representative submitting bid: _____

Title: _____

***NOTE:** Award will be made based on the total cost of the Standard Machine. The total cost of the standard machine is to include freight preparation, delivery and standard warranty cost. Freight preparation and delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

BID SPECIFICATIONS FOR ASPHALT MILLING ATTACHMENT-OPTION B – 36/48 INCH

GENERAL

These specifications shall be construed as the minimum acceptable standards for a diesel-powered portable asphalt milling-recycling attachment, which attaches to the front of a backhoe/loader by way of the bucket, and shall be complete with a trailer specifically designed to transport the unit from one job to the next. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturers' equipment. The portable asphalt milling-recycling attachment must be a new current production model and must meet all current EPA and other Federal standards.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

MANUALS

Each unit shall be provided with one (1) copy of the operator's / owner's manual. Units will not be accepted for delivery until the manual as outlined above is received by the purchaser.

WARRANTY

Units purchased under this specification shall be warranted against defects in materials and workmanship for a period of not less than one (1) year or unlimited hours, whichever occurs first, from date of delivery to customer. Items thought to be defective will be returned to factory prepaid to be repaired or replaced.

YES	NO
PG # _____	
Attachment _____	

ENGINE

Water cooled, four (4) cylinder tier 4 turbo diesel developing 200 hp and 576ft./lbs. of torque at rated RPM (36 inch), six (6) cylinder 215 hp and 670ft./lbs. (48 inch).

YES	NO
PG #	

Shall be equipped with 24-volt electrical system including starter, battery, wiring harness, and alternator. Alternator shall produce 27 volts and at least 70 amps.

YES	NO
PG #	

Fuel tank shall have a capacity of no less than 33 U.S. Gallons (36 inch) and 40 US Gallons (48 inch). Radiator cooling system shall be protected to -20 degrees F with ethylene glycol type antifreeze in compliance with engine manufacturer's specifications.

YES	NO
PG #	

Unit shall be equipped with engine manufacturer's approved air cleaner, oil, and fuel filters, adequate exhaust system, and all necessary gauges and equipment for efficient operation including tachometer, oil pressure, engine oil temperature, belt tension indicator, skid foot down pressure indicator, and hydraulic filter back pressure.

YES	NO
PG #	

Unit shall contain an engine management shut-down system that includes: low oil pressure shut down, high oil temperature fault, low voltage indication warning, fan belt breakage fault, hour meter, and starter protection lockout.

YES	NO
PG #	

CONTROL AND INSTRUMENT PANEL

Shall be remote type, which shall be in the cab of the backhoe/loader to allow the operator to monitor engine functions without leaving the cab.

YES	NO
PG #	

Unit shall include engine fluid temperature, oil pressure, fuel level, and tachometer.

YES	NO
PG #	

Unit shall include emergency stop button. Unit shall include controls for depth, engine speed, and bucket clamping.

YES	NO
PG #	

Unit shall include indicators for belt tension and skid foot down pressure.

YES	NO
PG #	

Wireless Remote Control: The unit shall have a wireless remote control consisting of a receiver and hand-held transmitter that will be able to control engine speed, depth of cut and will also be able to shut off.

YES	NO
PG #	

CUTTER HEAD ASSEMBLY

Assembly shall be securely attached to the machine's main frame, enclosed by heavy-duty cowling.

YES	NO
PG #	

Unit shall be equipped with a hatch to allow inspection and maintenance of the cutter head.

YES	NO
PG #	

Unit shall have a maximum cutting depth of approximately 12" (twelve inches).

YES	NO
PG #	

Unit shall have a standard cutting width of 36" (thirty-six inches) or 48" (forty-eight inches).

YES	NO
PG #	

Shall have a minimum of 118 carbide tipped, 19mm shank, snap-in bits with spring-steel full sleeve retainers and washers.

YES	NO
PG #	

The cutter head and housing shall be designed so that only pulverized materials leave the cutter head assembly.

YES	NO
PG #	

Access hatch: Shall be equipped with a hatch on the dome to allow inspection and maintenance of cutter head. Hatch shall have an electrical safety interlock that will prevent the engine from running or starting while the hatch is in the open position.

YES	NO
PG #	

CUTTER HEAD DRIVE

The power from the engine shall be transmitted to the cutter head through a power take-off system and V-belts to a planetary reduction gearbox at the cutter head drum.

YES	NO
PG #	

Drive belt tension shall be regulated by the use of an idler wheel and hydraulic cylinder. The proper belt tension shall be monitored by a gauge mounted on the machine frame and visible to the operator on the ground.

YES	NO
PG #	

The proper belt tension shall be monitored by a gauge mounted on the machine frame and visible to the operator on the ground.

YES	NO
PG #	

MOUNTING SYSTEM

Unit shall be designed and recommended by the manufacturer to attach to the front bucket of loader/backhoe with a gross operating weight of at least 24,000 lbs. (36 inch) and 28,000 lbs. (48 inch).

YES	NO
PG #	

Unit shall have hydraulically actuated pressure bucket clamping system.

YES	NO
PG #	

Attachment system shall allow the loader/backhoe to load and unload the machine from its transport trailer. All necessary parts and accessories required for attachment to the loader/backhoe bucket shall be furnished.

YES	NO
PG #	

Mounting of the machine shall not require the removal of the bucket nor shall it require the use of a quick connect, quick connect hooks or direct attachment pins. No other mounting systems shall be considered.

YES	NO
PG #	

Hydraulic Bucket Clamps: Unit shall be equipped with a hydraulic bucket clamping system to secure the unit to the bucket of the host vehicle. This bucket clamping system will be actuated by the active hydraulic system. System will maintain a pressure of 1500 psi. The system will have pressure relief valve to safeguard against over pressurizing the system.

YES	NO
PG #	

Active Hydraulic System:

The machine shall be equipped with a hydraulic system consisting of a hydraulic gear pump that is engine powered by an auxiliary drive adapter, reservoir, pressure side filter, hydraulic manifold with motor center valves, lines and two cylinders to actuate and control depth of cut. All hydraulic fittings shall be leak free and O-ring face seal or O-ring boss design. Hydraulic fluid shall be dyed red to distinguish it from other engine fluids. The reservoir shall hold at least four U.S. gallons of hydraulic fluid.

YES	NO
PG #	

Outer Frame:

The frame shall allow continuous actuated control in cutting depth from 0 to 12 inches. This frame shall rest on ski wear plates that provide distributed support for the machine during operation. The frame shall have improved side shielding that provides for better material containment, reducing the amount of debris that could be ejected from the dome. The frame shall also allow for new material such as crushed gravel or emulsions to be mixed with the pulverized asphalt.

YES	NO
PG #	

WEIGHT

Milling/trenching/recycling machine (without trailer) shall have an approximate dry weight of 7,500 pounds (36 inch), 9,500 pounds (48 inch).

YES	NO
PG #	

ADDITIONAL EQUIPMENT

Tools for changing cutter bits and a supply of 25 extra carbide bits and 5 extra blocks shall be provided. Two safety chains with latching hooks shall be included.

YES	NO
PG #	

COLOR

Units shall be primed and painted with factory standard colors. Shall include manufacturer's standard warning, safety, and instructional decals. Shall have identification serial number decal.

YES	NO
PG #	

TRAINING

The successful bidder shall furnish qualified personnel to instruct operators and service technicians on operation and maintenance of units purchased under this specification. Up to four hours of training in the correct use and maintenance of the machine will be given at time of delivery.

YES	NO
PG #	