

**BID SUBMITTAL FORM**  
*Alabama County Joint Bidding Program*

Company Name: Ox Bodies, Inc

Address: 719 Columbus Street East

Fayette, AL 35555

Bid Submitted by: Britt Caple

(Name of company representative)

Title: Director of Sales E-mail address: bscaple@tbei.com

Fax:

By submitting this bid, we agree: Initials

That the equipment model number identified below meets the bid specs for this bid item.

That the bid price will be honored for all counties for the period from **January 1, 2026 to June 30, 2026**.



That the equipment will be delivered at the bid price to all counties participating in the joint bid program.

That the company representative listed above will be the contact person for purchasing this bid item under the joint bid program

That the bid is accompanied by a current catalog or model specification document for the model number identified below

*BC*

That the bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications BC

That the bid includes the E-Verify documentation required by Alabama law

We comply with, and if awarded the contract, we will comply with, the requirements of Section 41-16-50 and Sections 41-16-160 to -166, Code of Alabama 1975. 

That, if awarded the bid, a performance bond will be provided upon request.

That an option sheet with individual pricing is attached 

Total Bid Price including options: \$ 41,828.57

Equipment Model #: Stampede

Description: 16' Elliptical Steel Body

Signature of company representative submitting bid: 

Title: Director of Sales

## OPTION COST SHEET FOR 16' STEEL DUMP BODY – OPTION B (MANUAL TRANSMISSION)

<u>Tri Axle Option Items</u>	<u>Option Price</u>
Silent Drive or equal lift axle	\$ 5,500
Four Steel Disc, Ten hole, hub piloted, bud style 22.5x8.25 wheels on lift axle	\$ 575.
Four 11R22.5 recap tires on lift axle	\$ 1,400.

<u>Other Options</u>	<u>Option Price</u>
High lift tail gate	\$ 750.
Bed body vibrator	\$ 700.
25 ton heavy duty Pintle Hitch	\$ 1225.
Chip Spreader bar mounted	\$ 400.

**NOTE:** Award will be made on the basis of the total cost of the machine with all options included. However, a county may, at its discretion, deduct one or more of the above-referenced options from the machine, and in such event, the cost of the option as stated on the bid shall be deducted from the total cost of the machine. There shall be no other deductions and no additions made to the machine by the purchasing county or by the vendor.

**Stampede**

Description: 16' Elliptical Steel Dump Body

Signature of company representative submitting bid:   
Title: Director of Sales

# BID SPECIFICATIONS FOR 16' STEEL DUMP BODY OPTION B (MANUAL TRANSMISSION)

## GENERAL

These specifications shall be construed as the minimum acceptable standards for a 16' Steel Dump Body. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The 16' Steel Dump Body must be a new current production model.

The use of specific names or numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

## BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

## BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates and all other applicable costs and refunds.

## REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 500,000 miles of use for the piece of equipment bid.

## ASSEMBLY AND DELIVERY

The dump body will be purchased for use with a heavy-duty dump truck chassis (with Automatic Transmission) bid separately. The dump body company will be responsible for assembly and installation of the dump body and related optional equipment, including the cost of the same. The selling truck chassis dealer will be responsible for delivery of the chassis to the dump body company, for installation. The Dump Body Company will be responsible for delivery of the complete dump truck unit to the Truck Chassis Company following installation, and assembly of the dump body and related options onto the truck chassis. **Freight to the dump body company will be included in the truck bidder's proposal. Dump body installation, assembly and Freight costs back to the Truck Vendor will be included in the dump body bidder's proposal.**

## WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty.

Yes  No   
Page# 10-11  
or  
Attachment

## DUMP BODY

Dump body shall meet all federal and state, health and safety regulations and must conform to American National Standard Institute (A.N.S.I.) Regulations (A.N.S.I.Z145) 1975.

Yes  No   
Page# —

Dump body supplier must have their own service and parts facility.

Yes  No   
Page #   

Dump body supplier must have a minimum of five (5) years' experience in sales, service and repair of dump bodies.

Yes  No   
Page #   

Body must be covered by product liability insurance.

Yes  No   
Page # 13 & 14

#### **GENERAL SPECIFICATIONS AND DIMENSIONS**

21 cubic yard capacity; elliptical dump body design with **26-inch** radius beginning at body main rails; **87 inch** inside width.

16 feet long; **62-inch high** sides. Sides and floor shall be **1/4 inch** AR450 Steel

Tail-gate shall be **3/16 inch** AR450 Steel; tailgate shall be vertical (NO SLOPE); three (3) panel tailgate design

**Tailgate Shall be built for future high lift tailgate conversion**

Hoist shall be **class 120 HYVA 74133 hoist** with a minimum **four (4)** active stages and minimum **60,000 pound** capacity;

Direct mount integral pump and P.T.O. combination with air control on the P.T.O.; air tailgate latch control;

Electric Mountain tarp with in cab controls; **42 inch** cab shield;

Eight (8) inch wide schedule 80-pipe push bar asphalt apron across rear of body; 3.5 inch inverted angle on top of sides and top of tailgate; and Metro light kit.

Sides are to overlap 2" and be welded solid on the top and skip welded on the bottom

2"x8"x3/16 rectangular tubing main runners. 4"x4"x **1/4** diamond top rail.

6"x6" rear hinge with 2 1/16" removable pins and front gravel guards.

Yes  No   
Page # 7, 8, 20, 21, 22

Yes  No   
Page # 7 & 8

Yes  No   
Page # 8

Yes  No   
Page # 8, 20, 21, 22

Yes  No   
Page # 8

Yes  No   
Page # 8

Yes  No   
Page # 8, 20, 21, 22

Yes  No   
Page # 7, 20, 21, 22

Yes  No   
Page # 8, 20, 21, 22

Yes  No   
Page # 8

### **TRI AXLE OR HEAVY DUTY DUMP TRUCK CHASSIS OPTIONS**

The chassis (with Manual Transmission) will be used as a tri axle dump or a heavy duty tandem dump. All bids shall include the cost for each of the following options to be selected for a tri axle dump, itemized separately on the bid:

Silent Drive Lift (Pusher) axle (20,000 lb minimum Capacity) or equal. This axle shall be air up and air down with a control valve and regulator located in the cab within reach of the operator.

Yes  No   
Page # 39

Four (4) steel disc, ten (10) hole, hub piloted, bud style 22.5x8.25, wheels on lift axle.

Yes  No   
Page # 39

Four 11R22.5 recap tires on lift axle.

Yes  No   
Page # 39

### **OTHER OPTIONS**

Bid must include the cost for each of the following options, itemized separately on the bid:

High lift tail gate with twin cylinders air operated with in cab controls

Yes  No   
Page # 39

Electric Bed body vibrator with in cab controls

Yes  No   
Page # 39


25 ton heavy duty Pintle Hitch, swivel type, spring loaded, with safety chain rings, six (6) prong trailer light socket and air brakes hookup. Mounted 26 inches from ground with truck empty.

Yes  No   
Page # 39

Chip spreader bar mounted at end of frame.

Yes  No   
Page # 39

**NOTE:** Award will be made on the basis of the total cost of the dump body with all options included. However, a county may, at its discretion, deduct one or more of the above-referenced options from the dump body, and in such event, the cost of the options as stated on the bid shall be deducted from the total cost of the dump body. There shall be no other deductions and no additions made to the dump body by the purchasing county or by the vendor.



Quote ID: F50289  
Revision: 0  
End User: NA

## Order Overview

### Route To

Ox Domestic Direct Customer Estimates  
, 35555

### Ship To

ACCA OPTION D MANUAL

**End User** NA

**Quote ID** F50289


**Ship Via** OX3 - OX COMPANY TRUCK

**Revision** 0

**Salesperson** dfowler@tbei.com


## Specifications

Option	Description
<b>Chassis</b>	
Chassis Make	Generic
Chassis Color	White
Chassis Model	Generic Model
Lift Axles Provider	Ox Bodies
Chassis Length	143
Axle Spread	54
<b>Base Body</b>	
Model	Stampede
Length	16
Style Frame	2x8 RT
Style Front	Straight
Style Side	Straight
Style Rear	Straight
Side Height Front	62
Dump Apron	Heavy Duty
Dump Apron Length	10
<b>Body Structure</b>	
Hoist Model	74133
Material Side	Plate 1/4 AR450
Material Front	Plate 1/4 AR450



Quote ID: F50289  
Revision: 0  
End User: NA

Option	Description
Material Tailgate	Sheet 3/16 AR450
Material Floor	Plate 1/4 AR450
Material Skirt	Steel Sheet 7GA 36
Cabshield Style	Standard
Cabshield Projection	36
Cabshield Width	87
Tarp Style	Mountain
Tailgate Type	Air High Lift
Side Top Rail Style	4x4x250 Diamond
<b>Paint</b>	
Color	Black VM9900
<b>Install Options</b>	
Hydraulic Reservoir	Nestled Pyramid Flat Bottom Std
PTO	Eaton 8LL/Ultrashift - Install PTO
Hydraulic Cylinder	74133
Hydraulic Pump	AS MH102-25LAS (C102-D2.5-3 D/MT.CCW BIG)
Body Controls	Air Shift PTO/AIR Shift Pump
Mudflaps	30 Inch OX Mud Flaps
Gravel Guards	Steel-Stam
Reversing Alarm	Yes
Body Prop	One
TG Closing Operation	Tailgate Kit Air
Exhaust Turnout	5 Inch
Dump Body Vibrator	Yes
Decals	Stampede OX Logos
Cabshield Lights	Pair Clearance/Marker
Side Lights	Lower Front Clearance/Marker
Rear Lights	Stop/Tail/Turn Lights
<b>Additional Items</b>	
Tarp	Tarp Elec-Mountain-10-16FT-VNYL-NO FLAPS-INST



Quote ID: F50289  
Revision: 0  
End User: NA

Option	Description
Hitch	22IN 25TON W/GLADS 7-PIN Install
Spreader Bar	Yes
Axles/Suspensions	LA-NON STEER AUX SUSPEN-DURALIFT20K-T
Wheels	11R22.5 WHITE STEEL H.P. RIM/TIRE-INST

**GENERAL NOTES:**

**Paint Disclaimer:** *The OX Bodies painting practice is to paint the underside of the body and the gravel guards, when present, black regardless of body color. The body color will be painted on the exterior of the body and on the inside only a short distance from the top. Most of the inside of the body will be painted in primer only.*

# Truck Body Limited Warranty

Ox Bodies, Inc., a subsidiary of Truck Bodies and Equipment International (TBEI), warrants all new truck bodies and/or accessories purchased directly from Ox Bodies or from authorized re-sellers of Ox Bodies products for a period of 1 year from the date of sale to end the user/customer. This warranty must be activated with Ox Bodies within 30 days of sale to the end user/customer to be valid. This warranty is not transferrable once activated by the dealer or the end user/customer and warrants that our products shall be free of defects in material and workmanship under normal operating conditions and when properly maintained and operated as directed in the owner's manual for the duration of the warranty period.

This warranty is limited to truck bodies and/or accessories manufactured and/or installed by Ox Bodies; or installed by Ox Bodies authorized install sites. It does not cover post-production or distributor modifications made by other than Ox Bodies. These modifications include, but are not limited to:

- Installation of tarp (by other than Ox Bodies)
- Installation of vibrator (by other than Ox Bodies)
- Installation of bodies and stand alone components purchased from but not installed by Ox Bodies shall not be warranted.
- Any design modifications made by the end user/customer to the original Ox Bodies unit

Repair, replacement, or credit is at Ox Bodies discretion. Ox Bodies will not reimburse for work performed without prior authorization. Ox Bodies reserves the right to refuse estimates deemed excessive.

Environmental damage resulting from time spent on dealer lots is not covered by this warranty. This damage can include but is not limited to:

- Rust
- Storm damage
- Exposure to extreme temperatures
- Hoist failure as a result of being displayed for extended periods in the raised position

Paint warranty is limited to adhesion to metal surfaces only, and does not include either the inside or the understructure of truck bodies. Due to the nature of the product and its intended applications, truck bodies are painted white at the customer's own risk, and shall not be covered by this warranty.

Items such as loose bolts, loose or ungreased fittings, hydraulic leaks, electrical connections, loose lift axle mounting hardware, and unusual noises shall be warranted for a period of 90 days from date of sale to end user/customer. Issues of this nature reported after 90 days shall be considered the result of normal wear and subject to regular maintenance by the customer as detailed in the owner's manual and are not covered by Ox Bodies warranty. Failure to follow the maintenance regimen outlined in the owner's manual for the truck body and/or accessories will void the warranty. These items include but are not limited to:

- Grease fittings
- Tailgate pins
- Tailgate hinge bushings
- Hydraulic cylinder pins
- Rear hinge fittings
- Torque of bolts

This warranty is void if the unit has been abused, or has been subject to other than normal usage as explained in the owner's manual. No other obligation is assumed or authorized by Ox Bodies other than herein set forth.

Ox Bodies assumes no responsibility for fit, form, function, or failure of the chassis. Dealerships and distributors are responsible for the condition of the chassis prior to delivery to the customer. Damage occurring to the chassis before arriving at or leaving Ox Bodies premises shall not be warranted. Cosmetic damage resulting from transport will be covered only if the unit is hauled by Ox Bodies, and only if the damage is reported within 24 hours of delivery.


Ox Bodies does not assume any liability for any secondary charges, travel, loss of use, down time, or any other incidental or consequential expenses.

**OX BODIES**



**"As Strong As An Ox"®**

**STAMPEDE**  
**SERIES**



*HD Model*




*XD Model*

**[www.OXBODIES.com](http://www.OXBODIES.com)**

MADE IN  
AMERICA

# STAMPEDE SERIES



- Elliptical dump body design

## Dimensions - HD and XD

- (ID/OD) 85"/96" Width
- Lengths of 10'-21'
- Side heights of 36"-72"
- 6.9- 31 Cubic Yard Capacity

## Epoxy primer and polyurethane top

	VM7103 White		VM7085 Silver		VM9900 Black
	VM8273 Vermilion Red		VM5541 Midnight Blue Metallic		VM9670 Candy Apple Dark Red

Tailgate  
spreader  
chains

Anti-sail rear rubber mud flaps.

## XD Model

- 1 year warranty on body and installation.



Sloped front

**OX BODIES**



"As Strong As An Ox" ®


6" diameter,  
telescoping hoist.

3" x 4" x 3/16" rectangular  
tubing top rail (HD only)


Heavy duty, steel  
removable tailgate  
hinge pin

Conventional air  
actuated tailgate

## HD Model




Stampede Series HD and XD pictured. Some equipment shown is optional.




Optional 12" to 42" cab shields.



Exterior and interior steps.



Optional steel or Tread Brite aluminum gravel guards.



Recessed and rubber grommeted LED lighting.

## **HEAVY DUTY "HD" Model**

**Handles sand-to-large aggregates, riprap, and asphalt**



- Optional 4" x 4" x 1/4" Top Rail Square tubing in standard or Diamond Mount configuration.
- Commercial grade 1/4" Hardox AR450 steel (front gate, sides, hoist well, tailgate, floor).
- Cross memberless 2" x 8" x 3/16" longsill

## **EXTREME DUTY "XD" Model**

**For extreme duty applications involving large rock, construction riprap, and demolition materials**




- Diamond mounted 4" x 4" x 1/4" square tubing top rail.
- Heavy duty export style hinge.
- Commercial grade 1/4" Hardox AR450 steel (front gate, sides, hoist well, tailgate, floor).
- Cross memberless steel, 8" I-Beam.


# STAMPEDE SERIES

## BASE OPTIONS for HD and XD Models


- 4" x 4" x 1/4" Top Rail Square tubing (Diamond Mount configuration available on HD Model)
- 3/16" AR400 steel floor and tailgate material
- 3/8" or 1/2" AR400 steel floor material (Available on XD Model)
- 12" to 42" cab shields
- Sloped front gate with external hoist well
- Dirt-shedding angles for sides, tailgate, and hoist well
- Two-way barn door or double acting tailgate (High lift tailgate available on HD and XD Models)
- 6" or 12" sloped tailgate
- 1/4" plate apron 6"-12" in 2" increments (Heavy duty 1/4" plate (schedule 80) available on HD and XD Models)
- Cross memberless steel, 8" I-Beam (HD Model) (10" I-Beam available on HD and XD Models)
- 6" x 2" rectangular tubing subframe (Available on HD Models)
- Hoist options up to 8" diameter
- Side mounted hydraulic tanks with site glass
- Manual or electric flip or side roll tarps available in mesh or vinyl
- Multiple side board options in (Metal, aluminum, wood or composite)



High lift tailgate shown.



- Tailgate coal chute (maximum of two)
- Sealed tailgate factory installed or kit
- Additional side recessed and rubber grommeted LED and rear facing lighting
- 3/8", 1/2" thick bed liners (1/4" available on HD Models)
- Tread Brite aluminum skirt covers
- Steel or Tread Brite aluminum gravel guards
- Retractable air-operated flip up anti-sail mud flaps
- Under body vibrator
- Spreader bar
- Pintle hitches to 50 ton
- Lift axles in 8K, 10K, 13.2K, or 20K steerable, or 20K rigid
- Steel & Aluminum wheels in various sizes and multiple tire configurations on Ox installed lift axles
- Custom paint colors



"As Strong As An Ox" ®

719 Columbus Street East • Fayette, AL 35555  
Phone 205-932-5720 • 800-844-2519

Photos are representative only, actual product may vary.

Authorized Ox Bodies Dealer

2d



Company ID Number: 539494

**Approved by:**

<b>Employer</b> Ox Bodies, Inc.	
Name (Please Type or Print) Sharon M Moore	Title
Signature Electronically Signed	Date 04/06/2012
<b>Department of Homeland Security – Verification Division</b>	
Name (Please Type or Print) USCIS Verification Division	Title
Signature Electronically Signed	Date 04/06/2012



# CERTIFICATE OF LIABILITY INSURANCE

DATE(MM/DD/YYYY)  
11/11/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERs NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER		CONTACT NAME:			
Aon Risk Services Central, Inc. Chicago IL Office 200 East Randolph Chicago IL 60601 USA		PHONE (A/C No. Ext):	(866) 283-7122	FAX (A/C No.):	(800) 363-0105
		E-MAIL ADDRESS:			
		INSURER(S) AFFORDING COVERAGE		NAIC #	
INSURED		INSURER A: Zurich American Ins Co	16535		
Truck Bodies & Equipment International, Inc. a division of Federal Signal Corporation 52182 Ember Road Lake Crystal MN 56055 USA		INSURER B: American Zurich Ins Co	40142		
		INSURER C: RSUI Indemnity Company	22314		
		INSURER D: Berkley National Insurance Company	38911		
		INSURER E:			
		INSURER F:			

COVERAGEs CERTIFICATE NUMBER: 570116608100 REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

Limits shown are as requested

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF. (MM/DD/YYYY)	POLICY EXP. (MM/DD/YYYY)	LIMITS	
A	X COMMERCIAL GENERAL LIABILITY			GL0007560504	11/01/2025	11/01/2026	EACH OCCURRENCE	\$2,000,000
A	CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR			GL Premise	11/01/2025	11/01/2026	DAMAGE TO RENTED PREMISES (Ea occurrence)	\$2,000,000
				GL0007560604			MED EXP (Any one person)	\$10,000
				GL Products			PERSONAL & ADV INJURY	\$2,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGATE	\$4,000,000
	X POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC						PRODUCTS - COMP/OP AGG	\$6,000,000
	OTHER:						Prod-Comp/Ops - Ea	\$3,000,000
A	AUTOMOBILE LIABILITY			BAP 0075607 04	11/01/2025	11/01/2026	COMBINED SINGLE LIMIT (Ea accident)	\$2,000,000
	X ANY AUTO			AOS			BODILY INJURY (Per person)	
	OWNED AUTOS ONLY						BODILY INJURY (Per accident)	
	Hired AUTOS ONLY						PROPERTY DAMAGE (Per accident)	
							GarageKeepers Legal Liability	\$2,000,000
C	X UMBRELLA LIAB <input type="checkbox"/> OCCUR			NHN609714	11/01/2025	11/01/2026	EACH OCCURRENCE	\$2,000,000
	EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE						AGGREGATE	\$2,000,000
	DED X RETENTION \$10,000							
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY			WC007560304	11/01/2025	11/01/2026	X PER STATUTE	OTH-ER
A	ANY PROPRIETOR / PARTNER / EXECUTIVE OFFICER/MEMBER EXCLUDED? <input checked="" type="checkbox"/> N	N	N/A	AOS	11/01/2025	11/01/2026	E.L. EACH ACCIDENT	\$1,000,000
	(Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below			WC007560404			E.L. DISEASE-EA EMPLOYEE	\$1,000,000
				WI			E.L. DISEASE-POLICY LIMIT	\$1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Named Insured includes: Truck Bodies & Equipment International, Inc.; Crysteel Manufacturing; Ox Bodies Inc.; Tishomingo Acquisition LLC; Travis Body and Trailer Inc.; Rugby Manufacturing Company; J-Craft, Inc., Deist Industries, Inc.

Evidence of Insurance.

CERTIFICATE HOLDER	CANCELLATION
<p>Truck Bodies &amp; Equipment International, Inc. - Ox Bodies Inc. a subsidiary of Federal Signal Corporation 719 Columbus St. East Fayette AL 35555 USA</p>	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE <i>Aon Risk Services Central, Inc.</i>

Holder Identifier :

570116608100 Certificate No :





AGENCY CUSTOMER ID: 10224264

LOC #:

## **ADDITIONAL REMARKS SCHEDULE**

Page \_ of \_

AGENCY <b>Aon Risk Services Central, Inc.</b>		NAMED INSURED <b>Truck Bodies &amp; Equipment</b>	
POLICY NUMBER <b>See Certificate Number: 570116608100</b>		NAIC CODE <b>See Certificate Number: 570116608100</b>	
CARRIER			
EFFECTIVE DATE:			

#### **ADDITIONAL REMARKS**

**THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,  
FORM NUMBER: ACORD 25 FORM TITLE: Certificate of Liability Insurance**

INSURER(S) AFFORDING COVERAGE	NAIC #
INSURER	
INSURER	
INSURER	
INSURER	

## ADDITIONAL POLICIES

If a policy below does not include limit information, refer to the corresponding policy on the ACORD certificate form for policy limits.

# **INVITATION TO BID**

## **HEAVY EQUIPMENT**

### **NOTICE OF BID OPENING**

**NOTICE IS HEREBY GIVEN** that the Association of County Commissions of Alabama, which administers the Alabama County Joint Bid Program on behalf of Alabama's county governing bodies, shall receive and open bids for the purchase of zero (0) or more items of heavy road equipment at its office located at 2 North Jackson Street, Montgomery, Alabama, at **10:00 a.m. on Tuesday, November 18, 2025**. Bid specifications are available at <http://www.alabamacounties.org/heavy-equipment/> for each of the following items:

Track Mount Excavators  
Compact Excavators  
Mini Track Excavators  
Wheeled Excavators  
Highway Speed Truck Excavators  
Motor Graders  
Wheel Loaders  
Heavy Duty Dump Chassis  
Lowboy Tractors  
Lowboy Trailers  
Half Round End Dump  
Skid Steer Loader and Attachments  
Ride-on Industrial Boom Mowers  
Rubber Tire Roller  
Vibratory Roller

One-man Pothole Patchers  
Trailer Mount Mastic Patcher/Crack Sealer  
Trailer Mounted Patcher – Diesel  
Trailer Mounted Patcher – Air Compressor/Tools  
Chip Spreader  
Asphalt Distributor  
Asphalt Milling Attachments  
Asphalt Storage Tanks  
Backhoes  
Bulldozers  
Dump Bodies  
Road Wideners  
Ride On Industrial Boom Mowers

Time is of the essence in submitting bids and only bids received in the Association office by 10:00 a.m. Central Time on Tuesday, November 18, 2025 will be opened and considered. Bidders and any other interested individuals are invited to attend the bid opening.

### **NOTICE OF BID OPENING PROCEDURES**

All bids for Heavy Equipment will be opened and the name(s) of the bidders read aloud on the morning of the bid opening on Tuesday, November 18, 2025 at 10:00 a.m. at 2 North Jackson Street, Montgomery, AL. The specifics of each bid submitted will be compiled by the Association staff thereafter and will be available, upon written or emailed request, one week after the bid opening. Requests should be emailed to [jointbid@alabamacounties.org](mailto:jointbid@alabamacounties.org).

### **THE INVITATION PACKAGE**

The invitation package for each item to be bid includes: this invitation to bid, the written bid specifications for the particular item of heavy road equipment, and a Bid Submittal Form to be used in submitting a bid for that particular item. Bidders should verify that they have received all pages of the invitation package. If there are any omissions, the bidder should contact Kenya Howard in the Association office by mail, fax, or e-mail ([jointbid@alabamacounties.org](mailto:jointbid@alabamacounties.org)) to request missing pages. It is the responsibility of the bidder to make this request in sufficient time to prepare and submit the bid in time for the bid opening. Bidders should carefully read and comply with all parts of the invitation package, including all attachments and/or any addendum.

## **PREPARING AND SUBMITTING BIDS**

All bids must be typed or handwritten in ink on the attached Bid Submittal Form. The completed Bid Submittal Form shall be placed in front of and separated from all other documents included in the bid packet, such that it will be the first document viewed upon opening the bid packet.

Bids submitted in pencil and bids not submitted on the Bid Submittal Form will **not** be considered. All bids shall include a current catalog or model specification document for the equipment model number being offered for consideration. Bids submitted without such documentation will **not** be considered. Only information contained on the attached Bid Submittal Form and in the model specification document will be considered in evaluating bids.

Each separate requirement in the bid specification includes a block for indicating whether or not the item bid meets the specification. The bidder shall indicate compliance with each requirement by checking "Yes" or "No" in the block to the right of each bid specification. In addition, the bidder shall indicate the page number in the supplied manufacturer's equipment literature on which compliance with the specification can be verified. Failure to complete this portion of the bid form may result in the subject bid not being considered. Additionally, all bidders are required to submit a factory build/order sheet showing all of the standard and option items for each piece of equipment bid in order to assist the bid review committee in assuring that each bid is in conformance with the required bid specifications.

Each bid for one of the heavy equipment items included in the bid package must be submitted on the Bid Submittal Form for that item and forwarded in a separate envelope with the bid item and item number clearly identified on the outside of the envelope. Envelopes containing a "no bid" shall also include the words "NO BID" on the outside of the envelope. Facsimiles and e-mails will not be accepted. Bids submitted by "Express/Overnight" services must be in a separate inner envelope or package sealed and identified as stated above. All bids must be received in the Association office prior to the bid opening. Bids received after the deadline will be returned unopened.

The County Joint Bid Program reserves the right to require a performance bond from successful bidders as permitted under Alabama law. However, **no bid bond is required for this bid offering.**

All bids should be mailed or hand-delivered to:

**ATTN: Alabama County Joint Bid Program  
Association of County Commissions of Alabama or ACCA  
2 North Jackson Street, FL 7, Montgomery, Alabama 36104 (Physical Address)  
P.O. Box 5040, Montgomery, Alabama 36103 (Mailing Address)**

## **BID SPECIFICATIONS**

Please note that each piece of heavy equipment available for bid may include several different sizes and categories of machines. You should read each set of specifications very carefully as the differences vary depending upon the piece and size of equipment.

Where applicable, each bid submission shall include the separate cost of each item listed in the "Options" section of the bid specifications. However, all bids will be awarded on the basis of the **total cost of the machine with all options included**. Therefore, the "Bid Price" stated on the Bid Submittal Form must be the total cost, including the cost of all options.

**Both parties agree that the Vendor SHALL extend to ALL counties purchasing this equipment any factory discounts, incentives or rebates that become available during the Contract Period; provided that there are no alterations from the bid specifications for this item required in order to receive the discount, incentive, or rebate. FURTHER, BOTH PARTIES AGREE THAT THE VENDOR SHALL EXTEND TO ALL COUNTIES PURCHASING THIS EQUIPMENT THE SAME PURCHASE PRICE AND DISCOUNTS AS THEY ARE AWARDED ON ANY OTHER NATIONAL PURCHASING COOPERATIVE APPROVED BY THE DEPARTMENT OF EXAMINERS OF PUBLIC ACCOUNTS FOR USE BY ALABAMA COUNTIES.**

Once the bids have been awarded, any county participant purchasing under this program may, at its discretion, deduct one or more of the options set out in the bid specifications, and in such event, the cost of the option as stated on the bid shall be deducted from the total cost of the machine. There shall be no other deductions and no additions made to the machine by the purchasing county or by the vendor.

Any use of specific names and/or model numbers in the attached specifications is not intended to restrict the bidder or any seller or manufacturer, but is included solely for the purpose of indicating the type, size, and quality of materials, product services, or equipment considered best adapted to the use of the counties participating in the joint bid program.

## **BIDDER QUALIFICATIONS**

All bidders and all program participants must be in compliance with any applicable federal, state, county and municipal laws, regulations, resolutions and ordinances, including but not limited to, licensing, permitting, and taxation requirements. All bidders should be prepared to submit evidence or documentation as proof that they are properly licensed and permitted under any applicable laws upon request. Such evidence or documentation may be submitted with the bid. **Additionally, all bidders shall provide proof that they are in compliance with the E-Verify requirements of Alabama's Immigration Law (Ala. Code § 31-13-1 et seq.). All bidders shall also affirm that they are in compliance with, and will comply with, Alabama's anti-boycott law (Ala. Code § 41-16-5) and anti-economic boycott law (Ala. Code § 41-16-160 et seq.).**

## **BID AWARD**

The Houston County Commission will serve as the awarding authority for all bids and will award all contracts at a regular meeting of the Houston County Commission. Any and all bids submitted in compliance with this invitation to bid shall be considered, and award will be made to the lowest responsible bidder meeting bid specifications as determined by the awarding authority in compliance with Alabama law. All bids will be reviewed and evaluated by a committee created for that purpose, which committee will make comments and recommendations to the awarding authority regarding the award. All factors contained in each invitation package will be evaluated in determining the successful bidder, and any omissions of the stated requirements may be cause for rejection of the bid submitted. The awarding authority reserves the right to reject any and all bids, to waive any informality in bids, and to accept in whole or in part such bid or bids solely at its discretion.

**The contract period will be six (6) months with an option to renew each six (6) months not to exceed a period of three (3) years under identical price, terms, and conditions upon the mutual consent of the vendor and the awarding authority.** Any renewal contract shall be approved in writing by the vendor and the awarding authority no later than **60 days** prior to the expiration of the existing contract.

## **CONTACT REGARDING BIDS AND INVITATION**

Contact initiated by a potential bidder with any county official, county employee, or member of the Association staff shall only be as specifically set out in this Invitation to Bid. Any questions related to the bid or the County Joint Bid Program shall be directed to Association staff in writing under the procedures set out in this Invitation to Bid. Additionally, a bidder may contact the Association in writing to request an appointment to review bid specifications following the bid opening. **However, there shall be no communication with any county official or county employee regarding this bid between the date of this invitation and the date of bid award.** Any contact other than as set out here shall be deemed as an attempt to unduly influence the bid award, and shall be grounds for rejection of the bid submitted by the bidder initiating such other contact.

Any questions or problems related to downloading or obtaining copies of this Invitation to Bid should be directed to **Kenya Howard** at [jointbid@alabamacounties.org](mailto:jointbid@alabamacounties.org) or **334-263-7594**.

Any other questions or requests for additional information regarding this invitation or the bid specifications shall be submitted **in writing** no later than five (5) days prior to bid opening to:

**ATTN: Patrick McDougald  
Association of County Commissions of Alabama  
P.O. Box 5040  
Montgomery, Alabama 36104**

**OR**

**Patrick McDougald  
Email: [pattymackdaddy@gmail.com](mailto:pattymackdaddy@gmail.com)**