

BID SUBMITTAL FORM
Alabama County Joint Bidding Program
BID ITEM – 16' DUMP BODY- OPTION E MANUAL

Company Name: Ox Bodies, Inc
Address: 719 Columbus Street East
Fayette, AL 35555

Bid Submitted by: Britt Caple
(Name of company representative)
Title: Director of Sales E-mail address: bscaple@tbei.com
Phone: 2055157330 Fax: _____

By submitting this bid, we agree: Initials
That the equipment model number identified below meets the bid specs for this bid item BC
That the bid price will be honored for all counties for the period from **January 1, 2026** to BC
June 30, 2026.
That the equipment will be delivered at the bid price to all counties participating in the BC
joint bid program
That the company representative listed above will be the contact person for purchasing BC
this bid item under the joint bid program
That the bid is accompanied by a current catalog or model specification document for the BC
model number identified below
That the bid is accompanied by a copy of the manufacturer's standard warranty as required BC
in the bid specifications
That the bid includes the E-Verify documentation required by Alabama law BC
We comply with, and if awarded the contract, we will comply with, the requirements of BC
Section 41-16-50 and Sections 41-16-160 to -166, Code of Alabama 1975.
That, if awarded the bid, a performance bond will be provided upon request BC
That an option sheet with individual pricing is attached BC

Total Bid Price including options: \$ 44,227.54

Equipment Model #: Maverick

Description: 16' Steel Body

Signature of company representative submitting bid: Brett Gysel

Title: Director of Sales

OPTION COST SHEET FOR 16' STEEL DUMP BODY – OPTION E (MANUAL TRANSMISSION)

Tri Axle Option Items	<u>Option Price</u>
Silent Drive or Equal Lift Axle	\$ 5,500
Four Steel Disc, Ten hole, hub piloted, bud style 22.5x8.25 wheels on lift axle	\$ 575.
Four 11R22.5 recap tires on lift axle	\$ 1,400.

<u>Other Options</u>	<u>Option Price</u>
High lift tail gate	\$ 750.
Bed body vibrator	\$ 700.
25 ton heavy duty Pintle Hitch	\$ 1,225.
Chip Spreader bar mounted	\$ 400.

NOTE: Award will be made on the basis of the total cost of the machine with all options included. However, a county may, at its discretion, deduct one or more of the above-referenced options from the machine, and in such event, the cost of the option as stated on the bid shall be deducted from the total cost of the machine. There shall be no other deductions and no additions made to the machine by the purchasing county or by the vendor.

Equipment Model #: Maverick

Description: 16' Steel Dump Body

Signature of company representative submitting bid: Bart Gyle

Title: Director of Sales

BID SPECIFICATIONS 16' STEEL DUMP BODY OPTION E (MANUAL TRANSMISSION)

GENERAL

These specifications shall be construed as the minimum acceptable standards for a 16' Steel Dump Body. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The 16' Steel Dump Body must be a new current production model.

The use of specific names or numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates and all other applicable costs and refunds.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 500,000 miles of use for the piece of equipment bid.

ASSEMBLY AND DELIVERY

The dump body will be purchased for use with a heavy-duty dump truck chassis (with Manual Transmission) bid separately. The dump body company will be responsible for assembly and installation of the dump body and related optional equipment, including the cost of the same. The selling truck chassis dealer will be responsible for delivery of the chassis to the dump body company, for installation and for delivery of the complete dump truck unit to the county following installation, and assembly of the dump body and related options onto the truck chassis. Freight to and from the dump body company will be included in the truck bidder's proposal. Dump body installation and assembly costs will be included in the dump body bidder's proposal.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty.

Yes No
Page# 98/10
Or
Attachment

DUMP BODY

Dump body shall meet all federal and state, health and safety regulations and must conform to American National Standard Institute (A.N.S.I.) Regulations (A.N.S.I.Z145) 1975.

Yes No _____
Page # _____

Dump body supplier must have their own service and parts facility.

Yes No _____
Page # _____

Dump body supplier must have a minimum of five (5) years' experience in sales, service and repair of dump bodies.

Yes No _____
Page # _____

Body must be covered by product liability insurance.

Yes No _____
Page # 12&13

GENERAL OPERATING SPECIFICATIONS AND DIMENSIONS

21 cubic yard capacity; 16 feet long; 60-inch high sides; 60- inch high tailgate; sides, tail-gate, floor shall be $\frac{1}{4}$ inch AR 450 steel; tailgate shall be sloping with a six (6) inch slope; 8" x 2" Rectangular Tubing Long Sills (Main Runners); 1.5" x 3" rectangular tubing cross-members on 12" centers; HYVA 74133 hoist that shall be class 120 hoist with a minimum four (4) active stages and minimum 60,000 pound capacity; direct mount integral pump and P.T.O. combination with air control on the P.T.O.; air tailgate latch control; electric tarp with vinyl asphalt type tarp; 42 inch cab shield, eight (8) inch wide schedule 80-pipe push bar asphalt apron across rear of body; 3.5-inch inverted angle on top of sides and top of tailgate; rib reinforced sidewalls and three (3) pane tailgate design; and Metro light kit.

Yes No _____
Page # 78, 20, 21, 22

TRI AXLE OR HEAVY-DUTY DUMP TRUCK CHASSIS OPTIONS

The chassis (with Manual Transmission) will be used as a tri axle dump or a heavy-duty tandem dump. All bids shall include the cost for each of the following options to be selected for a tri axle dump, itemized separately on the bid:

Silent Drive Lift (Pusher) axle (20,000 lb minimum Capacity) or Equal. This axle shall be air up and air down with a control valve and regulator located in the cab within reach of the operator.

Yes No _____
Page # 348

Four (4) steel disc, ten (10) hole, hub piloted, bud style 22.5x8.25, wheels on lift axle.

Yes No _____
Page # 348

Four 11R22.5 recap tires on lift axle.

Yes No _____
Page # 349

OTHER OPTIONS

Bid must include the cost for each of the following options, itemized separately on the bid:

High lift tail gate with in cab controls

Yes No
Page # 388

Electric Bed body vibrator with in cab controls

Yes No
Page # 388

25-ton heavy duty Pintle Hitch, swivel type, spring loaded, with safety chain rings, six (6) prong trailer light socket and air brakes hookup. Mounted 26 inches from ground with truck empty.

Yes No
Page # 388

Chip spreader bar mounted at end of frame.

Yes No
Page # 388

NOTE: Award will be made on the basis of the total cost of the dump body with all options included. However, a county may, at its discretion, deduct one or more of the above-referenced options from the dump body, and in such event, the cost of the options as stated on the bid shall be deducted from the total cost of the dump body. There shall be no other deductions and no additions made to the dump body by the purchasing county or by the vendor.



Ox Bodies | Crysteel | Duraclass | Rugby | J-Craft | Travis
 PROUDLY MADE IN THE USA
 719 Columbus Street East
 Fayette AL. 35555

Quote Response Form

8/25/2025 3:25:07 PM

Salesperson: Donny Fowler
 800-844-2519

End User: NA

Route To: 37588
 Ox Domestic Direct Customer Estimates
 TO USE FOR DIRECT DOMESTIC BODY ESTIMATES
 35555
 USA

Ship To: NA
 ACCA OPTION E MANUAL

Quote	Revision	Ship Via	Terms
FAC15820	1	OX3 - OX COMPANY TRUCK	

Line	UM	Quantity	Item	Description	Unit Price	Extended Price
1	EA	1.00	2728336	MABMV87-1600-2122YD-74133-60/60/66-BLK-T		

Yardage 21/22

BASE OPTIONS:

Body Style: MAVERICK
 Body ID: 87
 Body Length: 16'
 Hoist Model: 74133
 Frame Style: TUBE w/CHANNEL X-MEM 12 C/L
 Front Style: STRAIGHT
 Rear Style: 6 SLANT
 Front Height: 60
 Side Height Front: 60
 Side Height Rear: 60
 Rear Height: 66
 Side Material: PLATE-1/4-AR450
 Front Material: PLATE-1/4-AR450
 Tailgate Material: PLATE-1/4-AR450
 Floor Material: PLATE-1/4-AR450
 Cabshield Style: STANDARD
 Cabshield Projection: 36
 Cabshield Width: 87
 Tarp Style: MOUNTAIN
 Tailgate Type: AIR HIGH LIFT
 Tailgate Bracing Style: 3 HORIZONTALS
 Horizontal Side Brace: YES
 Side Top Rail Style: 4x4x.120 (Standard)
 Lineposts: YES
 Dump Apron: HEAVY DUTY
 Dump Apron Size: 10
 Side Light Cutouts: LOWER - FRONT
 Metro Light Quantity: 1
 Dirt Shedding Angle: SIDES and TAILGATE
 Board Holder Height: NO BOARD HOLDERS

CUSTOM OPTIONS:

PAINT OPTIONS:

Paint Color: BLACK

INSTALL OPTIONS:

Rear Hinge: REMOVABLE PIN
Hydraulic Cylinder: 74133 (STD)
Hydraulic Reservoir: NESTLED PYRAMID FLAT BOTTOM STD
Power Take Off: EATON 8LL/ULTRASHIFT - INSTALL PTO
Hydraulic Pump: AS MH102-25LAS (C102-D2.5-3 D/MT.CCW (BIG)
In-Cab Controls: AIR SHIFT PTO/AIR SHIFT PUMP
Mud Flaps: 30 INCH OX MUD FLAPS
Gravel Guards: STEEL-NO FLAPS-MV/CHIS
Reversing Alarm: YES
Body Prop: ONE
Tailgate Closing Operation: TAILGATE KIT AIR
Exhaust Turnout: 5 INCH
Hi-Lift Tailgate Kit: YES
Dump Body Vibrator: VIBRATOR KIT-MAVERICK
Decals: STANDARD OX LOGOS
Cab Shield Lights: LTS KIT C/S 2 C/M
Side Lights: LTS KIT SIDE LWR FRT C/M - MAVR UP TO 16FT
Rear Lights: LTS KIT REAR 1SET MET

2 EA 1.00 2262590 TARP ELEC-MOUNTAIN-10-16FT-VNYL-N/FL-INST

3 EA 1.00 1250117 HITCH 22IN 25TON W/GLADS 7-PIN INSTALL

4 EA 1.00 1250333 SPREADER BAR INSTALL

5 EA 1.00 1825352 LA-NON STEER AUX SUSPEN-DURALIFT20K-T

Lift Axle:

Alignment of lift axle must be preformed by end user prior to the unit being placed in service. Failure to properly align the axle prior to being placed in service can cause non-warrantable failure, including but not limited to premature tire wear. The end user is responsible for the alignment prior to placing the unit in service.

6 EA 4.00 1260900 11R22.5 WHITE STEEL H.P. RIM/TIRE-INST

8
C

Truck Body Limited Warranty

Ox Bodies, Inc., a subsidiary of Truck Bodies and Equipment International (TBEI), warrants all new truck bodies and/or accessories purchased directly from Ox Bodies or from authorized re-sellers of Ox Bodies products for a period of 1 year from the date of sale to end the user/customer. This warranty must be activated with Ox Bodies within 30 days of sale to the end user/customer to be valid. This warranty is not transferrable once activated by the dealer or the end user/customer and warrants that our products shall be free of defects in material and workmanship under normal operating conditions and when properly maintained and operated as directed in the owner's manual for the duration of the warranty period.

This warranty is limited to truck bodies and/or accessories manufactured and/or installed by Ox Bodies; or installed by Ox Bodies authorized install sites. It does not cover post-production or distributor modifications made by other than Ox Bodies. These modifications include, but are not limited to:

- Installation of tarp (by other than Ox Bodies)
- Installation of vibrator (by other than Ox Bodies)
- Installation of bodies and stand alone components purchased from but not installed by Ox Bodies shall not be warranted.
- Any design modifications made by the end user/customer to the original Ox Bodies unit

Repair, replacement, or credit is at Ox Bodies discretion. Ox Bodies will not reimburse for work performed without prior authorization. Ox Bodies reserves the right to refuse estimates deemed excessive.

Environmental damage resulting from time spent on dealer lots is not covered by this warranty. This damage can include but is not limited to:

- Rust
- Storm damage
- Exposure to extreme temperatures
- Hoist failure as a result of being displayed for extended periods in the raised position

Paint warranty is limited to adhesion to metal surfaces only, and does not include either the inside or the understructure of truck bodies. Due to the nature of the product and its intended applications, truck bodies are painted white at the customer's own risk, and shall not be covered by this warranty.

Items such as loose bolts, loose or ungreased fittings, hydraulic leaks, electrical connections, loose lift axle mounting hardware, and unusual noises shall be warranted for a period of 90 days from date of sale to end user/customer. Issues of this nature reported after 90 days shall be considered the result of normal wear and subject to regular maintenance by the customer as detailed in the owner's manual and are not covered by Ox Bodies warranty. Failure to follow the maintenance regimen outlined in the owner's manual for the truck body and/or accessories will void the warranty. These items include but are not limited to:

- Grease fittings
- Tailgate pins
- Tailgate hinge bushings
- Hydraulic cylinder pins
- Rear hinge fittings
- Torque of bolts

This warranty is void if the unit has been abused, or has been subject to other than normal usage as explained in the owner's manual. No other obligation is assumed or authorized by Ox Bodies other than herein set forth.

Ox Bodies assumes no responsibility for fit, form, function, or failure of the chassis. Dealerships and distributors are responsible for the condition of the chassis prior to delivery to the customer. Damage occurring to the chassis before arriving at or leaving Ox Bodies premises shall not be warranted. Cosmetic damage resulting from transport will be covered only if the unit is hauled by Ox Bodies, and only if the damage is reported within 24 hours of delivery.

Ox Bodies does not assume any liability for any secondary charges, travel, loss of use, down time, or any other incidental or consequential expenses.

OX BODIES



"As Strong As An Ox"®

MAVERICK



www.OXBODIES.com

**MADE IN
AMERICA**


MAVERICK



- Square bottom dump body design

Dimensions - Maverick

- Lengths of 10'-22'
- Width (ID/OD) 85"/96", 91"/102"
- Side Heights 18"- 72"
- Capacities of 3.9 to 34.6 cubic yards



- Commercial grade 10 gauge steel (front gate, sides, hoist well)

- Commercial grade 7 gauge steel (floor, tailgate)

- 1 year warranty on body and installation

- 6" diameter, telescoping hoist.

- Conventional air actuated tailgate

OX BODIES



"As Strong As An Ox" ®

Epoxy primer and polyurethane top


 VM7103 White	 VM7085 Silver	 VM9900 Black	 VM81 Viper F
 VM8273 Vermilion Red	 VM5541 Midnight Blue Metallic	 VM9670 Candy Apple Red	 VM961 Dark Gr

Some equipment shown is optional. Photos are representative only, actual product may vary.

For sand-to-large aggregates and asphalt applications



Cross-members, 1.5" x 3" rectangular tubing on 12" centers.




Crossmemberless understructure.




2" x 8" x 3/16" rectangular tubing longsill.



Heavy duty, greaseable steel removable tailgate hinge pin.



High lift tailgate.



Recessed and rubber grommeted LED lighting.


Optional
Insulated Sides

Optional
Sloped Front



Optional
Horizontal Side Rib & Sloped Tailgate

*Horizontal side rib only option shown
(refer to front cover for standard default
option with vertical side braces)*





MAVERICK


BASE OPTIONS

for the Maverick

- 4" x 4" x 1/4" square tubing top rail
- Commercial grade 7 gauge, 3/16", or 1/4" steel plus 3/16" AR400 or 1/4" AR450 steel sides and front gate
- Commercial grade, 3/16", 1/4", 3/8", or 1/2" steel plus 3/16" AR400 or 1/4" AR450 steel floor material (with AR material)
- Commercial grade 1/4" steel plus 3/16" AR400 or 1/4" AR450 steel tailgate material
- 24", 36", and 42" cab shields
- Dirt-shedding angles for sides tailgate
- Two-way barn door, double acting, high lift tailgate
- 6" or 12" sloped tailgate
- 1/4" plate or heavy duty (schedule 80) apron 6"-12" in 2" increments
- 8" or 10" wide flange I-Beam
- 8" x 2" rectangular tubing subframe
- Hoist options up to 8" diameter
- Side mounted hydraulic tanks with site glass.
- Insulated sides and front gate
- Manual or electric flip tarp available in mesh or vinyl



- Multiple side board options in (Metal, aluminum, wood)
- Horizontal side bracing
- Coal chute (maximum of three)
- Sealed tailgate
- Additional side recessed and rubber grommeted LED and rear facing lighting
- 1/4", 3/8", 1/2" thick bed liners (various materials)
- Bottom rail covered with aluminum tread plate
- Steel or Tread Brite aluminum gravel guards
- Retractable or air-operated flip up anti-sail mud flaps
- Under body vibrator
- Spreader bar
- Pintle hitches to 50 ton
- Lift axles in 8K, 10K, 13.2K, or 20K steerable, or 20K rigid
- Custom paint colors



"As Strong As An Ox" ®

719 Columbus Street East • Fayette, AL 35555
Phone 205-932-5720 • 800-844-2519

Photos are representative only, actual product may vary.

Authorized Ox Bodies Dealer

22



Company ID Number: 539494

Approved by:

Employer

Ox Bodies, Inc.

Name (Please Type or Print) Sharon M Moore	Title
Signature Electronically Signed	Date 04/06/2012
Department of Homeland Security – Verification Division	
Name (Please Type or Print) USCIS Verification Division	Title
Signature Electronically Signed	Date 04/06/2012



CERTIFICATE OF LIABILITY INSURANCE

DATE(MM/DD/YYYY)
11/11/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERNS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Aon Risk Services Central, Inc. Chicago IL Office 200 East Randolph Chicago IL 60601 USA	CONTACT NAME:
	PHONE (ACQ. No. Ext): (866) 283-7122
INSURED Truck Bodies & Equipment International, Inc. a division of Federal Signal Corporation 52182 Ember Road Lake Crystal MN 56055 USA	E-MAIL ADDRESS:
	INSURER(S) AFFORDING COVERAGE
INSURER A: Zurich American Ins Co	16535
INSURER B: American Zurich Ins Co	40142
INSURER C: RSUI Indemnity Company	22314
INSURER D: Berkley National Insurance Company	38911
INSURER E:	
INSURER F:	

COVERAGES CERTIFICATE NUMBER: 570116608100 REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

Limits shown are as requested

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	X COMMERCIAL GENERAL LIABILITY CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR			GLO007560504 GL Premise GLO007560604 GL Products	11/01/2025	11/01/2026	EACH OCCURRENCE \$2,000,000 DAMAGE TO RENTED PREMISES (Ex occurrence) \$2,000,000 MED EXP (Any one person) \$10,000 PERSONAL & ADV INJURY \$2,000,000 GENERAL AGGREGATE \$4,000,000 PRODUCTS - COMP/OP AGG \$6,000,000 Prod-Comp/Ops - Ea \$3,000,000
A	GEN'L AGGREGATE LIMIT APPLIES PER: X POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER:				11/01/2025	11/01/2026	
A	AUTOMOBILE LIABILITY X ANY AUTO OWNED AUTOS ONLY HIRED AUTOS ONLY SCHEDULED AUTOS NON-OWNED AUTOS ONLY			BAP 0075607 04 AOS	11/01/2025	11/01/2026	COMBINED SINGLE LIMIT (Ex accident) \$2,000,000 BODILY INJURY (Per person) BODILY INJURY (Per accident) PROPERTY DAMAGE (Per accident) GarageKeepers Legal Liability \$2,000,000
C	X UMBRELLA LIAB <input type="checkbox"/> OCCUR EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input checked="" type="checkbox"/> RETENTION \$10,000			NHN609714	11/01/2025	11/01/2026	EACH OCCURRENCE \$2,000,000 AGGREGATE \$2,000,000
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR / PARTNER / EXECUTIVE OFFICER / MEMBER EXCLUDED? <input type="checkbox"/> N If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N N	N/A	WC007560304 AOS WC007560404 WI	11/01/2025	11/01/2026	X PER STATUTE <input type="checkbox"/> OTHER E.L. EACH ACCIDENT \$1,000,000 E.L. DISEASE-EA EMPLOYEE \$1,000,000 E.L. DISEASE-POLICY LIMIT \$1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Named Insured includes: Truck Bodies & Equipment International, Inc.; Crysteel Manufacturing; Ox Bodies Inc.; Tishomingo Acquisition LLC; Travis Body and Trailer Inc.; Rugby Manufacturing Company; J-Craft, Inc., Deist Industries, Inc.

Evidence of Insurance.

CERTIFICATE HOLDER

CANCELLATION

Truck Bodies & Equipment International, Inc. - Ox Bodies Inc. a subsidiary of Federal Signal Corporation 719 Columbus St. East Fayette AL 35555 USA	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE <i>Aon Risk Services Central Inc.</i>

Holder Identifier

570116608100
Certificate No :





AGENCY CUSTOMER ID: 10224264

LOC #:

ADDITIONAL REMARKS SCHEDULE

Page _____ of _____

AGENCY Aon Risk Services Central, Inc.	NAMED INSURED Truck Bodies & Equipment
POLICY NUMBER See Certificate Number: 570116608100	
CARRIER See Certificate Number: 570116608100	NAIC CODE EFFECTIVE DATE:

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,
FORM NUMBER: ACORD 25 FORM TITLE: Certificate of Liability Insurance

INSURER(S) AFFORDING COVERAGE	NAIC #
INSURER	
INSURER	
INSURER	
INSURER	

INVITATION TO BID HEAVY EQUIPMENT

NOTICE OF BID OPENING

NOTICE IS HEREBY GIVEN that the Association of County Commissions of Alabama, which administers the Alabama County Joint Bid Program on behalf of Alabama's county governing bodies, shall receive and open bids for the purchase of zero (0) or more items of heavy road equipment at its office located at 2 North Jackson Street, Montgomery, Alabama, at **10:00 a.m. on Tuesday, November 18, 2025**. Bid specifications are available at <http://www.alabamacounties.org/heavy-equipment/> for each of the following items:

Track Mount Excavators	Trailer Mount Mastic Patcher/Crack Sealer
Compact Excavators	Trailer Mounted Patcher – Diesel
Mini Track Excavators	Trailer Mounted Patcher – Air
Wheeled Excavators	Compressor/Tools
Highway Speed Truck Excavators	Chip Spreader
Motor Graders	Asphalt Distributor
Wheel Loaders	Asphalt Milling Attachments
Heavy Duty Dump Chassis	Asphalt Storage Tanks
Lowboy Tractors	Backhoes
Lowboy Trailers	Bulldozers
Half Round End Dump	Dump Bodies
Skid Steer Loader and Attachments	Road Wideners
Ride-on Industrial Boom Mowers	Ride On Industrial Boom Mowers
Rubber Tire Roller	
Vibratory Roller	
One-man Pothole Patchers	

Time is of the essence in submitting bids and only bids received in the Association office by 10:00 a.m. Central Time on Tuesday, November 18, 2025 will be opened and considered. Bidders and any other interested individuals are invited to attend the bid opening.

NOTICE OF BID OPENING PROCEDURES

All bids for Heavy Equipment will be opened and the name(s) of the bidders read aloud on the morning of the bid opening on Tuesday, November 18, 2025 at 10:00 a.m. at 2 North Jackson Street, Montgomery, AL. The specifics of each bid submitted will be compiled by the Association staff thereafter and will be available, upon written or emailed request, one week after the bid opening. Requests should be emailed to jointbid@alabamacounties.org.

THE INVITATION PACKAGE

The invitation package for each item to be bid includes: this invitation to bid, the written bid specifications for the particular item of heavy road equipment, and a Bid Submittal Form to be used in submitting a bid for that particular item. Bidders should verify that they have received all pages of the invitation package. If there are any omissions, the bidder should contact Kenya Howard in the Association office by mail, fax, or e-mail

(jointbid@alabamacounties.org) to request missing pages. It is the responsibility of the bidder to make this request in sufficient time to prepare and submit the bid in time for the bid opening. Bidders should carefully read and comply with all parts of the invitation package, including all attachments and/or any addendum.

PREPARING AND SUBMITTING BIDS

All bids must be typed or handwritten in ink on the attached Bid Submittal Form. **The completed Bid Submittal Form shall be placed in front of and separated from all other documents included in the bid packet, such that it will be the first document viewed upon opening the bid packet.**

Bids submitted in pencil and bids not submitted on the Bid Submittal Form will **not** be considered. All bids shall include a current catalog or model specification document for the equipment model number being offered for consideration. Bids submitted without such documentation will **not** be considered. Only information contained on the attached Bid Submittal Form and in the model specification document will be considered in evaluating bids.

Each separate requirement in the bid specification includes a block for indicating whether or not the item bid meets the specification. The bidder shall indicate compliance with each requirement by checking "Yes" or "No" in the block to the right of each bid specification. In addition, the bidder shall indicate the page number in the supplied manufacturer's equipment literature on which compliance with the specification can be verified. Failure to complete this portion of the bid form may result in the subject bid not being considered. Additionally, all bidders are required to submit a factory build/order sheet showing all of the standard and option items for each piece of equipment bid in order to assist the bid review committee in assuring that each bid is in conformance with the required bid specifications.

Each bid for one of the heavy equipment items included in the bid package must be submitted on the Bid Submittal Form for that item and forwarded in a separate envelope with the bid item and item number clearly identified on the outside of the envelope. Envelopes containing a "no bid" shall also include the words "NO BID" on the outside of the envelope. Facsimiles and e-mails will not be accepted. Bids submitted by "Express/Overnight" services must be in a separate inner envelope or package sealed and identified as stated above. All bids must be received in the Association office prior to the bid opening. Bids received after the deadline will be returned unopened.

The County Joint Bid Program reserves the right to require a performance bond from successful bidders as permitted under Alabama law. However, **no bid bond is required for this bid offering.**

All bids should be mailed or hand-delivered to:

**ATTN: Alabama County Joint Bid Program
Association of County Commissions of Alabama or ACCA
2 North Jackson Street, FL 7, Montgomery, Alabama 36104 (Physical Address)
P.O. Box 5040, Montgomery, Alabama 36103 (Mailing Address)**

BID SPECIFICATIONS

Please note that each piece of heavy equipment available for bid may include several different sizes and categories of machines. You should read each set of specifications very carefully as the differences vary depending upon the piece and size of equipment.

Where applicable, each bid submission shall include the separate cost of each item listed in the "Options" section of the bid specifications. However, all bids will be awarded on the basis of the **total cost of the machine with all options included**. Therefore, the "Bid Price" stated on the Bid Submittal Form must be the total cost, including the cost of all options.

Both parties agree that the Vendor SHALL extend to ALL counties purchasing this equipment any factory discounts, incentives or rebates that become available during the Contract Period; provided that there are no alterations from the bid specifications for this item required in order to receive the discount, incentive, or rebate. FURTHER, BOTH PARTIES AGREE THAT THE VENDOR SHALL EXTEND TO ALL COUNTIES PURCHASING THIS EQUIPMENT THE SAME PURCHASE PRICE AND DISCOUNTS AS THEY ARE AWARDED ON ANY OTHER NATIONAL PURCHASING COOPERATIVE APPROVED BY THE DEPARTMENT OF EXAMINERS OF PUBLIC ACCOUNTS FOR USE BY ALABAMA COUNTIES.

Once the bids have been awarded, any county participant purchasing under this program may, at its discretion, deduct one or more of the options set out in the bid specifications, and in such event, the cost of the option as stated on the bid shall be deducted from the total cost of the machine. There shall be no other deductions and no additions made to the machine by the purchasing county or by the vendor.

Any use of specific names and/or model numbers in the attached specifications is not intended to restrict the bidder or any seller or manufacturer, but is included solely for the purpose of indicating the type, size, and quality of materials, product services, or equipment considered best adapted to the use of the counties participating in the joint bid program.

BIDDER QUALIFICATIONS

All bidders and all program participants must be in compliance with any applicable federal, state, county and municipal laws, regulations, resolutions and ordinances, including but not limited to, licensing, permitting, and taxation requirements. All bidders should be prepared to submit evidence or documentation as proof that they are properly licensed and permitted under any applicable laws upon request. Such evidence or documentation may be submitted with the bid. **Additionally, all bidders shall provide proof that they are in compliance with the E-Verify requirements of Alabama's Immigration Law (Ala. Code § 31-13-1 et seq.). All bidders shall also affirm that they are in compliance with, and will comply with, Alabama's anti-boycott law (Ala. Code § 41-16-5) and anti-economic boycott law (Ala. Code § 41-16-160 et seq.).**

BID AWARD

The Houston County Commission will serve as the awarding authority for all bids and will award all contracts at a regular meeting of the Houston County Commission. Any and all bids submitted in compliance with this invitation to bid shall be considered, and award will be made to the lowest responsible bidder meeting bid specifications as determined by the awarding authority in compliance with Alabama law. All bids will be reviewed and evaluated by a committee created for that purpose, which committee will make comments and recommendations to the awarding authority regarding the award. All factors contained in each invitation package will be evaluated in determining the successful bidder, and any omissions of the stated requirements may be cause for rejection of the bid submitted. The awarding authority reserves the right to reject any and all bids, to waive any informality in bids, and to accept in whole or in part such bid or bids solely at its discretion.

The contract period will be six (6) months with an option to renew each six (6) months not to exceed a period of three (3) years under identical price, terms, and conditions upon the mutual consent of the vendor and the awarding authority.
Any renewal contract shall be approved in writing by the vendor and the awarding authority no later than **60 days** prior to the expiration of the existing contract.

CONTACT REGARDING BIDS AND INVITATION

Contact initiated by a potential bidder with any county official, county employee, or member of the Association staff shall only be as specifically set out in this Invitation to Bid. Any questions related to the bid or the County Joint Bid Program shall be directed to Association staff in writing under the procedures set out in this Invitation to Bid.

Additionally, a bidder may contact the Association in writing to request an appointment to review bid specifications following the bid opening. However, there shall be no communication with any county official or county employee regarding this bid between the date of this invitation and the date of bid award. Any contact other than as set out here shall be deemed as an attempt to unduly influence the bid award, and shall be grounds for rejection of the bid submitted by the bidder initiating such other contact.

Any questions or problems related to downloading or obtaining copies of this Invitation to Bid should be directed to Kenya Howard at jointbid@alabamacounties.org or 334-263-7594.

Any other questions or requests for additional information regarding this invitation or the bid specifications shall be submitted **in writing** no later than five (5) days prior to bid opening to:

ATTN: Patrick McDougald
Association of County Commissions of Alabama
P.O. Box 5040
Montgomery, Alabama 36104

OR

Patrick McDougald
Email: pattymackdaddy@gmail.com