

BID SUBMITTAL FORM
Alabama County Joint Bid Program
BID ITEM – Vertical Asphalt Storage Tanks

Company Name: Cumline, Inc.

Address: 2601 NIAGARA LN N
PLYMOUTH, MN 55447

Bid Submitted by: Ben Thielbar
(Name of company representative)

Title: Director of Sales E-mail address: btthielbar@cumline.com
612-916-4966 direct

Phone: 877-841-0848 office Fax: 763-557-1971

By submitting this bid, we agree:

Initials

BT

The equipment model number identified below meets the bid specs for this bid item

BT

That the bid price will be honored for all counties for the period from **January 1, 2026** to **June 30, 2026**.

BT

The equipment will be delivered at the bid price to all counties participating in the joint bid program

BT

The company representative listed above will be the contact person for purchasing this bid item under the joint bid program

BT

The bid is accompanied by a current catalog or model specification document for the model number identified below

BT

The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications

BT

The bid includes the E-Verify documentation required by Alabama law

BT

We comply with, and if awarded the contract, we will comply with, the requirements of Section 41-16-50 and Sections 41-16-160 to -166, Code of Alabama 1975.

BT

If awarded the bid, a performance bond will be provided upon request

BT

The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Tank.**

Vertical Asphalt Storage Tanks

3,000 Thousand Gallon Storage Tank


Total Bid Price for Standard Tank: \$ 53,010 ⁰⁰
(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 1350
(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 82,000

Equipment Model #: T3

Description: 3000 Gal Emulsion Storage Tank



Signature of company representative submitting bid:

Title: Director of Sales

4,000 Thousand Gallon Storage Tank

Total Bid Price for Standard Tank: \$ 58,731 ⁰⁰
(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 1350
(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 91,080 ⁰⁰

Equipment Model #: T4

Description: 4000 Gal Emulsion Storage Tank



Signature of company representative submitting bid:

Title: Director of Sales

Vertical Asphalt Storage Tanks

5,000 Thousand Gallon Storage Tank

\$61,881.00 B.T.

Total Bid Price for Standard Tank: \$


(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 1350
(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 96,080.00

Equipment Model #: T5

Description: 5000, Gal Emulsion Storage Tank



Signature of company representative submitting bid:

Title: Director of Sales

6,000 Thousand Gallon Storage Tank

Total Bid Price for Standard Tank: \$ 65,166.00

(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 1350
(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 102,080.00

Equipment Model #: T6

Description: 6,000 Gal Emulsion Storage Tank



Signature of company representative submitting bid:

Title: Director of Sales

Vertical Asphalt Storage Tanks

7,000 Thousand Gallon Storage Tank

Total Bid Price for Standard Tank: \$ 69,441⁰⁰

(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 1350
(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 108,080

Equipment Model #: T7

Description: 7000 GAL EMULSION STORAGE TANK



Signature of company representative submitting bid

Title: Director of Sales

8,000 Thousand Gallon Storage Tank

Total Bid Price for Standard Tank: \$ 73,221⁰⁰

(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 1350⁰⁰
(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 114,080⁰⁰

Equipment Model #: T8

Description: 8000 Gallon Emulsion Storage Tank



Signature of company representative submitting bid

Title: Director of Sales

Vertical Asphalt Storage Tanks

9,000 Thousand Gallon Storage Tank

Total Bid Price for Standard Tank: \$ 71,001 00

(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 1350 00
(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 120,080

Equipment Model #: T10

Description: 10,000 Gal Emulsion Storage Tank

Signature of company representative submitting bid: _____

Title: _____

10,000 Thousand Gallon Storage Tank

Total Bid Price for Standard Tank: \$ 71,001 00

(Total Bid Price for Standard Tank Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 1350 00
(Included in Standard Tank Bid Price)

Manufacturer's Suggested Retail Price for Standard Tank: \$ 120,080

Equipment Model #: T10

Description: 10,000 Galon Emulsion Storage Tank

Signature of company representative submitting bid: 

Title: Director of Sales

***NOTE:** Award will be made based on the total cost of the **Standard Tank**. The total cost of the standard machine is to include freight preparation, delivery and standard warranty cost. Freight preparation and delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

BID SUBMITTAL FORM: OPTION COST SHEET

Vertical Asphalt Storage Tanks

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Tanks*

10%

The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) with **any available Options** for the Standard Tank

Yes

Equipment Model #: T series STORAGE TANKS

Description: Emulsion STORAGE TANKS, VERTICAL

Signature of company representative submitting bid:



Title: Director of Sales

***Note:** The percent difference between the Manufacturer's Suggested Retail Price Sheet (MSRP) for the standard tank as specified by these **Bid Specifications** and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation and delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard tank at the percentage discount at the time of purchase.

Bid Specifications for Vertical Asphalt Storage Tanks

GENERAL

These specifications shall be construed as the minimum acceptable standards for Vertical Asphalt Storage Tanks. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the tank offered for bid shall include all standard manufacturer's equipment. The tank must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer but is intended solely for the purpose of indicating the type, size and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

MANUALS

Each unit shall be provided with one (1) copy of the operator's manual, (1) copy of the repair manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty.

Yes No
Page _____
or _____
Attachment

BID ITEM – Vertical Asphalt Storage Tanks

All size vertical storage tanks are to be constructed as follows:

1/4 inch thick carbon steel

Yes No _____
Page _____

3 inches of foil backed insulation

Yes No _____
Page _____

Aluminum outer skin

Yes No _____
Page _____

Standard Ladder, heavy duty manway, rail system, and 24-inch inspection door
To access heating.

Yes No _____
Page _____

Standard 5 Ft. 5 Inch. Height stand

Yes No _____
Page _____

Blanket Heating System:

1,000 watt 220 or 240VAC single phase power electric blankets:

- 4 blankets for 3000-5000 gallon models
- 6 blankets for 6000-8000 gallon models
- 8 blankets for 9000-10,000 gallon models

Yes No _____
Page _____

Delivery System - Gravity no pump standard

Loading Hose: 3-inch diameter by minimum of 8ft. in length with quick couplers.

Yes No _____
Page _____

2 Valves. 3 inch heated and insulated

Yes No _____
Page _____

Tank clean out valve insulated and located in the bottom of tank.

Yes No _____
Page _____

Agitator- Paddle Type, 6 rpm and timed

Yes No _____
Page _____

Material Gauge- Mechanical float type with 100 gallon increments

Yes No _____
Page _____

Warranty – One year Limited

Yes No _____
Page _____

Note: End User or Purchaser is responsible for pad construction, tank unloading, and jobsite electrical.

INVITATION TO BID HEAVY EQUIPMENT

NOTICE OF BID OPENING

NOTICE IS HEREBY GIVEN that the Association of County Commissions of Alabama, which administers the Alabama County Joint Bid Program on behalf of Alabama's county governing bodies, shall receive and open bids for the purchase of zero (0) or more items of heavy road equipment at its office located at 2 North Jackson Street, Montgomery, Alabama, at **10:00 a.m. on Tuesday, November 18, 2025**. Bid specifications are available at <http://www.alabamacounties.org/heavy-equipment/> for each of the following items:

Track Mount Excavators
Compact Excavators
Mini Track Excavators
Wheeled Excavators
Highway Speed Truck Excavators
Motor Graders
Wheel Loaders
Heavy Duty Dump Chassis
Lowboy Tractors
Lowboy Trailers
Half Round End Dump
Skid Steer Loader and Attachments
Ride-on Industrial Boom Mowers
Rubber Tire Roller
Vibratory Roller

One-man Pothole Patchers
Trailer Mount Mastic Patcher/Crack Sealer
Trailer Mounted Patcher – Diesel
Trailer Mounted Patcher – Air Compressor/Tools
Chip Spreader
Asphalt Distributor
Asphalt Milling Attachments
Asphalt Storage Tanks
Backhoes
Bulldozers
Dump Bodies
Road Wideners
Ride On Industrial Boom Mowers

Time is of the essence in submitting bids and only bids received in the Association office by 10:00 a.m. Central Time on Tuesday, November 18, 2025 will be opened and considered. Bidders and any other interested individuals are invited to attend the bid opening.

NOTICE OF BID OPENING PROCEDURES

All bids for Heavy Equipment will be opened and the name(s) of the bidders read aloud on the morning of the bid opening on Tuesday, November 18, 2025 at 10:00 a.m. at 2 North Jackson Street, Montgomery, AL. The specifics of each bid submitted will be compiled by the Association staff thereafter and will be available, upon written or emailed request, one week after the bid opening. Requests should be emailed to jointbid@alabamacounties.org.

THE INVITATION PACKAGE

The invitation package for each item to be bid includes: this invitation to bid, the written bid specifications for the particular item of heavy road equipment, and a Bid Submittal Form to be used in submitting a bid for that particular item. Bidders should verify that they have received all pages of the invitation package. If there are any omissions, the bidder should contact Kenya Howard in the Association office by mail, fax, or e-mail (jointbid@alabamacounties.org) to request missing pages. It is the responsibility of the bidder to make this request in sufficient time to prepare and submit the bid in time for the bid opening. Bidders should carefully read and comply with all parts of the invitation package, including all attachments and/or any addendum.

PREPARING AND SUBMITTING BIDS

All bids must be typed or handwritten in ink on the attached Bid Submittal Form. **The completed Bid Submittal Form shall be placed in front of and separated from all other documents included in the bid packet, such that it will be the first document viewed upon opening the bid packet.**

Bids submitted in pencil and bids not submitted on the Bid Submittal Form **will not** be considered. All bids shall include a current catalog or model specification document for the equipment model number being offered for consideration. Bids submitted without such documentation **will not** be considered. Only information contained on the attached Bid Submittal Form and in the model specification document will be considered in evaluating bids.

Each separate requirement in the bid specification includes a block for indicating whether or not the item bid meets the specification. The bidder shall indicate compliance with each requirement by checking "Yes" or "No" in the block to the right of each bid specification. In addition, the bidder shall indicate the page number in the supplied manufacturer's equipment literature on which compliance with the specification can be verified. Failure to complete this portion of the bid form may result in the subject bid not being considered.

Each bid for one of the heavy equipment items included in the bid package must be submitted on the Bid Submittal Form for that item and forwarded in a separate envelope with the bid item and item number clearly identified on the outside of the envelope. Envelopes containing a "no bid" shall also include the words "NO BID" on the outside of the envelope. Facsimiles and e-mails will not be accepted. Bids submitted by "Express/Overnight" services must be in a separate inner envelope or package sealed and identified as stated above. All bids must be received in the Association office prior to the bid opening. Bids received after the deadline will be returned unopened.

The County Joint Bid Program reserves the right to require a performance bond from successful bidders as permitted under Alabama law. **However, no bid bond is required for this bid offering.**

All bids should be mailed or hand-delivered to:

**ATTN: Alabama County Joint Bid Program
Association of County Commissions of Alabama or ACCA
2 North Jackson Street, FL 7, Montgomery, Alabama 36104 (Physical Address)
P.O. Box 5040, Montgomery, Alabama 36103 (Mailing Address)**

BID SPECIFICATIONS

Please note that each piece of heavy equipment available for bid may include several different sizes and categories of machines. You should read each set of specifications very carefully as the differences vary depending upon the piece and size of equipment.

The award will be based on the total cost of the **Standard Machine** bid by the lowest responsible bidder. Each Bid shall include a **Manufacturer's Suggested Retail Price Sheet (MSRP)** for each machine bid. The percent difference between the Manufacturer's Suggested Retail Price (MSRP) for the standard machine as specified by these bid specifications and the actual price bid by the vendor will be calculated and that percentage discount shall be applied to any options an individual county may choose to add to the machine.

Both parties agree that the Vendor SHALL extend to ALL counties purchasing this equipment any factory discounts, incentives or rebates that become available during the Contract Period; provided that there are no alterations from the bid specifications for this item required in order to receive the discount, incentive, or rebate. FURTHER, BOTH PARTIES AGREE THAT THE VENDOR SHALL EXTEND TO ALL COUNTIES PURCHASING THIS EQUIPMENT THE SAME PURCHASE PRICE AND DISCOUNTS AS THEY ARE AWARDED ON ANY OTHER NATIONAL PURCHASING COOPERATIVE APPROVED BY THE DEPARTMENT OF EXAMINERS OF PUBLIC ACCOUNTS FOR USE BY ALABAMA COUNTIES.

Once the bids have been awarded, any county participant purchasing under this program may, at its discretion, add any of the vendor's available options at the same discount off the Manufacturer's Suggested Retail Price Sheet as was applied to the Standard Machine Price Bid.

Any use of specific names and/or model numbers in the attached specifications is not intended to restrict the bidder or any seller or manufacturer but is included solely for the purpose of indicating the type, size, and quality of materials, product services, or equipment considered best adapted to the use of the counties participating in the joint bid program.

ACQUISITION AND FINANCING OPTIONS

The awarded Vendor will provide the equipment, including any options required by the purchaser, at the awarded price as contracted through the Joint Bid Program. The purchaser may secure its own financing to acquire the equipment or execute any financial options available under Alabama law with the awarded Vendor in order to acquire the equipment.

BIDDER QUALIFICATIONS

All bidders and all program participants must be in compliance with any applicable federal, state, county and municipal laws, regulations, resolutions and ordinances, including but not limited to, licensing, permitting, and taxation requirements. All bidders should be prepared to submit evidence or documentation as proof that they are properly licensed and permitted under any applicable laws upon request. Such evidence or documentation may be submitted with the bid. **Additionally, all bidders shall provide proof that they are in compliance with the E-Verify requirements of Alabama's Immigration Law (Ala. Code § 31-13-1 et seq.). All bidders shall also affirm that they are in compliance with, and will comply with, Alabama's anti-boycott law (Ala. Code § 41-16-5) and anti-economic boycott law (Ala. Code § 41-16-160 et seq.).**

BID AWARD

The Houston County Commission will serve as the awarding authority for all bids and will award all contracts at a regular meeting of the Houston County Commission. Any and all bids submitted in compliance with this invitation to bid shall be considered, and award will be made to the lowest responsible bidder meeting bid specifications as determined by the awarding authority in compliance with Alabama law. All bids will be reviewed and evaluated by a committee created for that purpose, which committee will make comments and recommendations to the awarding authority regarding the award. All factors contained in each invitation package will be evaluated in determining the successful bidder, and any omissions of the stated requirements may be cause for rejection of the bid submitted. The awarding authority reserves the right to reject any and all bids, to waive any informality in bids, and to accept in whole or in part such bid or bids solely at its discretion.

The contract period will be Six (6) months with an option to renew each Six (6) months not to exceed a period of Three (3) years under identical price, terms, and conditions upon the mutual consent of the vendor and the awarding authority. Any renewal contract shall be approved in writing by the vendor and the awarding authority no later than **60 days** prior to the expiration of the existing contract.

CONTACT REGARDING BIDS AND INVITATION

Contact initiated by a potential bidder with any county official, county employee, or member of the Association staff shall only be as specifically set out in this Invitation to Bid. Any questions related to the bid or the County Joint Bid Program shall be directed to Association staff in writing under the procedures set out in this Invitation to Bid. Additionally, a bidder may contact the Association in writing to request an appointment to review bid specifications following the bid opening. However, there shall be no communication with any county official or county employee regarding this bid between the date of this invitation and the date of bid award. Any contact other than as set out here shall be deemed as an attempt to unduly influence the bid award and shall be grounds for rejection of the bid submitted by the bidder initiating such other contact.

Any questions or problems related to downloading or obtaining copies of this Invitation to Bid should be directed to **Kenya Howard** at jointbid@alabamacounties.org or **334-263-7594**.

Any other questions or requests for additional information regarding this invitation or the bid specifications shall be submitted **in writing** no later than five (5) days prior to bid opening to:

**ATTN: Patrick McDougald
Association of County Commissions of Alabama
P.O. Box 5040
Montgomery, Alabama 36104**

OR

**Patrick McDougald
Email: pattymackdaddy@gmail.com**



DURAPATCHER
TECHNOLOGY

**INNOVATION
IN PRESERVATION**

P2

Two-Person Patcher with DuraPatcher™ Technology



A Permanent Patch in Four Easy Steps:

DuraPatcher™ Technology allows you to patch in almost any weather conditions and eliminate labor-intensive, poor performing patches. The DuraPatcher™ 4 step process is easy to learn and adapts to many different pavement applications.



1. Clean:
Use high volume low pressure air to clean the patch of debris.



2. Tack:
Prep the patch with a coating of emulsion.



3. Fill:
Inject emulsion coated aggregate and fill pothole.



4. Coat:
Apply a light coating of clean aggregate and open to traffic.

Low Maintenance/Hi-Performance:


The DuraPatcher air-driven system utilizes virtually no moving parts in the delivery system. No augers, conveyors or other wear parts are required making it the most reliable in the industry. Aggregate is gravity fed from the tow vehicle completing the worry-free package. The system will deliver aggregate up to 2.5 inches in diameter without plugging or adjustment.

Ergonomic No-Stress Boom:

The 3 piece boom design provides the ultimate in support for the operator moving the delivery hose. The boom/slide system easily moves throughout the entire 18-foot working radius allowing for smooth patching anywhere in the work zone.

Vent-Flo Nozzle:

The specially designed Vent-Flo nozzle properly coats the aggregate with the right amount of emulsion regardless of aggregate size. The mix is applied at an angle to the repair allowing maximum placement and best operator safety. The vent holes diffuse/slow down the air stream to minimize rock over spray and maximize placement into the repair.



Vent-Flo™ nozzle with optional heater



Gravity feed aggregate delivery




Large temperature gauge



Ergonomic no-stress boom



Overnight heating system



Hitch adjusts for height and distance

SPECIFICATIONS

DuraPatcher P2 #301529

Emulsion Capacity	250 US Gallons
Aggregate Capacity	Up to 2" Maximum Diameter
Tank Gravity Drain	3 Inch with Brass Ball Valve
Tank Heating Method (Overnight)	Electric Blanket
Tank Heat Rating	2 x 1500w (110v @ 15a)
Tank Insulation	R15
Temperature Gauge	5 Inch
Engine	74HP IT4 Diesel
Fuel Capacity	18 Gallons
Clean-out Solvent Capacity	15 Gallons
Blower	450 CFM, 10 PSI @ 1500 RPM
Trailer Construction	2" x 6" x 1/4" rectangular tube
Trailer Brake Type	Electric
Dimensions (LxWxH)	194 x 96 x 91 Inches
Axles/Suspension	2x6000 Lbs. / Leaf Spring
Shipping Weight	5560 Lbs.
GVWR	10,400 Lbs.
Warranty	2 Year Limited

PRODUCTS FROM CIMLINE



C1 Combination Mastic/Crack Sealer Melter Applicator



P5 One-Person Patcher with DuraPatcher™ Technology



T-Series Stationary Tanks

Due to continuous improvement, specifications are subject to change without notice.



Learn more at cimline.com

Phone : 800-328-3874 Email : orders@cimline.com



DURAPATCHER
TECHNOLOGY

EQUIPMENT WARRANTY

P2 and P3

Cimline, Inc.
2601 Niagara Lane N.
Plymouth, MN 55447
Duraco, Inc.
2000 Old Whitfield Rd.
Pearl, MS 39208
(877) 841-0848
Tel: 763-694-2665
Fax: 763-553-1093
cimline.com

Cimline, Inc. / Duraco, Inc. warrants its equipment, to the original purchaser only, against defects in material or workmanship based on normal use of service. Except as provided herein, no agent, dealer, employee or any other person is authorized to give any warranties of any nature outside of this agreement on behalf of Cimline, Inc. / Duraco, Inc.

Warranty period: begins at the date unit is first placed in service, or shipped from the factory. Upon sale or rental of the equipment by the distributor or Cimline, Inc. / Duraco, Inc., the provided warranty card should be mailed within 14 days stating date the unit is placed in service thus beginning the warranty period.

In the absence of any warranty card on file, the warranty period begins from date of shipment from factory.

For five (5) years Cimline, Inc. / Duraco, Inc. offers limited warranties on the following items:

- a. Air ram, Parker
- b. Air solenoid actuator, Parker
- c. Air dryer

For two (2) years Cimline, Inc. / Duraco, Inc. offers limited warranties on the following items:

- a. John Deere diesel engine
- b. Air feed system EXCLUDING the feed pipe system; 11'8" discharge metal pipe and 16'4" discharge hose and nozzle
- c. Air compressor
- d. Blower

For One (1) year Cimline, Inc. / Duraco, Inc. offers limited warranties on the following items:

- a. Blower drive coupling
- b. Heat blankets and thermostat
- c. Hot oil circulating system
- d. Boom arm
- e. Heat exchanger

Any warranty claims on parts may require a return for evaluation. Returning items will require an appropriate Return Merchandise Authorization (RMA) from Cimline Customer Care and that the item be returned for evaluation with that RMA for any warranty claim to be considered.

Replacement parts are warranted for a period of 60 days from factory invoice. For replacement parts that are purchased from distributor stock, the 60-day period will commence from the date of distributor to end user invoice. A copy of the invoice will be required as proof of in service date. If invoice is not provided, policy will revert back to the original factory invoice date.

Warranty does not apply to defects caused by improper or unreasonable use, including but not limited to damage (including freight damage), accidents, failure to provide reasonable maintenance or faulty repair made by others. Furthermore, warranty is void if the product or any of its components are modified or altered in any way or if aftermarket (NON-OEM) parts have been used during the warranty period. In the event of freight damage, a claim must be filed by the purchaser with the freight carrier.

Our responsibility under this warranty is limited to replacement or repair (at Cimline, Inc. / Duraco, Inc. discretion) of such part or parts, as inspection shall disclose to have been defective, to be performed at Cimline, Inc. / Duraco, Inc. factory at Plymouth, MN / Pearl, MS or at a facility designated by Cimline.

In no event shall Cimline, Inc. / Duraco, Inc. be liable for incidental or consequential damages of any kind whatsoever.

Downtime, overhead and performance penalties are not recognized at any time as part of warranty coverage. Reasonable labor, travel, and diagnostic time will be reviewed for reimbursement. The use of aftermarket (NON-OEM) parts will result in denial of the claim. Mileage will be reimbursed at a rate of \$0.80 (80 cents) per mile (domestic 48 states), and no more than one round trip per claim. Shop Labor will be reimbursed at a max rate of \$80/hour. Parts freight will be reimbursed at a "UPS REGULAR" rate only for stock items, and for non-stock items will be reimbursed at a "UPS BLUE" rate.

All warranty claims must be processed through the factory authorized Cimline, Inc. / Duraco, Inc. dealer that was the original distributor of your Cimline, Inc. / Duraco, Inc. equipment or OEM Parts. All claim notices to Cimline, Inc. / Duraco, Inc. pursuant to this limited warranty must be made by completing a Cimline Warranty Claim Form which should be Emailed to: customercareorders@plymouthind.com

No exceptions will be made to this warranty unless agreed to in writing by the Cimline Director.

This warranty is in lieu of all other warranties expressed or implied, and such other warranties are hereby disclaimed including any warranty of merchantability and fitness for a particular purpose.



DURAPATCHER
TECHNOLOGY

2 YEAR EXTENDED EQUIPMENT WARRANTY P2 and P3

Cimline, Inc.
2601 Niagara Lane N.
Plymouth, MN 55447
Duraco, Inc.
2000 Old Whitfield Rd.
Pearl, MS 39208
(877) 841-0848
Tel: 763-694-2665
Fax: 763-553-1093
cimline.com

Cimline, Inc. / Duraco, Inc. warrants its equipment, to the original purchaser only, against defects in material or workmanship based on normal use of service. Except as provided herein, no agent, dealer, employee or any other person is authorized to give any warranties of any nature outside of this agreement on behalf of Cimline, Inc. / Duraco, Inc.

Warranty period; begins at the date unit is first placed in service, or shipped from the factory. Upon sale or rental of the equipment by the distributor or Cimline, Inc. / Duraco, Inc., the provided warranty card should be mailed within 14 days stating date the unit is placed in service thus beginning the warranty period.

In the absence of any warranty card on file, the warranty period begins from date of shipment from factory.

For five (5) years Cimline, Inc. / Duraco, Inc. offers limited warranties on the following items:

- a. Air ram, Parker
- b. Air solenoid actuator, Parker
- c. Air dryer

For two (2) years Cimline, Inc. / Duraco, Inc. offers limited warranties on the following items:

- a. John Deere diesel engine
- b. Air compressor
- c. Blower
- d. Blower drive coupling
- e. Heat blankets and thermostat
- f. Hot oil circulating system
- g. Boom arm
- h. Heat exchanger

Any warranty claims on parts may require a return for evaluation. Returning items will require an appropriate Return Merchandise Authorization (RMA) from Cimline Customer Care and that the item be returned for evaluation with that RMA for any warranty claim to be considered.

Replacement parts are warranted for a period of 60 days from factory invoice. For replacement parts that are purchased from distributor stock, the 60-day period will commence from the date of distributor to end user invoice. A copy of the invoice will be required as proof of in service date. If invoice is not provided, policy will revert back to the original factory invoice date.

Warranty does not apply to defects caused by improper or unreasonable use, including but not limited to damage (including freight damage), accidents, failure to provide reasonable maintenance or faulty repair made by others. Furthermore, warranty is void if the product or any of its components are modified or altered in any way or if aftermarket (NON-OEM) parts have been used during the warranty period. In the event of freight damage, a claim must be filed by the purchaser with the freight carrier.

Our responsibility under this warranty is limited to replacement or repair (at Cimline, Inc. / Duraco, Inc. discretion) of such part or parts, as inspection shall disclose to have been defective, to be performed at Cimline, Inc. / Duraco, Inc. factory at Plymouth, MN / Pearl, MS or at a facility designated by Cimline.

In no event shall Cimline, Inc. / Duraco, Inc. be liable for incidental or consequential damages of any kind whatsoever.

Downtime, overhead and performance penalties are not recognized at any time as part of warranty coverage. Reasonable labor, travel, and diagnostic time will be reviewed for reimbursement. The use of aftermarket (NON-OEM) parts will result in denial of the claim. Mileage will be reimbursed at a rate of \$0.80 (80 cents) per mile (domestic 48 states), and no more than one round trip per claim. Shop Labor will be reimbursed at a max rate of \$80/hour. Parts freight will be reimbursed at a "UPS REGULAR" rate only for stock items, and for non-stock items will be reimbursed at a "UPS BLUE" rate.

All warranty claims must be processed through the factory authorized Cimline, Inc. / Duraco, Inc. dealer that was the original distributor of your Cimline, Inc. / Duraco, Inc. equipment or OEM Parts. All claim notices to Cimline, Inc. / Duraco, Inc. pursuant to this limited warranty must be made by completing a Cimline Warranty Claim Form which should be Emailed to: customercareorders@plymouthind.com

No exceptions will be made to this warranty unless agreed to in writing by the Cimline Director.

This warranty is in lieu of all other warranties expressed or implied, and such other warranties are hereby disclaimed including any warranty of merchantability and fitness for a particular purpose.