

BID SUBMITTAL FORM
Alabama County Joint Bid Program
Heavy Equipment – BID ITEM: RIDE ON INDUSTRIAL BOOM MOWER
OPTION A

Company Name: Warrior Tractor & Equipment Company, Inc.

Address: 6801 McFarland Blvd, Northport, AL 35476

Bid Submitted By: David Schafer
(Name of company representative)

Title: Sales Manager E-mail address: dschafer@warriortractor.com

Phone: 205-339-0300 Fax: 205-333-0101

By submitting this bid, we agree:

Initials

The equipment model number identified below meets the bid specs for this bid item.

DRS

That the bid price will be honored for all counties for the period from **January 1, 2026** to **June 30, 2026**.

DRS

The equipment will be delivered at the bid price to all counties participating in the joint bid program.

DRS

The company acknowledges the freight preparation and delivery price is to be included in the total bid price for the standard machine.

DRS

The company representative listed above will be the contact person for purchasing this bid item under the joint bid program.

DRS

The bid is accompanied by a current catalog or model specification document for the model number identified below.

DRS

The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications.

DRS

The bid includes the E-Verify documentation required by Alabama law.

DRS

We comply with, and if awarded the contract, we will comply with, the requirements of Section 41-16-50 and Sections 41-16-160 to -166, Code of Alabama 1975.

DRS

If awarded the bid, a performance bond will be provided upon request.

DRS

The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine**.

DRS

22 Foot Boom Model including 1,400 lb. counterweight

Total Bid Price for Standard Machine: \$ 242,909.67

(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs)*

Freight Preparation and Delivery: \$ 8,000.00

(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 266,933.70

Equipment Model #: Aspen Fast 7 - 24 Foot Boom

Description: Industrial Boom Mower

24 Foot Boom Model including 1,400 lb. counterweight

Total Bid Price for Standard Machine: \$ NO BID

(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ _____
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$

Equipment Model #:

Description:

26 Foot Boom Model which including 1,400 lb. counterweight

Total Bid Price for Standard Machine: \$ NO BID

(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ _____
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$

Equipment Model #:

Description:

27-30 Foot Telescoping Boom Model including 3,450 lb. counterweight with integrated steps

Total Bid Price for Standard Machine: \$ 263,250.99

(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) *

Freight Preparation and Delivery: \$ 8,000.00

(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 289,286.80

Equipment Model #: Aspen Fast 9 - 30 Foot Boom

Description: Industrial Boom Mower

Signature of company representative submitting bid: David R. Schaefer

Title: Sales Manager

***NOTE:** Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include freight preparation, delivery and standard warranty cost. Freight preparation and delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

BID SUBMITTAL FORM: OPTION COST SHEET

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine*




The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the Standard Machine



Equipment Model #: Aspen Fast 6 & Fast 9

Description: Industrial Boom Mower

Signature of company representative submitting bid:



Title: Sales Manager

***NOTE:** The percent difference between the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the standard machine as specified by these **Bid Specifications** and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation and delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.

**BID ITEM: RIDE-ON INDUSTRIAL BOOM MOWER
WITH UNIVERSAL ATTACHMENT PLATE OPTION A**

GENERAL

These specifications shall be construed as the minimum acceptable standards for a ride-on industrial boom mower with universal attachment plate and mowing arm. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturers' equipment. The machine must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer but is intended solely for the purpose of indicating the type, size and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

MANUALS

Each unit shall be provided with one (1) copy of the operator's manual, (1) copy of the repair manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 7,500 hours of use for the piece of equipment bid. If replacement parts are not delivered within three (3) working days of an order being placed, the bidder will deliver an equivalent machine for the county to use at no cost to the county until such time as the parts are delivered to the county so it can affect repairs to its machine.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty. Warranty shall include service response time of maximum of 36 hours within notification by county.

✓

Yes No _____
Page# _____
or
Attachment

**BID ITEM: RIDE-ON INDUSTRIAL BOOM MOWER
WITH UNIVERSAL ATTACHMENT PLATE OPTION A**

ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED. THIS UNIT IS NOT INTENDED TO BE A MODIFIED AGRICULTURAL TRACTOR.

ENGINE

The Engine shall meet the following requirements:

Minimum 154 HP Cummins Stage V Tier IV, with heavy duty radiator with high flow fan and canister style air cleaner with pre-cleaner. Electric start with engine pre-heat, and minimum 48-gallon fuel tank and full engine gauge package to include tachometer, water temperature, oil pressure, volt meter, fuel gauge and hour meter.

F1513 #P

X 48 gal

Yes No _____
Page # 11-15 of _____
Attachment _____

POWER TRAIN:

Minimum power train requirements shall consist of permanent 4 Wheel Drive, four-wheel steer and three steering modes. Heavy Duty Conner axles or equivalent. *✓*

Hydrostatic drive with two-speed heavy duty drive motor. Hydrostatic, variable displacement piston transmission pumps in closed loop system. Standard electric over hydraulic parking brake with standard service brake. *✓*

Joystick or pedal control transmission for speed and directional control, with 0-6 mph work mode and a travel mode of 0- 22 MPH. *✓*

Yes No _____
Page # 11-15 _____

BOOM: Equal to or Exceeds MowerMax

2 section steel construction. 22 Ft., 24 Ft., 26Ft., and 27FT. with 3 ft. of telescope out to 30Ft. Boom lengths includes counter weight with integrated steps & 175-degree rotation with HELAC actuator. Main Boom is to be 9"x7"x1/2" A-36 steel plate wall structural tubing conforming to ASTM A-500 Gr. B (58,000 psi minimum tensile). *✓*

Yes No _____
Page # 11-15 _____

MOWER ATTACHMENTS: Equal to or Exceeds MowerMax

No Boom attachment is considered standard. All attachments shall be optional

Yes No _____
Page # 11-15

WHEELS:

Shall be equipped with, Four (4) Heavy Duty, Industrial flotation tires with either 22 Ply 550/45-22.5 flotation tires with Chevron Pattern or 460/70R24 with Multiuse tread

Yes No _____
Page # 11-15

CAB, COMFORT, CONVENIENCE & SAFETY:

Custom designed cab will be mounted in front of the engine and hydraulics for optimum operator visibility. Cab must be certified for both ROPS – ISO 3471 and FOPS – ISO 3449.

Low profile Grammer or equivalent full suspension seat with lumbar support and integrated operator-presence safety switch, ROPS enclosed cab with Red Dot A/C, heat and AM/FM Stereo with 7-inch Touch Screen with Blue Tooth, **back up Camera is to be considered standard for the purpose of this bid.**

Minimum of One (1) LED Safety Strobe bar on top of the Cab and 12 mini strobe lights mounted on all 4 sides.

1- 35-inch LED Directional Control Bar. DOT reflector tape, clear view steering column with adjustable tilt steering, back up alarm.

Seat belt with safety switch. 6 section Valve Bank with Electro-Hydraulic Joystick Controls. 12V Air-ride Grammer cloth seat with lumbar, tilt, arm rest and 2 safety switches. ½ inch thick Lexan with no vertical supports on Right side window.

Yes No _____
Page # 11-15

CONDITIONS:

Boom Mower shall be equipped with all standard equipment specified by the manufacturer, and shall comply with EPA emission standards and all motor vehicle standards established by the U.S. Department of Transportation regarding the manufacture of motor vehicles. **This unit shall have a minimum of one-year manufactured warranty.**

Yes No _____
Page # ATTACH

The successful bidder shall be responsible for delivering the unit properly serviced, clean and in first class operating condition. Pre-delivery service at a minimum shall include the following:

Complete lubrication, check all fluid levels, adjustment of engine to proper operating condition, inflate tires to proper operating pressure, check proper operation of all accessories.

	DISCOUNT	DESCRIPTION	MSRP 2025
TOTAL	TOTAL	TOTAL	\$ 289,286.80
	ILF Aspen (complete with boom mod. FAST 6+ballast)	\$ 241,725.00	
	ILF Aspen (complete with boom mod. FAST 7+ballast)	\$ 244,445.30	
	ILF Aspen (complete with boom mod. FAST 9+ballast and mobile ballast)	\$ 266,798.40	x
ENG00701000028	Comfort Cabin	\$ 4,572.70	
ENG00701000029	Prestige Cabin	\$ 14,151.50	
ENG0KT01001064	Windshield glass in Hammer glass (special polycarbonate)	\$ 2,899.60	
ENG0KT01001066	Right side glass in Hammer glass (Special polycarbonate and steel frame)	\$ 2,927.10	x
ENG0KT01001065	Back right side glass in polycarbonate (POLIGLASS)	\$ 1,593.90	x
ENG0KT01000317	Approval KIT for USA	\$ 980.10	x
ENG0KT01000708	Special lights-kit USA homologation	\$ 2,917.20	x
ENG20101000004	Mineral hydraulic oil	\$ -	x
ENG20102000005	Biodegradable hydraulic oil	\$ 3,678.40	
ENG20102000006	Biodegradable PANOLIN HPL SYNTH 46	\$ 6,884.90	
ENG0KT01000049	STD ENERGREEN paint - RAL 2011 Orange/RAL 7021 Grey	\$ -	x
ENG21401000029	Custom paint	\$ 7,991.50	
ENG0KT01000281	Reversible fan	\$ 5,541.80	x
ENG0KT01000428	Tires BKT 500/45 R 22.5	\$ -	
ENG0KT01000385	NOKIAN 460/65 R 24	\$ 5,659.50	
ENG0KT01000072	CONTINENTAL / MITAS MPT 445/65	\$ 943.80	
ENG0KT01001296	Tires BKT 460/65R24	\$ 943.80	x
ENG0KT01000319	Tires Alliance 600/50R22.5 OFST-25	\$ 1,514.70	
ENG0KT01001384	NOKIAN EXCAVATOR 600/50 R22.5	\$ 5,454.90	
ENG0KT01000575	Mudguards set	\$ 2,468.40	
	New Speed 120	\$ 8,464.50	
ENG01301000016	Motor for NEW SPEED cutting head of 35 cc + pipes	\$ 2,553.10	
ENG0KT01001280	Rotor 120 cm for articulated flails (Includes 24 flails kits mounted on the rotor)	\$ 2,640.00	
ENG0KT01001284	Rotor 120 cm for polyvalent flails (Includes 16 flails kits mounted on the rotor)	\$ 2,939.20	
ENG0KT01001451	Rotor 120 cm for half turn flails (Includes 22 flails kits mounted on the rotor)	\$ 2,526.70	
ENG0KT01001406	Rotor 120 cm for hammers kits mounted on the rotor	\$ 2,847.90	

	DISCOUNT	DESCRIPTION	MSRP 2025
TOTAL	TOTAL		x
ENG01301000216	Rotor 120 cm for forest hammers (360° rotating) (Includes 22 hammers kits m	\$ 289,286.80	
	New Speed 150	\$ 4,692.60	
ENG01301000016	Motor for NEW SPEED cutting head of 35 cc + pipes	\$ 9,461.10	
ENG0KT01001283	Rotor 150 cm for articulated flails (Includes 36 flails kits mounted on the rotor)	\$ 2,553.10	
ENG0KT01001285	Rotor 150 cm for polyvalent flails (Includes 22 flails kits mounted on the rotor)	\$ 3,274.70	
ENG0KT01001452	Rotor 150 cm for half turn flails (Includes 24 flails kits mounted on the rotor)	\$ 3,161.40	
ENG0KT01001402	Rotor 150 cm for hammers 034M (Includes 14 hammers kits mounted on the rotor)	\$ 2,970.00	
ENG04001000002	Rotor 150 cm for forest hammers (360° rotating) (Includes 26 hammers kits m	\$ 5,327.30	
E00301370000	Hydraulic rotator	\$ 4,897.20	x
E00301371400	Electro-hydraulic opening for New Speed cutting head	\$ 1,483.90	
E207003NS120	Front protection chains for cutting head New Speed 120 cm	\$ 723.80	
E207003NS150	Front protection chains for cutting head New Speed 150 cm	\$ 799.70	
E459SPP00000	S.P.P. electronic system for boom suspension (Suspension Proportional Pote	\$ 5,107.30	
ENG0KT01000788	Automatic lubrication system with 10 greasing points	\$ 4,313.10	
E620KITBRA02	Hydraulic quick couplings mounted on the boom	\$ 2,446.40	x
ENG0KT01000660	Protection for cyclone filter	\$ 271.70	
ENG0KT01000605	Fire extinguisher	\$ 240.90	x
ENG00101000136	Rear warning sign with LED lights - Size: 60 x 60cm	\$ 2,037.20	
ENG0KT01000617	Blower	\$ 10,113.40	
ENG0KT01000321	Predisposition for blower or salt spreader	\$ 3,781.80	
ENG01301000133	FORESTRY HEAD 100 T 35 cc (ONLY for Kommunal and Aspen)	\$ 19,394.10	
ENG01301000134	FORESTRY HEAD 120 T 35 cc (ONLY for Kommunal and Aspen)	\$ 24,215.40	
ENG01301000138	Chain protection set for FORESTRY HEAD 100 T 35/44 cc	\$ 426.80	
ENG01301000140	Chain protection set for FORESTRY HEAD 120 T 35/44 cc	\$ 482.90	
ENG0KT01000935	DITCH BUCKET 100	\$ 3,096.50	
ENG0KT01000936	DITCH BUCKET 150	\$ 4,220.70	
E00303401900	90° bucket rotation for TRANSPORT POSITION. HYDRAULIC	\$ 1,615.90	
E00303407000	90° bucket rotation for TRANSPORT POSITION. MANUAL	\$ 938.30	
E1702G991425	CUTTER BAR 175 (2 blades)	\$ 8,440.30	

DISCOUNT	DESCRIPTION	MSRP 2025
TOTAL	TOTAL	\$ 289,286.80
ENG03801000285	CUTTER BAR 235 (2 blades)	\$ 9,002.40
ENG10702000012	POWER SHEARS 155	\$ 14,669.60
ENG10702000013	POWER SHEARS 225	\$ 18,770.40
ENG10704000001	POWER SHEARS 155 + second inclination	\$ 19,500.80
ENG10704000002	POWER SHEARS 225 + second inclination	\$ 23,600.50
ENG03801000146	Extra Trunk - 40 lt hydraulic system	\$ 20,784.50
ENG03801000048	Extra Trunk - 60 lt hydraulic system	\$ 20,784.50
E00703801100	Forc-one	\$ 5,626.50
ENG03801000082	Forc-one with hydraulic rotator KIT	\$ 7,502.00
ENG04201000081	"Octopus" grapple Mod. FSG120/4 with hydraulic rotator	\$ 11,049.50
ENG04201000082	Orange peel grapple Mod. FSG120/5 with hydraulic rotator	\$ 11,977.90
ENG03801000063	TRUNK PINCERS with hydraulic rotator	\$ 9,841.70
ENG03801000023	IRON BRUSH without protection	\$ 9,215.80
ENG03801000162	IRON BRUSH (with protection)	\$ 10,121.10
ENG03800000012	PLASTIC BRUSH	\$ 9,724.00
ENG10724000002	L.E.M. 7004. 4-28" blades 84" tall	\$ 24,875.40
ENG03601000001	COUPLING PLATE FOR SAW BAR TO BE USED WITH ROTATOR BUT NO TILTING	\$ 139.70
ENG03801000145	COUPLING PLATE FOR L.E.M. 9002 (not suitable with tilting)	\$ 1,240.80
ENG62403000003	HOSES FOR SAW BAR (ONLY WITHOUT TILTING)	\$ 2,135.10
ENG62403000098	HOSES FOR SAW BAR ONLY WITHOUT TILTING (NOT SUITABLE FOR LEM 9001 + 9002)	\$ 2,135.10
ENG03801000231	Saw bar with 4 discs Ø 700 mm	\$ 21,919.70
ENG03800000026	DITCH CLEANERS FF50	\$ 13,777.50
ENG0KT01000364	STUMP GRINDER H40S complete with hydraulic lateral movements and attachment for ILF	\$ 30,116.90
ENG01301000398	ROTARY NINJA 50"	\$ 24,444.20

DISCOUNT	CODE	DESCRIPTION	MSRP 2025	x
	TOTAL	TOTAL	\$ 266,933.70	
		ILF Aspen (complete with boom mod. FAST 6+ballast)	\$ 241,725.00	
		ILF Aspen (complete with boom mod. FAST 7+ballast)	\$ 244,445.30	x
		ILF Aspen (complete with boom mod. FAST 9+ballast and mobile ballast)	\$ 266,798.40	
	ENG00701000028	Comfort Cabin	\$ 4,572.70	
	ENG00701000029	Prestige Cabin	\$ 14,151.50	
	ENGOKT01001064	Windshield glass in Hammer glass (special polycarbonate)	\$ 2,899.60	
	ENGOKT01001066	Right side glass in Hammer glass (Special polycarbonate and steel frame)	\$ 2,927.10	x
	ENGOKT01001065	Back right side glass in polycarbonate (POLIGLASS)	\$ 1,593.90	x
	ENGOKT01000317	Approval KIT for USA	\$ 980.10	x
	ENGOKT01000708	Special lights-kit USA homologation	\$ 2,917.20	x
	ENG2010100004	Mineral hydraulic oil	\$ -	x
	ENG20102000005	Biodegradable hydraulic oil	\$ 3,678.40	
	ENG20102000006	Biodegradable PANOLIN HPL SYNTH 46	\$ 6,884.90	
	ENGOKT01000049	STD ENERGREEN paint - RAL 2011 Orange/RAL 7021 Grey	\$ -	x
	ENG21401000029	Custom paint	\$ 7,991.50	
	ENGOKT01000281	Reversible fan	\$ 5,541.80	x
	ENGOKT01000428	Tires BKT 500/45 R 22.5	\$ -	
	ENGOKT01000385	NOKIAN 460/65 R 24	\$ 5,659.50	
	ENGOKT01000072	CONTINENTAL / MITAS MPT 445/65	\$ 943.80	
	ENGOKT01001296	Tires BKT 460/65R24	\$ 943.80	x
	ENGOKT01000319	Tires Alliance 600/50R22.5 OFST-25	\$ 1,514.70	
	ENGOKT01001384	NOKIAN EXCAVATOR 600/50 R22.5	\$ 5,454.90	
	ENGOKT01000575	Mudguards set	\$ 2,468.40	
		New Speed 120	\$ 8,464.50	
	ENG01301000016	Motor for NEW SPEED cutting head of 35 cc + pipes	\$ 2,553.10	
	ENGOKT01001280	Rotor 120 cm for articulated flails (Includes 24 flails kits mounted on the rotor)	\$ 2,640.00	
	ENGOKT01001284	Rotor 120 cm for polyvalent flails (Includes 16 flails kits mounted on the rotor)	\$ 2,939.20	
	ENGOKT01001451	Rotor 120 cm for half turn flails (Includes 22 flails kits mounted on the rotor)	\$ 2,526.70	
	ENGOKT01001406	Rotor 120 cm for hammers 034M (Includes 10 hammers kits mounted on the rotor)	\$ 2,847.90	

ENG01301000216	Rotor 120 cm for forest hammers (360° rotating) (Includes 22 hammers kits m	\$ 4,692.60
	New Speed 150	\$ 9,461.10
ENG0130100016	Motor for NEW SPEED cutting head of 35 cc + pipes	\$ 2,553.10
ENG0KT01001283	Rotor 150 cm for articulated flails (Includes 36 flails kits mounted on the rotor)	\$ 3,274.70
ENG0KT01001285	Rotor 150 cm for polyvalent flails (Includes 22 flails kits mounted on the rotor)	\$ 3,317.60
ENG0KT01001452	Rotor 150 cm for half turn flails (Includes 24 flails kits mounted on the rotor)	\$ 3,161.40
ENG0KT01001402	Rotor 150 cm for hammers 034M (Includes 14 hammers kits mounted on the rotor)	\$ 2,970.00
ENG0400100002	Rotor 150 cm for forest hammers (360° rotating) (Includes 26 hammers kits m	\$ 5,327.30
E00301370000	Hydraulic rotator	\$ 4,897.20 x
E00301371400	Electro-hydraulic opening for New Speed cutting head	\$ 1,483.90
E207003NS120	Front protection chains for cutting head New Speed 120 cm	\$ 723.80
E207003NS150	Front protection chains for cutting head New Speed 150 cm	\$ 799.70
E459SPP00000	S.P.P. electronic system for boom suspension (Suspension Proportional Pote	\$ 5,107.30
ENG0KT01000788	Automatic lubrication system with 10 greasing points	\$ 4,313.10
E620KITBRA02	Hydraulic quick couplings mounted on the boom	\$ 2,446.40 x
ENG0KT01000660	Protection for cyclone filter	\$ 271.70
ENG0KT01000605	Fire extinguisher	\$ 240.90 x
ENG00101000136	Rear warning sign with LED lights - Size: 60 x 60cm	\$ 2,037.20
ENG0KT01000617	Blower	\$ 10,113.40
ENG0KT01000321	Predisposition for blower or salt spreader	\$ 3,781.80
ENG01301000133	FORESTRY HEAD 100 T 35 cc (ONLY for Kommunal and Aspen)	\$ 19,394.10
ENG01301000134	FORESTRY HEAD 120 T 35 cc (ONLY for Kommunal and Aspen)	\$ 24,215.40
ENG01301000138	Chain protection set for FORESTRY HEAD 100 T 35/44 cc	\$ 426.80
ENG01301000140	Chain protection set for FORESTRY HEAD 120 T 35/44 cc	\$ 482.90
ENG0KT01000935	DITCH BUCKET 100	\$ 3,096.50
ENG0KT01000936	DITCH BUCKET 150	\$ 4,220.70
E00303401900	90° bucket rotation for TRANSPORT POSITION. HYDRAULIC	\$ 1,615.90
E00303470700	90° bucket rotation for TRANSPORT POSITION. MANUAL	\$ 938.30
E1702G991425	CUTTER BAR 175 (2 blades)	\$ 8,440.30
ENG03801000285	CUTTER BAR 235 (2 blades)	\$ 9,002.40
ENG10702000012	POWER SHEARS 155	\$ 14,669.60
ENG10702000013	POWER SHEARS 225	\$ 18,770.40
ENG1070400001	POWER SHEARS 155 + second inclination	\$ 19,500.80

ENG10704000002	POWER SHEARS 225 + second inclination	\$ 23,600.50
ENG03801000146	Extra Trunk - 40 lt hydraulic system	\$ 20,784.50
ENG03801000048	Extra Trunk - 60 lt hydraulic system	\$ 20,784.50
E00703801100	Forc-one	\$ 5,626.50
ENG03801000082	Forc-one with hydraulic rotator KIT	\$ 7,502.00
ENG04201000081	"Octopus" grapple Mod. FSG120/4 with hydraulic rotator	\$ 11,049.50
ENG04201000082	Orange peel grapple Mod. FSG120/5 with hydraulic rotator	\$ 11,977.90
ENG03801000063	TRUNK PINCERS with hydraulic rotator	\$ 9,841.70
ENG03801000023	IRON BRUSH without protection	\$ 9,215.80
ENG03801000162	IRON BRUSH (with protection)	\$ 10,121.10
ENG03800000012	PLASTIC BRUSH	\$ 9,724.00
ENG10724000002	L.E.M. 7004. 4-28" blades 84" tall	\$ 24,875.40
ENG03601000001	COUPLING PLATE FOR SAW BAR TO BE USED WITH ROTATOR BUT NOT TILTING	\$ 139.70
ENG03801000145	COUPLING PLATE FOR L.E.M. 9002 (not suitable with tilting)	\$ 1,240.80
ENG62403000003	HOSES FOR SAW BAR (ONLY WITHOUT TILTING)	\$ 2,135.10
ENG62403000098	HOSES FOR SAW BAR ONLY WITHOUT TILTING (NOT SUITABLE FOR LEM 9001 + 9002)	\$ 2,135.10
ENG03801000231	Saw bar with 4 discs Ø 700 mm	\$ 21,919.70
ENG03800000026	DITCH CLEANERS FF50	\$ 13,777.50
ENG0KT1000364	STUMP GRINDER H40S complete with hydraulic lateral movements and attachment for ILF	\$ 30,116.90
ENG01301000398	ROTARY NINJA 50"	\$ 24,444.20

DISCOUNT	CODE	DESCRIPTION	MSRP 2025
	TOTAL		\$ 266,933.70
	ILF Aspen (complete with boom mod. FAST 6+ballast)	\$ 241,725.00	
	ILF Aspen (complete with boom mod. FAST 7+ballast)	\$ 244,445.30	
	ILF Aspen (complete with boom mod. FAST 9+ballast and mobile ballast)	\$ 266,798.40	
	ENG00701000028 Comfort Cabin	\$ 4,572.70	
	ENG00701000029 Prestige Cabin	\$ 14,151.50	
	ENGOKT01001064 Windshield glass in Hammer glass (special polycarbonate)	\$ 2,899.60	
	ENGOKT01001066 Right side glass in Hammer glass (Special polycarbonate and steel frame)	\$ 2,927.10	
	ENGOKT01001065 Back right side glass in polycarbonate (POLIGLASS)	\$ 1,593.90	
	ENGOKT01000317 Approval KIT for USA	\$ 980.10	
	ENGOKT01000708 Special Lights-kit USA homologation	\$ 2,917.20	
	ENG2010100004 Mineral hydraulic oil	\$ -	
	ENG20102000005 Biodegradable hydraulic oil	\$ 3,678.40	
	ENG20102000006 Biodegradable PANOLIN HPL SYNTH 46	\$ 6,884.90	
	ENGOKT01000049 STD ENERGREEN paint - RAL 2011 Orange/RAL 7021 Grey	\$ -	
	ENG21401000029 Custom paint	\$ 7,991.50	
	ENGOKT01000281 Reversible fan	\$ 5,541.80	
	ENGOKT01000428 Tires BKT 500/45 R 22.5	\$ -	
	ENGOKT01000385 NOKIAN 460/65 R 24	\$ 5,659.50	
	ENGOKT01000072 CONTINENTAL / MITAS MPT 445/65	\$ 943.80	
	ENGOKT01001296 Tires BKT 460/65R24	\$ 943.80	
	ENGOKT01000319 Tires Alliance 600/50R22.5 OFST-25	\$ 1,514.70	
	ENGOKT01001384 NOKIAN EXCAVATOR 600/50 R22,5	\$ 5,454.90	
	ENGOKT01000575 Mudguards set	\$ 2,468.40	
	New Speed 120	\$ 8,464.50	
	ENG01301000016 Motor for NEW SPEED cutting head of 35 cc + pipes	\$ 2,553.10	
	ENGOKT01001280 Rotor 120 cm for articulated flails (Includes 24 flails kits mounted on the rotor)	\$ 2,640.00	
	ENGOKT01001284 Rotor 120 cm for polyvalent flails (Includes 16 flails kits mounted on the rotor)	\$ 2,939.20	
	ENGOKT01001451 Rotor 120 cm for half turn flails (Includes 22 flails kits mounted on the rotor)	\$ 2,526.70	
	ENGOKT01001406 Rotor 120 cm for hammers 034M (Includes 10 hammers kits mounted on the r	\$ 2,847.90	

ENG01301000216	Rotor 120 cm for forest hammers (360° rotating) (Includes 22 hammers kits m	\$ 4,692.60
	New Speed 150	\$ 9,461.10
ENG01301000116	Motor for NEW SPEED cutting head of 35 cc + pipes	\$ 2,553.10
ENG0KT01001283	Rotor 150 cm for articulated flails (Includes 36 flails kits mounted on the rotor)	\$ 3,274.70
ENG0KT01001285	Rotor 150 cm for polyvalent flails (Includes 22 flails kits mounted on the rotor)	\$ 3,317.60
ENG0KT01001452	Rotor 150 cm for half turn flails (Includes 24 flails kits mounted on the rotor)	\$ 3,161.40
ENG0KT01001402	Rotor 150 cm for hammers 034M (Includes 14 hammers kits mounted on the rotor)	\$ 2,970.00
ENG04001000002	Rotor 150 cm for forest hammers (360° rotating) (Includes 26 hammers kits m	\$ 5,327.30
E00301370000	Hydraulic rotator	\$ 4,897.20 x
E00301371400	Electro-hydraulic opening for New Speed cutting head	\$ 1,483.90
E207003NS120	Front protection chains for cutting head New Speed 120 cm	\$ 723.80
E207003NS150	Front protection chains for cutting head New Speed 150 cm	\$ 799.70
E459SPP00000	S.P.P. electronic system for boom suspension (Suspension Proportional Pote	\$ 5,107.30
ENG0KT01000788	Automatic lubrication system with 10 greasing points	\$ 4,313.10
E620KTBRA02	Hydraulic quick couplings mounted on the boom	\$ 2,446.40 x
ENG0KT01000660	Protection for cyclone filter	\$ 271.70
ENG0KT01000605	Fire extinguisher	\$ 240.90 x
ENG001000136	Rear warning sign with LED lights - Size: 60 x 60cm	\$ 2,037.20
ENG0KT01000617	Blower	\$ 10,113.40
ENG0KT01000321	Predisposition for blower or salt spreader	\$ 3,781.80
ENG01301000133	FORESTRY HEAD 100 T 35 cc (ONLY for Kommunal and Aspen)	\$ 19,394.10
ENG01301000134	FORESTRY HEAD 120 T 35 cc (ONLY for Kommunal and Aspen)	\$ 24,215.40
ENG01301000138	Chain protection set for FORESTRY HEAD 100 T 35/44 cc	\$ 426.80
ENG01301000140	Chain protection set for FORESTRY HEAD 120 T 35/44 cc	\$ 482.90
ENG0KT01000935	DITCH BUCKET 100	\$ 3,096.50
ENG0KT01000936	DITCH BUCKET 150	\$ 4,220.70
E00303401900	90° bucket rotation for TRANSPORT POSITION. HYDRAULIC	\$ 1,615.90
E00303470700	90° bucket rotation for TRANSPORT POSITION. MANUAL	\$ 938.30
E1702G991425	CUTTER BAR 175 (2 blades)	\$ 8,440.30
ENG03801000285	CUTTER BAR 235 (2 blades)	\$ 9,002.40
ENG10702000012	POWER SHEARS 155	\$ 14,669.60
ENG10702000013	POWER SHEARS 225	\$ 18,770.40
ENG10704000001	POWER SHEARS 155 + second inclination	\$ 19,500.80

ENG10704000002	POWER SHEARS 225 + second inclination	\$ 23,600.50
ENG03801000146	Extra Trunk - 40 lt hydraulic system	\$ 20,784.50
ENG03801000048	Extra Trunk - 60 lt hydraulic system	\$ 20,784.50
E00703801100	Forc-one	\$ 5,626.50
ENG03801000082	Forc-one with hydraulic rotator KIT	\$ 7,502.00
ENG04201000081	"Octopus" grapple Mod. FSG120/4 with hydraulic rotator	\$ 11,049.50
ENG04201000082	Orange peel grapple Mod. FSG120/5 with hydraulic rotator	\$ 11,977.90
ENG03801000063	TRUNK PINCERS with hydraulic rotator	\$ 9,841.70
ENG03801000023	IRON BRUSH without protection	\$ 9,215.80
ENG03801000162	IRON BRUSH (with protection)	\$ 10,121.10
ENG03800000012	PLASTIC BRUSH	\$ 9,724.00
ENG10724000002	L.E.M. 7004. 4-28" blades 84" tall	\$ 24,875.40
ENG03601000001	COUPLING PLATE FOR SAW BAR TO BE USED WITH ROTATOR BUT NOT TILTING	\$ 139.70
ENG03801000145	COUPLING PLATE FOR L.E.M. 9002 (not suitable with tilting)	\$ 1,240.80
ENG62403000003	HOSES FOR SAW BAR (ONLY WITHOUT TILTING)	\$ 2,135.10
ENG62403000098	HOSES FOR SAW BAR ONLY WITHOUT TILTING (NOT SUITABLE FOR LEM 9001 + 9002)	\$ 2,135.10
ENG03801000231	Saw bar with 4 discs Ø 700 mm	\$ 21,919.70
ENG03800000026	DITCH CLEANERS FF50	\$ 13,777.50
ENG0KT01000364	STUMP GRINDER H40S complete with hydraulic lateral movements and attachment for ILF	\$ 30,116.90
ENG01301000398	ROTARY NINJA 50"	\$ 24,444.20

STANDARD WARRANTY TERMS

ENERGREEN guarantees that all products are free of any workmanship and material defects at the time of despatch from the factory, and undertakes during the specified warranty period, to repair or replace free of charge, all those parts found to be defective due to poor material quality or workmanship defects, within the limits and according to the specifications of the present warranty terms.

The warranty will come into effect from the date of retail sale by Company or a Company dealer and will have a duration of a maximum of 12 months, limited to 1.500 (fifteen hundred) working hours (whichever term expires first).

The warranty will be implemented on behalf of ENERGREEN by the workshops authorised by ENERGREEN which will undertake to either repair or replace, the parts of the relative product for the entire period of warranty, at the conditions as listed below.

ENERGREEN may at any time request the return of the parts replaced under warranty on a carriage free basis. On receipt of the relative parts it reserves the right to accept or refuse replacement under warranty, after checking the same at its own premises or that of its suppliers.

A direct supplier warranty may be applied on certain product parts, the workshop entrusted to undertake the repairs will contact the supplier concerned.

The defective parts may, at the discretion of ENERGREEN, be replaced with either new parts or parts overhauled by ENERGREEN, or by its own suppliers.

The Customer is obliged, during the warranty period, to immediately contact an authorised workshop to notify any product defects found, it must also undertake programmed maintenance operations (servicing).

The User and maintenance manual is consigned with the product and it must be thoroughly read in order to ensure the correct use of the machine itself and the carrying out of the maintenance operations.

The warranty will loose validity in the event of:

- incorrect use of the vehicle, not in compliance with the instructions handbook and operating maintenance;
- the application of equipment or accessoires which fail to comply with specifications;
- use of non-original spares;
- use of lubricants not in specifications;
- failure to undertake programmed maintenance operations;
- repairs not carried out by authorised workshops;
- unauthorized electric and/or mechanical modifications.

Except in the case of fraud or serious fault of ENERGREEN, all responsibility of ENERGREEN is specifically exempted or of the retailer (dealer) of ENERGREEN, for product defects or faults, any such responsibility being replaced by the warranty indicated above. Any responsibility of ENERGREEN or its retailers (dealers) (both contractual and non-contractual) is also excluded in the event of product defects or damage (as the result of machine standstill or loss of earnings), or any costs or expenses deriving from faults, neither may it be possible to either cancel the contract or suspend (or reduce) payments, ENERGREEN obligations being limited to the repair and replacement of the parts in accordance with warranty terms.

SERVICE CONDITIONS DURING THE STANDARD WARRANTY PERIOD

The Customer is delivered this Customer warranty manual which describes the rights and obligations in relation to the purchased product, the warranty is assured by means of the Dealer/ Agent network.

As well as the Standard warranty conditions the present document also contains:

DELIVERY REPORT - Certifying that the Dealer/Agent has carried out a complete check and setting up of the product before delivery, and that it has also undertaken to supply the use and maintenance instructions described in this same manual and that it has informed the customer of the warranty terms applied.

PROGRAMMED MAINTENANCE SERVICING - During the warranty period the final Customer is obliged to notify the Dealer/Agent within the pre-established expiry date, for them to arrange programmed servicing, according to the specifications described in the User and maintenance manual and recorded in the relative register.

The programmed maintenance operations during the warranty period is subject to the following regulations:

- the maintenance operations are to be undertaken at regular fixed intervals (the first after 100 hours, the second after 500 hours and subsequently every 500 hours), with a tolerance of +/- 10% on the hour-meter reading;
- maintenance must be undertaken by authorised organisations;
- should it be necessary to substitute materials or undertake other operations that are not envisaged in the maintenance programme, standard warranty procedures will be applied;
- the cost involved in the programmed maintenance operations at 100/500/1000/1500 hours intervals will be totally at the expense of the final customer (lubricants, filtering elements, travelling expenses, travelling and working hours).

WARRANTY CERTIFICATE - Permits the implementation of the standard or special warranty terms.

The repair operations undertaken during the warranty period will be undertaken by the Dealer/Agent.

Lubricants and expendable materials are not covered by the warranty.

CUSTOMER OBLIGATIONS - In order to ensure product efficiency the final Customer undertakes to notify its dealer/agent of the following:

- eventual machine transfers outside its own zone;
- should the hour meter fail to work;
- eventual theft of the machine;
- the approach of the expiry date for undertaking the programmed maintenance;
- any defects, even minor, which may cause greater damage to the machine.



Company ID Number: 513478

THE E-VERIFY PROGRAM FOR EMPLOYMENT VERIFICATION MEMORANDUM OF UNDERSTANDING

ARTICLE I

PURPOSE AND AUTHORITY

This Memorandum of Understanding (MOU) sets forth the points of agreement between the Department of Homeland Security (DHS) and Warrior Tractor & Equipment Co., Inc. (Employer) regarding the Employer's participation in the Employment Eligibility Verification Program (E-Verify). This MOU explains certain features of the E-Verify program and enumerates specific responsibilities of DHS, the Social Security Administration (SSA), and the Employer. E-Verify is a program that electronically confirms an employee's eligibility to work in the United States after completion of the Employment Eligibility Verification Form (Form I-9). For covered government contractors, E-Verify is used to verify the employment eligibility of all newly hired employees and all existing employees assigned to Federal contracts or to verify the entire workforce if the contractor so chooses.

Authority for the E-Verify program is found in Title IV, Subtitle A, of the Illegal Immigration Reform and Immigrant Responsibility Act of 1996 (IIRIRA), Pub. L. 104-208, 110 Stat. 3009, as amended (8 U.S.C. § 1324a note). Authority for use of the E-Verify program by Federal contractors and subcontractors covered by the terms of Subpart 22.18, "Employment Eligibility Verification", of the Federal Acquisition Regulation (FAR) (hereinafter referred to in this MOU as a "Federal contractor with the FAR E-Verify clause") to verify the employment eligibility of certain employees working on Federal contracts is also found in Subpart 22.18 and in Executive Order 12989, as amended.

ARTICLE II

FUNCTIONS TO BE PERFORMED

A. RESPONSIBILITIES OF SSA

1. SSA agrees to provide the Employer with available information that allows the Employer to confirm the accuracy of Social Security Numbers provided by all employees verified under this MOU and the employment authorization of U.S. citizens.
2. SSA agrees to provide to the Employer appropriate assistance with operational problems that may arise during the Employer's participation in the E-Verify program. SSA agrees to provide the Employer with names, titles, addresses, and telephone numbers of SSA representatives to be contacted during the E-Verify process.
3. SSA agrees to safeguard the information provided by the Employer through the E-Verify program procedures, and to limit access to such information, as is appropriate by law, to individuals responsible for the verification of Social Security Numbers and for evaluation of the E-Verify program or such other persons or entities who may be authorized by SSA as governed



Company ID Number: 513478

To be accepted as a participant in E-Verify, you should only sign the Employer's Section of the signature page. If you have any questions, contact E-Verify at 888-464-4218.

Employer Warrior Tractor & Equipment Co., Inc.

Stanley McCracken

Name (Please Type or Print)	Title
Electronically Signed	03/01/2012
Signature	Date

Department of Homeland Security – Verification Division

USCIS Verification Division

Name (Please Type or Print)	Title
Electronically Signed	03/01/2012
Signature	Date

Information Required for the E-Verify Program

Information relating to your Company:

Company Name:	Warrior Tractor & Equipment Co., Inc.
Company Facility Address:	6801 McFarland Blvd
	Northport, AL 35476
Company Alternate Address:	P O Box 412
	Northport, AL 35476
County or Parish:	TUSCALOOSA
Employer Identification Number:	630588737



Company ID Number: 513478

North American Industry Classification Systems Code:	423
Administrator:	Warrior Tractor and Equipment Co., Inc.
Number of Employees:	100 to 499
Number of Sites Verified for:	1
Are you verifying for more than 1 site? If yes, please provide the number of sites verified for in each State:	
• ALABAMA	1 site(s)

Information relating to the Program Administrator(s) for your Company on policy questions or operational problems:

Name:	Stanley N McCracken	Fax Number:	(205) 333 - 0101
Telephone Number:	(205) 339 - 0300		
E-mail Address:	wte024@warriortractor.com		

ILF ASPEN 143HP



SELF-PROPELLED HYDROSTATIC MACHINES



ILF SELF-PROPELLED

SELF-PROPELLED
HYDROSTATIC MACHINES



BRUSHCUTTER

Professional Brushcutter

ILF **Aspen** is a professional brushcutter to operate all year round in the management of vegetation and road maintenance. On the front side, it is equipped with a strong and reliable boom which lenght can go from 19 ft to 30 ft.

This boom is designed not only for overcoming obstacles while working along roads, but also for reaching points on long distance, even in a vertical sense.

It also offers great comfort of work, thanks to an excellent visibility of the working environment through a large window.

ILF **Aspen** is a machine extremely reliable and safe in any operating context and it turns out to be the best solution for administrations and public companies.

ILF **ASPEN**



STRENGTHS

ILF ASPEN



STRENGTHS



Safety and Comfort

- FOPS-ROPS certified cabin
- High visibility panoramic windshield
- Excellent working ergonomics
- SCD Stability Control Device



Quality

- Chassis made of special reinforced steel
- Certified components
- Deutz 143 HP EPA Tier 4f powerful engine
- Heavy Duty hydrostatic transmissions



Multifunction

- Sturdy boom
- Several tools available
- Green maintenance
- Aerial pruning and forestry work



Productivity

- Multifunction boom
- Excellent maneuverability on all surfaces
- Easy and smart to use
- 360° visibility





BRUSHCUTTER

Naturally Green

Energreen is a specialist in machinery and accessories for vegetation management and its remarkable experience has been transferred into this tool-carrier. **ILF Aspen** is unbeatable when working in vegetation maintenance along roads and in other activities connected to public roadways, through specific and reliable equipment.

ILF Aspen is the perfect solution, affordable and reliable for all needs and requests of road maintenance.



360° VISIBILITY



GREAT VISIBILITY OF THE WHEEL



Complete Visibility of the Working Environment

When getting inside the **ILF Aspen** the first surprising feature is the large windshield that offers a maximum 360° visibility for the full control of the working environment.

The adjustable steering wheel, comfortable seat and intuitive and ergonomic operation established immediately, a strong feeling between the operator and the machine, that, thanks to its equipment makes even the most tough working day much easier.





MANOEUVRABILITY



Agility and Accuracy in the Movements

The polyvalent soul of this tool-carrier is highlighted also from the 4-wheel drive traction system, all steering, hydraulically configurable from the cab control in 3 different operating modes:

- **2 front steering wheels**, for the maximum agility on road movement.
- **4 steering wheels**, a system that halves the turning range of the machine, ideal for working in narrow areas.
- **4 parallel steering wheels (crab)**, useful for moving special tools or for moving away from an obstacle.

2 STEERING WHEELS



4 STEERING WHEELS CONCENTRIC



4 STEERING WHEELS PARALLEL



TELESCOPIC BOOM



FAST **6'19'**

FAST **7'24'**


FAST **9'30'**



This boom has been designed to work with an extension up to 28 ft wide and 33 ft in height. Its particular geometry enhances the features for road maintenance where it is required a combination of mowing along the roadside and tree trimming. The sturdy telescopic extension allows a great work flexibility and maximum performance even in difficult situations.

MOD.	A	B	C	D	E	F
FAST 6	11' 6"	19' 8"	23' 11"	10' 2"	5' 3"	10' 6"
FAST 7	15' 6"	23'	27' 8"	10' 4"	5' 5"	10' 8"
FAST 9	22' 5"	28' 10"	32' 11"	10' 11"	6' 1"	10' 8"


All dimensions are to be considered with a 120 cm NEW SPEED flail head in the most extreme fixing position.






ATTACHMENTS

THE SUITABLE TOOL FOR EVERY JOB



FORESTRY HEAD



SAW BAR



POWER SHEARS



CUTTER BAR



EXTRA TRUNK



STUMP GRINDER



FORC-ONE



ORANGE
PEEL GRAPPLE



TRUNK PINCERS



DITCH CLEANER




IRON BRUSH



ROTATOR UNIT



ROTATOR UNIT FOR 180° ATTACHMENTS ROTATION






NEW SPEED

47" and 59"

FLAIL HEAD

Special steel frame - Standard frontal hydraulic opening
Adjustable roller - Five types of rotor shaft
Engine 35 cc - Cutting diameter 3 1/2" max.
(Hydraulic opening is removable)





TIRES

WIDE RANGE OF TIRES FOR EVERY TYPE OF USE; TIRES FOR BOTH OFF-ROAD AND ON THE ROAD

STANDARD




BKT 500/45 R 22,5

OPTIONAL



NOKIAN 460/65 R 24

OPTIONAL



CONTINENTAL / MITAS MPT 445/65 R 22,5

OPTIONAL



ALLIANCE 600/50 R 22,5 331 8 F offset - 25

TECHNICAL DATA

TECHNICAL DATA AND DIMENSIONS

Technical and construction specifications may be subject to change without prior notice.

CABIN

Cabin homologation	ROPS - FOPS (1 st Level)
Steering wheel	Adjustable
Joystick	Electronic
Air conditioning	Electronic
Rear glasses	Darkened anti UV
Adjustable seat	Air suspension
Power socket	12 V
Battery switch	Automatic

ENGINE

Brand	Deutz TCD 3.6
Type	4 Cylinders Diesel
Power	143 HP
Injection	Common Rail - 4 valves for cylinders
Exhaust emissions	EPA Tier 4f
Alternator	120 A.
Fuel tank capacity	42 gal
Fan	CLEANFIX (optional)
Pre-heating air engine intake	
Air intercooler radiator	
Reinforced cooler radiator	
Computer for visualization engine data	

HYDRAULIC SYSTEM

Pumps and motors in open circuits	
Boom movement	Gear
Brakes system	Gear
Steering system	Gear
Pumps and motors in closed circuits	
Flail head pump	Piston
Translation pump	Piston
Hydraulic distributor	sections
Hydraulic oil	ISOVG H46
Oil pressure	210 - 290 bar


TRANSMISSION AND BRAKES

Transmission	Hydrostatic
Traction	4x4 (permanent)
Steering radius	7.6 ft
Tires	Standard: 500/45 R 22,5
Speed variation	0 - 24 mph (continuous)
Manual gearbox	2 gears
Wheel alignment	Electronic control
Front axle	Fixed
Rear axle	Oscillating
Steering axles	2 steering axles
Axle block	Front 100% Rear 100%
Parking brake	Negative
Service brakes	6 discs

SIZE AND WEIGHT

A Height	110 in
B Width	94 in
C Length	222 in
D Wheelbase	96 in
Weight	20000* lbs

Dimensions with standard tyres



* Weight with Fast 7 arm and New Speed flail head.



ILF ASPEN



ENERGREENAMERICA.COM



SELF-PROPELLED HYDROSTATIC MACHINES



Local dealership



ENERGREEN America · 227 Trade Ct. · Aiken · SC 29805 · USA
Phone 470 989 2600 · info@energreenamerica.com
www.energreenamerica.com

PROFESSIONAL MACHINES AND ATTACHMENTS

