

**BID SUBMITTAL FORM**  
**Alabama County Joint Bid Program**  
**BID ITEM – SKID STEER LOADER ATTACHMENTS**

*#6 & #7*

Company Name: THOMPSON TRACTOR COMPANY

Address: PO BOX 10367  
BIRMINGHAM AL 35202-0367

Bid Submitted by: JAY SMITH  
(Name of company representative)

Title: SALES OPERATIONS MGR E-mail address: JAYSMITH@THOMPSONTRACTOR.COM

Phone: 205-849-4242 Fax: \_\_\_\_\_

By submitting this bid, we agree:

Initials

The equipment model number identified below meets the bid specs for this bid item

*JAS*

That the bid price will be honored for all counties for the period from January 1, 2026 to June 30, 2026.

*JAS*

The equipment will be delivered at the bid price to all counties participating in the joint bid program

*JAS*

The company representative listed above will be the contact person for purchasing this bid item under the joint bid program

*JAS*

The bid is accompanied by a current catalog or model specification document for the model number identified below

*JAS*

The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications

*JAS*

The bid includes the E-Verify documentation required by Alabama law

*JAS*

We comply with, and if awarded the contract, we will comply with, the requirements of Section 41-16-50 and Sections 41-16-160 to -166, Code of Alabama 1975.

*JAS*

If awarded the bid, a performance bond will be provided upon request

*JAS*

The bid documents include the Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine

*JAS*

## SKID STEER LOADER ATTACHMENTS

### Attachment 5: COLD PLANER

Total Bid Price for Standard Machine: \$ \_\_\_\_\_  
(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) \*

Freight Preparation and Delivery: \$ \_\_\_\_\_  
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ \_\_\_\_\_

Equipment Model #: \_\_\_\_\_

Description: \_\_\_\_\_

Signature of company representative submitting bid: \_\_\_\_\_

Title: \_\_\_\_\_

### Attachment 6: ROAD WIDENER-SINGLE DISCHARGE

Total Bid Price for Standard Machine: \$ 71,500  
(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) \*


Freight Preparation and Delivery: \$ NO CHARGE  
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 71,500

Equipment Model #: ROADWIDENER RW-1001001 SINGLE DISCHARGE

Description: ROAD WIDENER

Signature of company representative submitting bid: \_\_\_\_\_



Title: SALES OPERATIONS MANAGER

## SKID STEER LOADER ATTACHMENTS

## Attachment 7: ROAD WIDENER- DUAL DISCHARGE

Total Bid Price for Standard Machine: \$ 82,500

(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) \*

**Freight Preparation and Delivery: \$ NO CHARGE**  
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ 82,500

Equipment Model #: ROADWIDENER RW-1003001 DUAL DISCHARGE

Description: ROAD WIDENER

Signature of company representative submitting bid:

Title: SALES OPERATIONS MANAGER

#### Attachment 8: MULCHER

**Total Bid Price for Standard Machine: \$**

(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) \*

**Freight Preparation and Delivery: \$ \_\_\_\_\_**  
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$

Equipment Model #:

Description:

Signature of company representative submitting bid: \_\_\_\_\_

Title: \_\_\_\_\_

**\* NOTE:** Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include freight preparation, delivery and standard warranty cost. Freight preparation and delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

# SPECIFICATIONS FOR SKID STEER LOADER ATTACHMENTS

## GENERAL

These specifications shall be construed as the minimum acceptable standards for attachments compatible with the skid steer loader specifications. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide complete working unit(s) shall be furnished. Additionally, the attachments offered for bid shall include all standard manufacturers' equipment. The attachments bid must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names or numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

Bidder is not required to bid on every attachment listed in this bid specification. Each attachment will be awarded individually to the lowest responsible bidder for that item.

## BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

## BID PRICE

The price bid for each attachment bid shall include all destination charges, delivery charges, title fees, rebates and all other applicable costs and refunds.

## MANUALS

Each attachment shall be provided with one (1) copy of the owner/operator's manual for that attachment.

## WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty along with a complete explanation of the warranty with their bid. All attachments must have (1) year warranty with no hour limit.

Yes  No   
Page#   
or  
Attachment

**ATTACHMENT #6: ROAD WIDENER-SINGLE DISCHARGE**

Hydraulic-driven conveyor

Yes  No   
Page # \_\_\_\_\_

10" Head and Tail Pulleys

Yes  No   
Page # \_\_\_\_\_**Right or left side discharge**Yes  No   
Page # \_\_\_\_\_

Hydraulic width/height adjustment

Yes  No   
Page # \_\_\_\_\_

Adjustable shoudering angle

Yes  No   
Page # \_\_\_\_\_

Width

10'2"

Yes  No   
Page # \_\_\_\_\_

Length

7'6"

Yes  No   
Page # \_\_\_\_\_

Height

4'3"

Yes  No   
Page # \_\_\_\_\_

Working Width

1 - 3.5'

Yes  No   
Page # \_\_\_\_\_

Weight (Empty)

2600 lbs.

Yes  No   
Page # \_\_\_\_\_

**ATTACHMENT #7: ROAD WIDENER DUAL DISCHARGE**

Hydraulic-driven conveyor	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Page # _____
10" Head and Tail Pulleys	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Page # _____
Right and left side discharge	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Page # _____
Hydraulic width/height adjustment	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Page # _____
Adjustable shoudering angle	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Page # _____
Width	10'2"	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Length	7'6"	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Height	4'3"	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Working Width	1 - 3.5'	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Weight (Empty)	2600 lbs.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>

**ATTACHMENT #8: MULCHING ATTACHMENT**

**MINIMUM SPECIFICATIONS FOR MULCHING ATTACHMENT**

Weight	2,250 lbs.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Page # _____
Horsepower rating	125	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Page # _____
RPM speed of spindle shaft	1,900	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Page # _____
Cutting width	58"	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Page # _____

**Price List  
2025**

Item	Description	Price
RW-1001001 Mo...	Right Hand Shouldering Machine with Remote & RW-1004004 Push Plate	\$71,500.00
RW-1002001 Mo...	Left Hand Shouldering Machine with Remote Shipping Dimensions: 3000# - 11' L x 8' W x 4' H Serial Number:	\$71,500.00
RW-1003001 Mo... )	Dual Shouldering Machine with Remote & RW-1004004 Push Plate Shipping Dimensions: 3500# - 12' L x 8' W x 4' H	\$82,500.00
RW-1005005 OV...	4' Offset Vibratory Roller Dimensions: 9' L x 4' W x 4' H 2200 Lbs	\$53,500.00
RW-1005006 OV...	3' Offset Vibratory Roller Dimensions: 9' L x 4' W x 4' H 2200 Lbs	\$52,500.00
RW-1004000	LH Single Discharge Curb Attachment 72"L x 60"W x 29"H 417 lbs	\$6,515.25
EZ Grader	EZ Grader	\$49,500.00
RW-1004001	RH Single Discharge Curb Attachment 72"L x 60"W x 29"H 417 lbs	\$6,515.25
RW-1004005	Dual LH Curb Attachment	\$6,645.54
RW-1004006A	Dual RH Curb Attachment	\$6,645.54
RW-1004010	Adjustable Push Roller (set of 2 R & L)	\$7,957.08
RW-1008002-3'	3' Tank System Kit	\$4,654.70
RW-1008003-3'	3' Tankless System Kit	\$3,344.22
RW-1008004-4'	4' Tank System Kit	\$4,720.57
RW-1008005-4'	4' Tankless System Kit	\$3,516.00
RW-1004002	1' Shoe Extension Kit	\$720.57
RW-1004003	Roller Extension Kit Rev 1 Set of 4 Pins	\$2,116.79
RW-3000231	2' Shoe Extension Kit	\$950.25
RW-4007260	LED Lamp	\$77.33
RW-2007022	Pressure Reducing Hydraulic Kit	\$2,052.00

] #6  
#7

**ROADWIDENER®**

# FH-R MATERIAL PLACEMENT ATTACHMENT



**Expand Your Operation's Efficiency**


**Utility & Trench Backfilling // Curb Backfilling  
Asphalt & Aggregate Placement // Road Widening  
Road Shoulder Repair & Remediation // Road Construction**

# 3

## Benefits of the FH-R Material Placement Attachment



50% FASTER LAYDOWN



REDUCED LABOR COST



4- TO 2-STEP LAYDOWN PROCESS

### 1

#### Efficiency

- // Material placement goes from four steps to a two-step process.
- // Easily hauled on a standard trailer saving time and money.
- // Remote-control operation allows job completion by one crewmember from the safety of the host machine cab.



"The FH-R material placement attachment significantly improved our trench backfilling productivity for telephone and internet line installation. It seamlessly attaches to our loader and allows us to laydown 10 yards of material in as little as three to five minutes—a task that took us 15 minutes previously."

### 2

#### Versatility

- // Leverages existing equipment fleet to do more with available labor and familiar equipment.
- // Reduces work from four laborers to one operator and a remote control, freeing up labor for other tasks.
- // Virtually maintenance free with no engine or common wear parts.



"We easily connect it to our host machine and the operator can use the remote to open and close gates, which boosts speed as well as ease of operation."

### 3

#### Safety


- // Remote-controlled operation reduces the number of spotters for traffic control keeping crews out of harm's way and decreasing the risk of accidents.
- // Compact design allows precise placement with minimal traffic disruption – only one lane must be shut down, decreasing impact to traffic and enhancing safety.




"The FH-R decreased the impact to traffic. The attachment is compact and only requires us to close one lane of traffic."



ASPHALT & AGGREGATE PLACEMENT




CURB BACKFILLING



ROAD CONSTRUCTION

## Accessories




Curbing Attachment



Roller Extensions



Shoe Extensions



Adapter Plate

For machines without a universal SSL plate.

## Host Machines



Compact Track Loaders



Loaders



Skid Steers



Road Graders

## Material Types

|| Cold Mix Asphalt

|| Hot Mix Asphalt

|| Crushed Stone

|| Recycled Materials

|| Gravel

|| Topsoil


|| Limestone

	Single Discharge Models	Dual Discharge Models
<b>Lay Down Widths</b>	1 ft to 4 ft (30 to 123 cm)	1 ft to 4 ft (30 to 123 cm)
<b>Hydraulic Requirements*</b>	Standard Flow 17.5 to 24.2 gpm (66.2 to 41.6 lpm)	Standard Flow 17.5 to 24.2 gpm (66.2 to 41.6 lpm)
<b>Empty Weight</b>	2,900 lb (1,315 kg)	3,400 lb (1,542 kg)
<b>Overall Width Shoe Extended</b>	161 in (409 cm)	210 in (533 cm)
<b>Overall Width Shoe Retracted</b>	125 in (317 cm)	138 in (350 cm)
<b>Overall Height</b>	51 in (130 cm)	49 in (124 cm)
<b>Overall Length</b>	98 in (249 cm)	98 in (249 cm)
<b>Height to Clear Push Roller</b>	21 in (53 cm)	21 in (53 cm)
<b>Conveyor Belt Length</b>	96 in (244 cm)	114 in (290 cm)
<b>Conveyor Belt Width</b>	20 in (51 cm)	21 in (53 cm)

\* Compatible with high and standard flow machines. High flow units must be run in standard flow mode. Refer to operator's manual for further information.



ROAD SHOULDER REPAIR & REMEDIATION



ROAD WIDENING



UTILITY & TRENCH BACKFILLING

## Dual or Single Discharge Configurations


### Dual

Left Side Discharge

Hopper

Right Side Discharge

Right Shoe



### Single



SCHEDULE AN EQUIPMENT DEMO  
WITH ROAD WIDENER

[www.roadwidenerllc.com/request-a-demo](http://www.roadwidenerllc.com/request-a-demo)

EQUIPMENT AVAILABLE IN SINGLE OR DUAL DISCHARGE MODELS

"This would probably be a week job the way we used to do it—and now we should have it done in two days."

—John Cooke, 23-year industry professional

**ROADWIDENER**

[www.roadwidenerllc.com](http://www.roadwidenerllc.com) | [info@roadwidenerllc.com](mailto:info@roadwidenerllc.com)

4620 Williamsburg Station, Suite C | Floyds Knobs, IN 47119

844-494-3363



Employment Eligibility Verification



Welcome  
Teresa McElroy

User ID  
TMOP9402

Last Log in  
09:22 AM - 01/06/2012

[Log Out](#)

Click any for help

[Home](#)

[My Cases](#)

[New Case](#)

[View Cases](#)

[Search Cases](#)

[My Profile](#)

[Edit Profile](#)

[Change Password](#)

[Change Security Questions](#)

[My Company](#)

[Edit Company Profile](#)

[Add New User](#)

[View Existing Users](#)

[Close Company Account](#)

[My Reports](#)

[View Reports](#)

[My Resources](#)

[View Essential Resources](#)

[Take Tutorial](#)

[View User Manual](#)

[Contact Us](#)

## Company Information

Company Name: Thompson Tractor Co., Inc.

[View / Edit](#)

Company ID Number: 47130

Doing Business As (DBA)  
Name:

DUNS Number:

### Physical Location:

### Mailing Address:

Address 1: 2401 Pinson Highway

Address 1: P O. Box 10367

Address 2:

Address 2:

City: Birmingham

City: Birmingham

State: AL

State: AL

Zip Code: 35217

Zip Code: 35202-0367

County: JEFFERSON

### Additional Information:

Employer Identification Number: 630377478

Total Number of Employees: 1,000 to 2,499

Parent Organization:

Administrator:

Organization Designation:

Employer Category:

NAICS Code: 423 - MERCHANT WHOLESALERS, DURABLE GOODS

[View / Edit](#)

Total Hiring Sites: 40

[View / Edit](#)

Total Points of Contact: 3

[View / Edit](#)

View / Edit

**W-9**  
 Form (Rev. October 2007)  
 Department of the Treasury  
 Internal Revenue Service

**Request for Taxpayer  
 Identification Number and Certification**

Give form to the  
 requester. Do not  
 send to the IRS.

<b>Print or type    See Specific Instructions on page 2.</b>	Name (as shown on your income tax return) <b>Thompson Tractor Co., Inc. DBA Thompson Power Systems, Thompson Lift Truck Co., and The Cat Rent Store</b>	
	Check appropriate box: <input type="checkbox"/> Individual/Sole proprietor <input checked="" type="checkbox"/> Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Limited liability company. Enter the tax classification (D=dissigned entity, C=corporation, P=partnership) ► ..... <input type="checkbox"/> Other (see instructions) ► .....  Address (number, street, and apt. or suite no.) <b>P O Box 10367 2401 Pinson Hwy. Tarrant, AL 35217</b>  City, state, and ZIP code <b>Birmingham, AL 35202-0367</b>  List account number(s) here (optional) <b>Lockbox Remit To: P O Box 934085, Atlanta, GA 31193-4005</b>	
<b>TIN</b> <b>Taxpayer Identification Number (TIN)</b>		
Enter your TIN in the appropriate box. The TIN provided must match the name given on Line 1 to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I Instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see How to get a TIN on page 3.  Note. If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.		
<div style="display: flex; justify-content: space-between;"> <div style="flex: 1;"> <b>TIN</b> <b>Certification</b> </div> <div style="flex: 1; text-align: right;"> <b>Social security number</b>          : :          or  <b>Employer identification number</b>  <b>63 : 0377478</b> </div> </div>		

Under penalties of perjury, I certify that:

1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and
2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and
3. I am a U.S. citizen or other U.S. person (defined below).

**Certification Instructions:** You must cross out Item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, Item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the Certification, but you must provide your correct TIN. See the Instructions on page 4.

**Sign  
 Here**

Signature of  
 U.S. person ►

*Linda K. Denax, Controller*

Date ►

**General Instructions**

Section references are to the Internal Revenue Code unless otherwise noted.

**Purpose of Form**

A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
2. Certify that you are not subject to backup withholding, or
3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income.

Note. If a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- An individual who is a U.S. citizen or U.S. resident alien,
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States,
- An estate (other than a foreign estate), or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax on any foreign partners' share of income from such business. Further, in certain cases where a Form W-9 has not been received, a partnership is required to presume that a partner is a foreign person, and pay the withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid withholding on your share of partnership income.

The person who gives Form W-9 to the partnership for purposes of establishing its U.S. status and avoiding withholding on its allocable share of net income from the partnership conducting a trade or business in the United States is in the following cases:

- The U.S. owner of a disregarded entity and not the entity.

Company ID Number: 47130

the Employer issues a tentative nonconfirmation based upon a photo non-match. The Employer will determine whether the employee contests the tentative nonconfirmation as soon as possible after the Employer receives it.

4. If the employee contests a tentative nonconfirmation issued by DHS, the Employer will provide the employee with a referral letter and instruct the employee to contact the Department through its toll-free hotline within 8 Federal Government work days.

5. If the employee contests a tentative nonconfirmation based upon a photo non-match, the Employer will provide the employee with a referral letter to DHS. DHS will electronically transmit the result of the referral to the Employer within 10 Federal Government work days of the referral unless it determines that more than 10 days is necessary.

6. The Employer agrees that if an employee contests a tentative nonconfirmation based upon a photo non-match, the Employer will send a copy of the employee's Form I-551 or Form I-766 to DHS for review by:

- Scanning and uploading the document, or
- Sending a photocopy of the document by an express mail account (furnished and paid for by DHS).

7. The Employer understands that if it cannot determine whether there is a photo match/non-match, the Employer is required to forward the employee's documentation to DHS by scanning and uploading, or by sending the document as described in the preceding paragraph, and resolving the case as specified by the Immigration Services Verifier at DHS who will determine the photo match or non-match.

## ARTICLE IV

### **SERVICE PROVISIONS**

The SSA and DHS will not charge the Employer for verification services performed under this MOU. The Employer is responsible for providing equipment needed to make inquiries. To access the E-Verify System, an Employer will need a personal computer with Internet access.

## ARTICLE V

### **PARTIES**

This MOU is effective upon the signature of all parties, and shall continue in effect for as long as the SSA and DHS conduct the E-Verify program unless modified in writing by the mutual consent of all parties, or terminated by any party upon 30 days prior written notice to the others. Any and all system enhancements to the E-Verify program by DHS or SSA, including but not limited to the E-Verify checking against additional data sources and instituting new verification procedures, will be covered under this MOU and will not cause the need for a supplemental MOU that outlines these changes. DHS agrees to train employers on all changes made to E-Verify through the use of mandatory refresher tutorials and updates to the E-Verify manual. Even

Company ID Number: 47130

without changes to E-Verify, the Department reserves the right to require employers to take mandatory refresher tutorials.

Termination by any party shall terminate the MOU as to all parties. The SSA or DHS may terminate this MOU without prior notice if deemed necessary because of the requirements of law or policy, or upon a determination by SSA or DHS that there has been a breach of system integrity or security by the Employer, or a failure on the part of the Employer to comply with established procedures or legal requirements. Some or all SSA and DHS responsibilities under this MOU may be performed by contractor(s), and SSA and DHS may adjust verification responsibilities between each other as they may determine.

Nothing in this MOU is intended, or should be construed, to create any right or benefit, substantive or procedural, enforceable at law by any third party against the United States, its agencies, officers, or employees, or against the Employer, its agents, officers, or employees.

Each party shall be solely responsible for defending any claim or action against it arising out of or related to E-Verify or this MOU, whether civil or criminal, and for any liability wherfrom, including (but not limited to) any dispute between the Employer and any other person or entity regarding the applicability of Section 403(d) of IIRIRA to any action taken or allegedly taken by the Employer.

The employer understands that the fact of its participation in E-Verify is not confidential information and may be disclosed as authorized or required by law and DHS or SSA policy, including but not limited to, Congressional oversight, E-Verify publicity and media inquiries, and responses to inquiries under the Freedom of Information Act (FOIA).

The foregoing constitutes the full agreement on this subject between the SSA, DHS, and the Employer.

The individuals whose signatures appear below represent that they are authorized to enter into this MOU on behalf of the Employer and DHS respectively.

**To be accepted as a participant in E-Verify, you should only sign the Employer's Section of the signature page. If you have any questions, contact E-Verify Operations at 888-464-4218.**

**Employer** Thompson Tractor Co., Inc.

**Frank M Wright**

Name (Please type or print)

Title

*Electronically Signed*

07/11/2007

Signature

Date

Department of Homeland Security – Verification Division

Company ID Number: 47130

**INFORMATION REQUIRED  
FOR THE E-VERIFY PROGRAM**

Information relating to your Company:

Company Name: Thompson Tractor Co., Inc.

Company Facility Address: 2401 Pinson Highway  
Birmingham, AL 35217

Company Alternate Address: P.O. Box 10367  
Birmingham, AL 35202-0367

County or Parish: JEFFERSON

Employer Identification Number: 630377478

North American Industry  
Classification Systems Code: 423

Parent Company: \_\_\_\_\_

Number of Employees: 1,000 to 2,499 Number of Sites Verified for: 5

Are you verifying for more than 1 site? If yes, please provide the number of sites verified for in each State.

• GEORGIA 5 site(s)

Information relating to the Program Administrator(s) for your Company on policy questions or operational problems:

Name: Kimberly A Stark  
Telephone Number: (205) 849 - 4279 Fax Number: (205) 849 - 4565  
E-mail Address: kimberlystark@thompsontractor.com

Name: Frank M Wright  
Telephone Number: (205) 849 - 4267 Fax Number: (205) 849 - 4854  
E-mail Address: frankwright@thompsontractor.com

Company ID Number: 47130

**USCIS Verification Division**

Name (Please type or print)	Title
<i>Electronically Signed</i>	07/11/2007
Signature	Date