

# INVITATION TO BID HEAVY EQUIPMENT

## NOTICE OF BID OPENING

**NOTICE IS HEREBY GIVEN** that the Association of County Commissions of Alabama, which administers the Alabama County Joint Bid Program on behalf of Alabama's county governing bodies, shall receive and open bids for the purchase of zero (0) or more items of heavy road equipment at its office located at 2 North Jackson Street, Montgomery, Alabama, at **10:00 a.m. on Thursday, May 28, 2026**. Bid specifications are available at <http://www.alabamacounties.org/heavy-equipment/> for each of the following items:

**Heavy Duty Motor Grader-Option A**  
**Heavy Duty Motor Grader-Option B**  
**Medium Duty Motor Grader-Option B**

Time is of the essence in submitting bids and only bids received in the Association office by **10:00 a.m. Central Time on Thursday, May 28, 2026** will be opened and considered. Bidders and any other interested individuals are invited to attend the bid opening.

## NOTICE OF BID OPENING PROCEDURES

All bids for Heavy Equipment will be opened and the name(s) of the bidders read aloud on the morning of the bid opening on **Thursday, May 28, 2026 at 10:00 a.m.** at 2 North Jackson Street, Montgomery, AL. The specifics of each bid submitted will be compiled by the Association staff thereafter and will be available, upon written or emailed request, one week after the bid opening. Requests should be emailed to [jointbid@alabamacounties.org](mailto:jointbid@alabamacounties.org).

## THE INVITATION PACKAGE

The invitation package for each item to be bid includes: this invitation to bid, the written bid specifications for the particular item of heavy road equipment, and a Bid Submittal Form to be used in submitting a bid for that particular item. Bidders should verify that they have received all pages of the invitation package. If there are any omissions, the bidder should contact Kenya Howard in the Association office by mail, fax, or e-mail ([jointbid@alabamacounties.org](mailto:jointbid@alabamacounties.org)) to request missing pages. It is the responsibility of the bidder to make this request in sufficient time to prepare and submit the bid in time for the bid opening. Bidders should carefully read and comply with all parts of the invitation package, including all attachments and/or any addendum.

## PREPARING AND SUBMITTING BIDS

All bids must be typed or handwritten in ink on the attached Bid Submittal Form. **The completed Bid Submittal Form shall be placed in front of and separated from all other documents included in the bid packet, such that it will be the first document viewed upon opening the bid packet.**

Bids submitted in pencil and bids not submitted on the Bid Submittal Form **will not** be considered. All bids shall include a current catalog or model specification document for the equipment model number being offered for consideration. Bids submitted without such documentation **will not** be considered. Only information contained on the attached Bid Submittal Form and in the model specification document will be considered in evaluating bids.

Each separate requirement in the bid specification includes a block for indicating whether or not the item bid meets the specification. The bidder shall indicate compliance with each requirement by checking "Yes" or "No" in the block to the right of each bid specification. In addition, the bidder shall indicate the page number in the supplied manufacturer's equipment literature on which compliance with the specification can be verified. Failure to complete this portion of the bid form may result in the subject bid not being considered.

Each bid for one of the heavy equipment items included in the bid package must be submitted on the Bid Submittal Form for that item and forwarded in a separate envelope with the bid item and item number clearly identified on the outside of the envelope. Envelopes containing a "no bid" shall also include the words "NO BID" on the outside of the envelope. Facsimiles and e-mails will not be accepted. Bids submitted by "Express/Overnight" services must be in a separate inner envelope or package sealed and identified as stated above. All bids must be received in the Association office prior to the bid opening. Bids received after the deadline will be returned unopened.

The County Joint Bid Program reserves the right to require a performance bond from successful bidders as permitted under Alabama law. However, **no bid bond is required for this bid offering.**

All bids should be mailed or hand-delivered to:

**ATTN: Patrick McDougald**  
**Association of County Commissions of Alabama or ACCA**  
**2 North Jackson Street, FL 7, Montgomery, Alabama 36104 (Physical Address)**  
**P.O. Box 5040, Montgomery, Alabama 36103 (Mailing Address)**

## BID SPECIFICATIONS

Please note that each piece of heavy equipment available for bid may include several different sizes and categories of machines. You should read each set of specifications very carefully as the differences vary depending upon the piece and size of equipment.

The award will be based on the total cost of the **Standard Machine** bid by the lowest responsible bidder. Each Bid shall include a **Manufacturer's Suggested Retail Price Sheet (MSRP)** for each machine bid. The percent difference between the Manufacturer's Suggested Retail Price (MSRP) for the standard machine as specified by these bid specifications and the actual price bid by the vendor will be calculated and that percentage discount shall be applied to any options an individual county may choose to add to the machine.

**Both parties agree that the Vendor SHALL extend to ALL counties purchasing this equipment any factory discounts, incentives or rebates that become available during the Contract Period; provided that there are no alterations from the bid specifications for this item required in order to receive the discount, incentive, or rebate. FURTHER, BOTH PARTIES AGREE THAT THE VENDOR SHALL EXTEND TO ALL COUNTIES PURCHASING THIS EQUIPMENT THE SAME PURCHASE PRICE AND DISCOUNTS AS THEY ARE AWARDED ON ANY OTHER NATIONAL PURCHASING COOPERATIVE APPROVED BY THE DEPARTMENT OF EXAMINERS OF PUBLIC ACCOUNTS FOR USE BY ALABAMA COUNTIES.**

Once the bids have been awarded, any county participant purchasing under this program may, at its discretion, add any of the vendor's available options at the same discount off the Manufacturer's Suggested Retail Price Sheet as was applied to the Standard Machine Price Bid.

Any use of specific names and/or model numbers in the attached specifications is not intended to restrict the bidder or any seller or manufacturer but is included solely for the purpose of indicating the type, size, and quality of materials, product services, or equipment considered best adapted to the use of the counties participating in the joint bid program.

## ACQUISITION AND FINANCING OPTIONS

The awarded Vendor will provide the equipment, including any options required by the purchaser, at the awarded price as contracted through the Joint Bid Program. The purchaser may secure its own financing to acquire the equipment or execute any financial options available under Alabama law with the awarded Vendor in order to acquire the equipment.

## BIDDER QUALIFICATIONS

All bidders and all program participants must be in compliance with any applicable federal, state, county and municipal laws, regulations, resolutions and ordinances, including but not limited to, licensing, permitting, and taxation requirements. All bidders should be prepared to submit evidence or documentation as proof that they are properly licensed and permitted under any applicable laws upon request. Such evidence or documentation may be submitted with the bid. **Additionally, all bidders shall provide proof that they are in compliance with the E-Verify requirements of Alabama's Immigration Law (Ala. Code § 31-13-1 et seq.). All bidders shall also affirm that they are in compliance with, and will comply with, Alabama's anti-boycott law (Ala. Code § 41-16-5) and anti-economic boycott law (Ala. Code § 41-16-160 et seq.).**

## BID AWARD

The Houston County Commission will serve as the awarding authority for all bids and will award all contracts at a regular meeting of the Houston County Commission. Any and all bids submitted in compliance with this invitation to bid shall be considered, and award will be made to the lowest responsible bidder meeting bid specifications as determined by the awarding authority in compliance with Alabama law. All bids will be reviewed and evaluated by a committee created for that purpose, which committee will make comments and recommendations to the awarding authority regarding the award. All factors contained in each invitation package will be evaluated in determining the successful bidder, and any omissions of the stated requirements may be cause for rejection of the bid submitted. The awarding authority reserves the right to reject any and all bids, to waive any informality in bids, and to accept in whole or in part such bid or bids solely at its discretion.

**The contract period will be six (6) months with an option to renew each six (6) months not to exceed a period of three (3) years under identical price, terms, and conditions upon the mutual consent of the vendor and the awarding authority.** Any renewal contract shall be approved in writing by the vendor and the awarding authority no later than **60 days** prior to the expiration of the existing contract.

## CONTACT REGARDING BIDS AND INVITATION

Contact initiated by a potential bidder with any county official, county employee, or member of the Association staff shall only be as specifically set out in this Invitation to Bid. Any questions related to the bid or the County Joint Bid Program shall be directed to Association staff in writing under the procedures set out in this Invitation to Bid. Additionally, a bidder may contact the Association in writing to request an appointment to review bid specifications following the bid opening. However, there shall be no communication with any county official or county employee regarding this bid between the date of this invitation and the date of bid award. Any contact other than as set out here shall be deemed as an attempt to unduly influence the bid award and shall be grounds for rejection of the bid submitted by the bidder initiating such other contact.

Any questions or problems related to downloading or obtaining copies of this Invitation to Bid should be directed to Kenya Howard at [jointbid@alabamacounties.org](mailto:jointbid@alabamacounties.org) or 334-263-7594.

Any other questions or requests for additional information regarding this invitation or the bid specifications shall be submitted **in writing** no later than five (5) days prior to bid opening to:

**ATTN: Patrick McDougald  
Association of County Commissions of Alabama  
P.O. Box 5040  
Montgomery, Alabama 36104**

**OR**

**Patrick McDougald  
Email: [pattymackdaddy@gmail.com](mailto:pattymackdaddy@gmail.com)**

**BID SUBMITTAL FORM**  
**Alabama County Joint Bid Program**  
**Heavy Equipment – Bid Item: Heavy Duty Motor Grader-Option B**

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_  
 \_\_\_\_\_

Bid Submitted by: \_\_\_\_\_  
 (Name of company representative)

Title: \_\_\_\_\_ E-mail address: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

By submitting this bid, we agree: Initials

The equipment model number identified below meets the bid specs for this bid item \_\_\_\_\_

That the bid price will be honored for all counties for the period from **July 1, 2026** to **December 31, 2026**. \_\_\_\_\_

The equipment will be delivered at the bid price to all counties participating in the joint bid program. \_\_\_\_\_

The company acknowledges the freight preparation and delivery price is to be included in the total bid price for the standard machine. \_\_\_\_\_

The company representative listed above will be the contact person for purchasing this bid item under the joint bid program. \_\_\_\_\_

The bid is accompanied by a current catalog or model specification document for the model number identified below. \_\_\_\_\_

The bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications. \_\_\_\_\_

The bid includes the E-Verify documentation required by Alabama law. \_\_\_\_\_

We comply with, and if awarded the contract, we will comply with, the requirements of Section 41-16-50 and Sections 41-16-160 to -166, Code of Alabama 1975. \_\_\_\_\_

If awarded the bid, a performance bond will be provided upon request. \_\_\_\_\_

The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP) for the Standard Machine**. \_\_\_\_\_

Total Bid Price for Standard Machine: \$ \_\_\_\_\_  
(Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) \*

Freight Preparation and Delivery: \$ \_\_\_\_\_  
(Included in Standard Machine Bid Price)

Manufacturer's Suggested Retail Price for Standard Machine: \$ \_\_\_\_\_

Equipment Model #: \_\_\_\_\_

Description: \_\_\_\_\_

Signature of company representative submitting bid: \_\_\_\_\_

Title: \_\_\_\_\_

\* **NOTE:** Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include freight preparation, delivery and standard warranty cost. Freight preparation and delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

## BID SUBMITTAL FORM: OPTION COST SHEET

By submitting this bid, we agree:

To offer any available options at the percent difference between the Manufacturer's Suggested Retail Price Sheet and the actual bid price on the Standard Machine\* \_\_\_\_\_

The bid documents include the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the Standard Machine \_\_\_\_\_

Equipment Model #: \_\_\_\_\_

Description: \_\_\_\_\_

Signature of company representative submitting bid: \_\_\_\_\_

Title: \_\_\_\_\_

**\*Note:** The percent difference between the **Manufacturer's Suggested Retail Price Sheet (MSRP)** for the standard machine as specified by these **Bid Specifications** and the actual price bid by the vendor will be calculated to determine the percentage discount to be applied to any available options. The bid price of the freight preparation and delivery cost shall be excluded in determining the percentage discount to be applied to available options. Any individual county may choose to add any available option to the standard machine at the percentage discount at the time of purchase.

# BID SPECIFICATIONS FOR HEAVY DUTY MOTOR GRADER – OPTION B

## GENERAL

These specifications shall be construed as the minimum acceptable standards for a heavy-duty motor grader. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturer's equipment. The motor graders must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names or numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

## BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

## BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates and all other applicable costs and refunds.

## MANUALS

Each unit shall be provided with one (1) copy of the operator's manual, one (1) copy of the repair manual and one (1) copy of the current parts manual. Units will not be accepted for delivery until the manuals as outlined above are received by the purchaser.

## REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 7,500 hours of use for the piece of equipment bid. If replacement parts are not delivered within three (3) working days of an order being placed, the bidder will deliver an equivalent machine for the County to use at no cost to the County until such time as the parts are delivered to the County so it can affect repairs to its machine.

## WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty. Warranty shall include service response time of a maximum of 36 hours within notification by county.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_  
or  
Attachment \_\_\_\_\_

**ENGINE**

Engine shall be a turbo-charged, direct injection, four-stroke, **6-cylinder** diesel engine and shall be electronically controlled for more efficient fuel injection and fuel burn.

**Engine Shall be designed and manufactured by the machine manufacturer.**

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Engine displacement shall not be less than **427 cu. in.** and shall develop, as standard, a rated variable net power of at least **165 -220 HP.**

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Engine shall be isolation/resilient mounted to minimize sound and vibration and shall meet currently required EPA emission regulations for manufacturer.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Engine compartment enclosure doors shall be lockable without the use of external locks and accessible from the ground. All daily service points shall be accessible from ground level and grouped together.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Engine will increase its low idle to **1,000 rpm** when the battery voltage is below **24.5 volts** for more than **5 minutes** to ensure adequate system voltage and battery reliability.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

**STARTING SYSTEM**

Shall be equipped with a **24-volt** electrical system. **115-amp** alternator.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

**TRANSMISSION-8 Forward Speeds and 6 Reverse Speeds**

Shall be designed and built by the machine manufacturer and shall be a direct drive, powershift, counter-shaft type transmission.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Shall be equipped with built-in self-diagnostic capability

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

A controlled throttle shifting system shall be standard to smooth directional gear changes without use of the inching pedal.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Final drive shall be a planetary design.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Machine shall be equipped with an electronic inching pedal for improved modulation and machine control, and with electronic over-speed protection to protect the engine and transmission from over speeding.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Also, to be equipped with transmission guard.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

**TANDEM**

Machine to be equipped with differential lock/unlock electro-hydraulically controlled with a multi-disc design.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Tandems shall be capable of oscillating **15 degrees** front up and **22 degrees** Rear up, with full machine articulation and having no interference between tandem wheel and machine structure

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

**CONTROLS AND HYDRAULICS**

Conventional lever style controls

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Hydraulics system shall be a closed center, load sensing type, with a variable Displacement, axial piston-type pump.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Implement valves shall be electro-hydraulic, designed and built by the machine manufacturer.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Lock valves shall be integrated into the main implement valve to prevent cylinder drift.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

**BLADES**

Machine shall be equipped with **14 ft. long, 25 in** high and no less than **7/8 in** thick moldboard with hydraulic side shift and tip control.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Blade shall also include reversible overlay end bits.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

All blade functions shall be hydraulically or electronically actuated.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Blade lift accumulators shall be available, to reduce vertical impact damage.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

**DRAWBAR AND CIRCLE**

Circle shall be a single piece, rolled ring forging with raised wearing surface top and bottom

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Must be equipped with replaceable wear strips between circle and support shoes.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Rear drawbar shall be equipped with slip clutch designed to protect the circle, drawbar, and moldboard from shock when end of blade encounters, hidden objects.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Drawbar shall feature welded protective wear plates to prevent lift group contact with the primary drawbar structure.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

The circle shall be steel construction with 6 replaceable wear shoes.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

**FRAME**

Articulated type main frame.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Articulation joint shall have mechanical locking device to prevent frame articulation while servicing or transporting machine.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Shall be that of a flanged box section type frame that runs from the front bolster to the articulation joints.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

**STEERING WHEEL**

Fully hydraulic, 2-cylinder steering system, with front steering wheel angle not less than 50° left or right.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

**TIRES**

All six wheels shall be **10 in by 24 in** size multi-piece tire rims and shall provide mounting for **14.00 R24** tires.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

Tires shall be Goodyear, Bridgestone/Firestone, or Michelin only, **14.00 x R24 12PR** Bias Tires.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

**BRAKES**

Service brakes shall be multi-disc, oil-cooled and completely sealed.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

**OIL ANALYSIS**

To be included at no cost of the duration of the warranty period selected at intervals recommended by the manufacturer's warranty and maintenance schedule.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_

**WEIGHT (STANDARD OPERATING)**

Base machine weight shall not be less than **42,325 lbs.** Weight shall include standard machine configuration, lubricants, coolants, full fuel tank, push block, transmission guard, rear ripper/scarifier, 14.0 R24 tires on multi-piece rims, and operator of **200lbs** This is factory specified operating weight only. No additional weights may be added for purpose of meeting these specifications.

Yes \_\_\_ No \_\_\_  
Page # \_\_\_\_\_