INVITATION TO BID
HEAVY EQUIPMENT

NOTICE OF BID OPENING

NOTICE IS HEREBY GIVEN that the Association of County Commissions of Alabama, which administers the Alabama County Joint Bid Program on behalf of Alabama's county governing bodies, shall receive and open bids for the purchase of zero (0) or more items of heavy road equipment at its office located at 2 North Jackson Street, Montgomery, Alabama, at 10:00 a.m. on Monday, November 30, 2026. Bid specifications are available at http://www.alabamacounties.org/heavy-equipment/ for each of the following items:

Backhoes, Bulldozers, Dump Bodies, Dump Chassis, Excavators (Compact Excavators, Highway Speed Truck Excavators, Track Mount Excavators, Wheeled Excavators), Half Round End Dump, Lowboy Tractors, Lowboy Trailers, Motor Graders, Patchers (One-man Pothole Patchers, Trailer Mount Mastic Patcher/Crack Sealer, Trailer Mounted Patcher – Diesel, Trailer Mounted Patcher – Air Compressor/Tools), Rubber Tire Roller, Skid Steer Loader and Attachments, and Wheel Loaders.

Time is of the essence in submitting bids and only bids received in the Association office by 10:00 a.m. Central Time on Monday, November 30, 2026 will be opened and considered. Bidders and any other interested individuals are invited to attend the bid opening.

NOTICE OF BID OPENING PROCEDURES

All bids for Heavy Equipment will be opened and the name(s) of the bidders read aloud on the morning of the bid opening on Monday, November 30, 2026 at 10:00 a.m. at 2 North Jackson Street, Montgomery, AL. The specifics of each bid submitted will be compiled by the Association staff thereafter and will be available, upon written or emailed request, one week after the bid opening. Requests should be emailed to jointbid@alabamacounties.org.

THE INVITATION PACKAGE

The invitation package for each item to be bid includes: this invitation to bid, the written bid specifications for the particular item of heavy road equipment, and a Bid Submittal Form to be used in submitting a bid for that particular item. Bidders should verify that they have received all pages of the invitation package. If there are any omissions, the bidder should contact Kenya Howard in the Association office by mail, fax, or e-mail (jointbid@alabamacounties.org) to request missing pages. It is the responsibility of the bidder to make this request in sufficient time to prepare and submit the bid in time for the bid opening. Bidders should carefully read and comply with all parts of the invitation package, including all attachments and/or any addendum.

PREPARING AND SUBMITTING BIDS

All bids must be typed or handwritten in ink on the attached Bid Submittal Form. The completed Bid Submittal Form shall be placed in front of and separated from all other documents included in the bid packet, such that it will be the first document viewed upon opening the bid packet.

Bids submitted in pencil and bids not submitted on the Bid Submittal Form will ***not*** be considered. All bids shall include a current catalog or model specification document for the equipment model number being offered for consideration. Bids submitted without such documentation will ***not*** be considered. Only information contained on the attached Bid Submittal Form and in the model specification document will be considered in evaluating bids.

Each separate requirement in the bid specification includes a block for indicating whether or not the item bid meets the specification. The bidder shall indicate compliance with each requirement by checking "Yes" or "No" in the block to the right of each bid specification. In addition, the bidder shall indicate the page number in the supplied manufacturer's equipment literature on which compliance with the specification can be verified. Failure to complete this portion of the bid form may result in the subject bid not being considered. Additionally, all bidders are required to submit a factory build/order sheet showing all of the standard and option items for each piece of equipment bid in order to assist the bid review committee in assuring that each bid is in conformance with the required bid specifications.

Each bid for one of the heavy equipment items included in the bid package must be submitted on the Bid Submittal Form for that item and forwarded in a separate envelope with the bid item and item number clearly identified on the outside of the envelope. Envelopes containing a "no bid" shall also include the words "NO BID" on the outside of the envelope. Facsimiles and e-mails will not be accepted. Bids submitted by "Express/Overnight" services must be in a separate inner envelope or package sealed and identified as stated above. All bids must be received in the Association office prior to the bid opening. Bids received after the deadline will be returned unopened.

The County Joint Bid Program reserves the right to require a performance bond from successful bidders as permitted under Alabama law. However, no bid bond is required for this bid offering.

All bids should be mailed or hand-delivered to:

ATTN: Alabama County Joint Bid Program
Association of County Commissions of Alabama or ACCA
2 North Jackson Street, FL 7, Montgomery, Alabama 36104 (Physical Address)

BID SPECIFICATIONS

Please note that each piece of heavy equipment available for bid may include several different sizes and categories of machines. You should read each set of specifications very carefully as the differences vary depending upon the piece and size of equipment.

Where applicable, each bid submission shall include the separate cost of each item listed in the "Options" section of the bid specifications. However, all bids will be awarded on the basis of the total cost of the machine with all options included. Therefore, the "Bid Price" stated on the Bid Submittal Form must be the total cost, including the cost of all options.

Once the bids have been awarded, any county participant purchasing under this program may, at its discretion, deduct one or more of the options set out in the bid specifications, and in such event, the cost of the option as stated on the bid shall be deducted from the total cost of the machine. There shall be no other deductions and no additions made to the machine by the purchasing county or by the vendor.

The vendor must agree to provide all Alabama counties purchasing through the County Joint Bid Program the lowest purchase price made available to any Alabama county during the contract term, and to fully disclose to the Program Administrator (ACCA) all dealer discounts, manufacturer incentives, fleet

incentives, cooperative purchasing discounts, rebates, promotional programs, and other pricing concessions. There shall be no alterations from the bid specifications to receive these pricing concessions.

The vendor must also agree to honor the bid price throughout the entire contract period. If the vendor sells to any county at an amount lower than the bid price, the vendor shall refund to each county that purchased under the awarded bid price the difference between the awarded bid price and the lower price provided to the subsequent county purchaser.

Any use of specific names and/or model numbers in the attached specifications is not intended to restrict the bidder or any seller or manufacturer but is included solely for the purpose of indicating the type, size, and quality of materials, product services, or equipment considered best adapted to the use of the counties participating in the joint bid program.

BIDDER QUALIFICATIONS

All bidders and all program participants must be in compliance with any applicable federal, state, county and municipal laws, regulations, resolutions and ordinances, including but not limited to, licensing, permitting, and taxation requirements. All bidders should be prepared to submit evidence or documentation as proof that they are properly licensed and permitted under any applicable laws upon request. Such evidence or documentation may be submitted with the bid. Additionally, all bidders shall provide proof that they are in compliance with the E-Verify requirements of Alabama's Immigration Law (Ala. Code § 31-13-1 *et seq*.). All bidders shall also affirm that they are in compliance with, and will comply with, Alabama's anti-boycott law (Ala. Code § 41-16-5) and anti-economic boycott law (Ala. Code § 41-16-160 *et seq*.).

BID AWARD

The Houston County Commission will serve as the awarding authority for all bids and will award all contracts at a regular meeting of the Houston County Commission. Any and all bids submitted in compliance with this invitation to bid shall be considered, and award will be made to the lowest responsible bidder meeting bid specifications as determined by the awarding authority in compliance with Alabama law. All bids will be reviewed and evaluated by a committee created for that purpose, which committee will make comments and recommendations to the awarding authority regarding the award. All factors contained in each invitation package will be evaluated in determining the successful bidder, and any omissions of the stated requirements may be cause for rejection of the bid submitted. The awarding authority reserves the right to reject any and all bids, to waive any informality in bids, and to accept in whole or in part such bid or bids solely at its discretion.

The contract period will be six (6) months with an option to renew each six (6) months not to exceed a period of three (3) years under the identical price, terms, and conditions upon the mutual consent of the vendor and the awarding authority. Any renewal contract shall be approved in writing by the vendor and the awarding authority no later than 60 days prior to the expiration of the existing contract.

CONTACT REGARDING BIDS AND INVITATION

Contact initiated by a potential bidder with any county official, county employee, or member of the Association staff shall only be as specifically set out in this Invitation to Bid. Any questions related to the bid or the County Joint Bid Program shall be directed to Association staff in writing under the procedures set out in this Invitation to Bid. Additionally, a bidder may contact the Association in writing to request an appointment to review bid specifications following the bid opening. However, there shall be no communication with any county official or county employee regarding this bid between the date of this invitation and the date of bid award. Any contact other than as set out

here shall be deemed as an attempt to unduly influence the bid award and shall be grounds for rejection of the bid submitted by the bidder initiating such other contact.

Any questions or problems related to downloading or obtaining copies of this Invitation to Bid should be directed to Kenya Howard at jointbid@alabamacounties.org or 334-263-7594.

Any other questions or requests for additional information regarding this invitation or the bid specifications shall be submitted in writing no later than five (5) days prior to the bid opening to:

ATTN: Patrick McDougald
Association of County Commissions of Alabama
2 North Jackson Street, FL 7
Montgomery, Alabama 36104

OR

Patrick McDougald
Email: pattymackdaddy@gmail.com

BID SUBMITTAL FORM
Alabama County Joint Bid Program – Heavy Equipment
BID ITEM – HEAVY DUTY DUMP CHASSIS - OPTION B

Company Name: _____

Address: _____

_____

Bid Submitted By: _____
(Name of Company Representative)

Title: _____ E-mail Address: _____

Phone: _____ Fax: _____

By submitting this bid, we agree:	Initials
That the equipment model number identified below meets the bid specs for this bid item	_____
That the bid price will be honored for all counties for the period from January 1, 2027 to June 30, 2027	_____
That the equipment will be delivered at the bid price to all counties participating in the joint bid program	_____
That the company representative listed above will be the contact person for purchasing this bid item under the joint bid program	_____
That the bid is accompanied by a current catalog or model specification document for the model number identified below	_____
That the bid is accompanied by a copy of the manufacturer's standard warranty as required in the bid specifications	_____
That the bid includes the E-Verify documentation required by Alabama law	_____
We comply with, and if awarded the contract, we will comply with, the requirements of Section 41-16-50 and Sections 41-16-160 to -166, Code of Alabama 1975.	_____
That, if awarded the bid, a performance bond will be provided upon request	_____
That an option sheet with individual pricing is attached	_____

To provide all Alabama counties purchasing through the County Joint Bid Program the lowest purchase price made available to any Alabama county during the Contract Term, and that all dealer discounts, manufacturer incentives, fleet incentives, cooperative purchasing discounts, rebates, promotional programs, and other pricing concessions will be fully disclosed to the Program Administrator (ACCA) _____

Vendor further agrees to honor the bid price throughout the entire contract period. In the event Vendor sells to any county at an amount lower than the bid price, Vendor shall refund to each county that purchased under the awarded bid price the difference between the awarded bid price and the lower price provided to the subsequent county purchaser. _____

2027

Total Bid Price including options: $ _____

Equipment Model #: _____

Description: _____

Signature of company representative submitting bid: _____

Title: _____

2028

Total Bid Price including options: $ _____

Equipment Model #: _____

Description: _____

Signature of company representative submitting bid: _____

Title: _____

OPTION COST SHEET FOR HEAVY DUTY DUMP TRUCK CHASSIS
OPTION B

Options	Option Price

No Options are Requested for this Specification.

NOTE: Award will be made on the basis of the total cost of the truck with all options included. However, a county may, at its discretion, deduct one or more of the above-referenced options from the truck, and in such event, the cost of the option as stated on the bid shall be deducted from the total cost of the truck. There shall be no other deductions and no additions made to the truck by the purchasing county or by the vendor.

Equipment Model #: _____

Description: _____

Signature of company representative submitting bid: _____

Title: _____

BID SPECIFICATIONS
FOR
HEAVY DUTY DUMP TRUCK CHASSIS - OPTION B

GENERAL

These specifications shall be construed as the minimum acceptable standards for a heavy-duty dump truck chassis. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturers' equipment.

The use of specific names or numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

Note all units offered for bid must be of manufacturer's current production model and must be fully compliant with EPA standard US10 without the use of EPA engine credits. Chassis should be equipped with the appropriate diesel particulate filter and SCR after treatment system.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid shall include all destination charges, delivery charges, title fees, rebates and all other applicable costs and refunds.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 500,000 miles of use for the piece of equipment bid.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty along with a complete explanation of the warranty with their bid. Warranty must be transferable. Warranty must include the following minimum coverage:

Basic Vehicle: 1 Year or 100,000 miles

Diesel Engine: 2 year or 250,000 miles. However, counties will have the option to purchase additional coverage (an extended warranty) if negotiated between the purchasing county and successful bidder within the first 9 months of truck purchase.

Transmission: 3 Year or 300,000 miles Yes___ No___

Rear Carriers: 3 Year or 300,000 miles Page# _____/Attachment_____

ASSEMBLY AND DELIVERY

The truck chassis will be purchased for use with a 16' dump body and optional body equipment that is to be bid separate and apart from the truck chassis. The dump body company will be responsible for assembly and installation of the dump body and related optional equipment, including the cost of the same. The selling truck chassis dealer will be responsible for delivery of the chassis to the dump Body Company for installation and for delivery of the complete dump truck unit to the county following installation and assembly of the dump body and related options onto the truck chassis. Freight to the Dump Body Company will be included in the truck bidder's proposal. Dump body installation and assembly costs will be included in the dump body bidder's proposal. Dump Body Bidder is responsible for Freight back to the Truck Bidder after Dump Body installation.

DOT INSPECTION AND SAFETY EQUIPMENT

Prior to delivery each unit shall be DOT inspected and include the appropriate documentation and decal. In addition, each unit shall be equipped with the required fire extinguisher and reflective triangle kit.

ENGINE AND RELATED COMPONENTS

PX-9 360 HP @1650rpm, 1150 ft lbs @ 1200rpm W/ Turbo Exhaust Brake	Yes___ No___ Page#_____
Engine shall have full wet replaceable cylinder liners. Fuel injection system to be equipped with a unit pump or unit injector style with CARB idle reduction.	Yes ___ No ___ Page #_____
Air Cleaner " Composite" Engine mounted	Yes ___ No ___ Page #_____
Fan drive to be Horton two speed type	Yes ___ No ___ Page #_____
Exhaust 5" Single 24" 45 degrees curved	Yes ___ No ___ Page #_____
Diesel Particulate Filter and SCR catalyst to be mounted under passenger door.	Yes ___ No ___ Page #_____
Factory installed integral Engine Brake.	Yes ___ No ___ Page #_____
Engine electronics to include shutdown capabilities for critical engine functions:	Yes ___ No ___ Page #_____
Engine Block Heater 120v 750 watts for PX7	Yes___ No____ Page#_____

STARTING AND ELECTRICAL SYSTEM

PACCAR 90P47 12v Starter	Yes___ No___ Page#_____
Alternator: 160amp brushless w/ battery voltage sense	Yes ___ No ___ Page #_____
(3) Paccar GP31 batteries with 700-730 cold cranking amps each. Batteries to be mounted in a single metal box with fiberglass cover RH side behind cab.	Yes ___ No ___ Page #_____
Battery disconnects switch (1) mounted on battery box, jump terminals mount Under hood.	Yes ___No ____ Page#_____

TRANSMISSION AND DRIVELINE

Allison 3000RDS 6 speed Gen 6 w' PTO Rear axle ratio (5.57)	Yes____No_____ Page #_____
Transmission should have oil cooler with dash mounted temperature gauge, "left" PTO access gears @ PTO-8 Oclock POS.	Yes ___ No ___ Page #_____
Dash Mounted PTO switch w/ 2 "spare" wired to power.	Yes___ No ___ Page#_____
Main drivelines(2) DANA SPL170 XL	Yes ___ No ___ Page #_____

CAB EXTERIOR

Cab to be Class 6 design for construction and vocational applications. Aluminum and composite construction for corrosion resistance. Huck bolted fastened construction Minimum width 2.1 meters.	Yes ___ No ___ Page #_____
Drop style side windows for improved driver's downward visibility.	Yes ___ No ___ Page #_____
Rear of engine may not extend into cab. No doghouse in firewall is allowed.	Yes ___ No ___ Page #_____
Cab mounting should be air suspended at rear on at least 1 air bags.	Yes ___ No ___ Page #_____

Cab should feature:

Single air horns in addition to the standard electric signal horn — Yes ___ No ___ Page #_____

LED marker lights — Yes ___ No ___ Page #_____

Cab mounted heated mirrors with convex mirrors mounted directly below heated mirrors. — Yes ___ No ___ Page #_____

Stainless steel exterior sun visor — Yes ___ No ___ Page #_____

Cab and hood paint color to be selected from manufacturer's standard non-metallic paint chart — Yes ___ No___ Page #_____

CAB INTERIOR

Cab interior is to be mid-grade level fully groomed with headliner, back wall and windshield pillar post and door panels covered — Yes ___ No ___ Page #_____

Cab should have interior sun visors on both sides of cab. — Yes ___ No ___ Page #_____

Dash features to include:

Black appearance with chrome gauge surrounds — Yes ___ No ___ Page #_____

Center mount console with cup holders — Yes ___ No ___ Page #_____

Full adjusting tilt and telescopic steering column w/ 18" non- leather "smart wheel" w/ intergraded radio, cruise controls. — Yes ___ No ___ Page #_____

Multifunction Driver Display to include the following:

Average and real time fuel economy
RPM display
Ignition timer
Trip information
Truck information
Onboard diagnostics
Air Filter Restriction gauge, Engine oil temperature gauge, dual rear axle temperature gauges (2), Fuel filter restriction gauge, and Manifold pressure gauge.

Yes ___ No ___ Page #_____

Cab seats should be Driver High Back air ride design with dual arm rests Yes ___ No ___
Page #_____

Passenger seat to be fixed design with dual arm rests storage area underneath seat with lid. Yes ___ No ___
Page #_____

Both seats to have fabric covering with required lap and shoulder belts. Yes ___ No ___
Page #_____

Factory installed integral heater/air conditioning (HVAC) with R134A refrigerant and rotary type air conditioner compressor. HVAC unit to be firewall mounted to allow for easier access to components. Yes ___ No ___
Page #_____

RADIO DEA710 AM/FM/WB/USB, BLUETOOTH
2 B pillar mounted speakers, CB install kit CTR MID of Header w/ dual mirror mounted antennas. Yes ___ No ___
Page #_____

One additional dash mounted power outlet to be furnished. Yes ___ No ___
Page #_____

Windshield wipers to be two (2) speed electric with washer and intermittent feature. Wiper motor and linkage to be mounted external of the cab on firewall for easier access. Yes ___ No ___
Page #_____

AIR BRAKES
Brake system to be full dual antilock air design with heated extended purge air dryer. Yes ___ No ___
Page #_____

Naturally aspirated air compressor should have 18.7 CFM capacity. Yes ___ No ___
Page #_____

FRAME/BUMPER/FUEL TANKS
Steel frame rails 10 3/4" x 5 3/8" with a section modulus of 17.80 and a RBM per rail of 2,132,000 lbs. Yes ___ No ___
Page #_____

Minimum 203" wheelbase with 133.50"cab to axle and a 213.50" load platform. Yes ___ No ___
Page #_____

Front bumper Aerodynamic, chrome w/ 2 tow loops
(2) Fog lights recessed in bumper Yes ___ No ___
Page #_____

Fuel tank 80-gallon D shaped aluminum w/ non-slip tread, 15-gallon DEF tank Yes ___ No ___
Page #_____

FRONT AXLE

DANA SPICER D2000 20k STD TRACK suspension and shock absorbers. Threaded spring bushings.	Yes ___ No ___ Page #_____
Power steering, dual gear 18/20K	Yes ___ No ___ Page #_____
Front Spring TAPERLEAF 20k w/ Shocks	Yes ___ No ___ Page #_____
AUTO Slack Adj. for drum brakes	Yes ___ No ___ Page #_____
Bendix "ES" 16.5"x5" Brakes	Yes ___ No ___ Page #_____
Front wheels ALCOA 89U64 22.5 x 9 AL	Yes ___ No ___ Page #_____
Front tires to be 16 ply 11R22.5	Yes ___ No ___ Page #_____

REAR AXLE

DANA SPICER D2000 20k	Yes ___ No ___ Page#_____
Bendix "ES" "S" cam design or Equivalent 16.5" x 7" brakes	Yes ___ No ___ Page #_____
Automatic brake slack adjusters Rear Spring Brake 3030 Long stroke dual.	Yes ___ No ___ Page #_____
Rear Wheels hub piloted 22.5 x 8.25 AL	Yes ___ No ___ Page #_____
Rear tires to be 16 ply 11R22.5	Yes ___ No ___ Page #_____
Rear MUDFLAP ARMS Betts B25 STD Duty	Yes___ No____ Page#_____

Trailer ABS elect supply Thru SAE J560 Yes___ No___
7 pin connector Page#_____

OPTIONS

No Options

NOTE: Award will be made on the basis of the total cost of the truck chassis with all options included. However, a county may, at its discretion, deduct the above-referenced option from the truck chassis, and in such event, the cost of the option as stated on the bid shall be deducted from the total cost of the truck chassis. There shall be no other deductions and no additions made to the truck chassis by the purchasing county or by the vendor.