



Advertisement for Bid Marion County Commission



Marion County is taking sealed bids for the purchase of Bituminous Concrete Asphalt (Plant Mix) In Place and other related paving items. This bid is intended to comply with the Rebuild Alabama Act, No. 2019-2, and Alabama Code Title 39, the Alabama Public Works Law. Bidders shall be required to comply with the provisions of the Rebuild Alabama Act, No. 2019-2 and Title 39 of the Alabama Code regardless if the requirement is explicitly detailed in the bid proposal or not. This bid shall be in effect from October 5, 2026 until September 30, 2027 covering any Proceed Orders issued by Marion County during that time frame.

Only bids from contractors or material suppliers listed on the Alabama Department of Transportation (ALDOT) approved list of contractors and material suppliers will be accepted. All bids must be marked with the word "BID" on the outside of the bid package along with Bid Proposal for Marion County Annual Bid, the bid date and the Alabama General Contractor's License Number.

The contractor shall meet all Alabama Department of Transportation (ALDOT) Bonding and Licensing requirements as well as all applicable laws, ordinances, and codes of the U. S. Government, the State of Alabama, any relevant municipality, and the COUNTY, and, specifically and without limitation, shall comply with all provisions of the Beason-Hammond Alabama Taxpayer and Citizen Protection Act, commonly referred to as the Immigration Act.

Sealed bids will be received by the Marion County Commission at P.O. Box 460, 119 Military Street North, Hamilton, Alabama 35570 until 10:00 AM Central Time on, Wednesday, September 30, 2026 and then publicly opened as soon thereafter as practicable. Award will be made at the next regularly scheduled meeting of the Marion County Commission.

Specifications are on file and may be acquired at the Marion County Engineer's Office at 701 4th Avenue Southwest, Hamilton, Alabama. Phone Number: (205) 921-2115.

Marion County Engineer's Office Hours of Operation are 7:00 A.M. to 3:30 P.M. (Central Time) from Monday through Friday. The Marion County Commission Hours of Operation are 8:00 A.M. to 4:30 P.M. (Central Time) from Monday through Friday.

County reserves the right to accept or reject all Bids or any portion thereof.



Marion County Annual Bid Contract



BID ITEMS AND SPECIFICATIONS

The unit prices below will apply to each Proceed Order issued and should be based on County Wide Pricing. A Proceed Order may include multiple projects or sites. Each Proceed Order shall note the items required and estimated quantities per project or site.

A Job Mix Design must be submitted, by the Contractor, to Marion County following the receipt of a Proceed Order. PRICE ADJUSTMENTS will be made to all Asphalt Materials in accordance with the following: It is understood and agreed that the price per ton of materials bid is based on prices at the time of opening of bids. Prices on contracts developed from this bid will be adjusted based on the PRICE INDEX per gallon of asphalt as determined by the ALDOT Asphalt Index for the month of April. Any increase or decrease in asphalt prices will be determined and adjusted by the price index for the month in which delivery and placement is made. Adjustment will be made in accordance with the current ALDOT Specifications. This adjustment shall apply to the amount of tack and prime used and the amount of liquid used in the plant mix material.

No reclaimed asphalt shingles (RAS) will be allowed in any plant mix item. Upon request, Test Reports shall be submitted on all materials before Payment will be made. The Contractor shall furnish flagmen and portable traffic control devices (or other method approved by the County Engineer) in accordance with current revision of the Manual of Uniform Traffic Control Devices (MUTCD). The Marion County Engineer shall serve as the final authority for all phases of workmanship and materials.

1. Price per square yard, to place a bituminous treatment on an existing roadway surface. Price to include all materials, labor, and equipment required to clean and prepare roadway (including clipping), haul, spread, and roll the bituminous treatment in place in compliance with the applicable sections of the ALDOT specifications.

Item: 401A-006 Bituminous Surface Treatment G

\$ _____/Square Yard	3,000-15,000 Square Yards
\$ _____/Square Yard	15,001-20,000 Square Yards
\$ _____/Square Yard	20,001 Square Yards and above

Item: 401A-013 Bituminous Surface Treatment JG

\$ _____/Square Yard	3,000-15,000 Square Yards
\$ _____/Square Yard	15,001-20,000 Square Yards
\$ _____/Square Yard	20,001 Square Yards and above

2. Price per square yard, to plane (mill) an existing asphalt pavement. Price to include transporting, stockpiling, or otherwise disposing of the removed pavement material in compliance with the applicable sections of the ALDOT specifications.

Item: 408A-051 Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)

\$ _____/Square Yard	0-5,000 Square Yards
\$ _____/Square Yard	5,001-12,000 Square Yards
\$ _____/Square Yard	12,001-20,000 Square Yards
\$ _____/Square Yard	20,001 Square Yards and above

Bidder's Initials _____



Marion County Annual Bid Contract



Item: 408A-052 **Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)**

\$ _____/Square Yard	0-5,000 Square Yards
\$ _____/Square Yard	5,001-12,000 Square Yards
\$ _____/Square Yard	12,001-20,000 Square Yards
\$ _____/Square Yard	20,001 Square Yards and above

Item: 408A-053 **Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)**

\$ _____/Square Yard	0-5,000 Square Yards
\$ _____/Square Yard	5,001-12,000 Square Yards
\$ _____/Square Yard	12,001-20,000 Square Yards
\$ _____/Square Yard	20,001 Square Yards and above

3. Price per ton, including tack coat, to place hot plant mix on an existing roadway surface (Ditch Section). Tack rates shall be 0.075 gallons per square yard for emulsified asphalts and 0.05 gallons per square yard for asphalt binders unless otherwise approved by the County Engineer. Price to include all materials, labor, and equipment required to clean and prepare roadway (Including Clipping), haul, spread, and compact the asphalt material in place in compliance with the applicable sections of the ALDOT specifications.

Item: 424A-340 **Superpave Bituminous Concrete Wearing Surface Layer, ½" MASM, ESAL Range A-D**

\$ _____/Ton	0-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501-1,000 Tons
\$ _____/Ton	1,001 Tons and above

Item: 424A-341 **Superpave Bituminous Concrete Wearing Surface Layer, ¾" MASM, ESAL Range A-D**

\$ _____/Ton	0-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501-1,000 Tons
\$ _____/Ton	1,001 Tons and above

Item: 424B-640 **Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" MASM, ESAL Range A-D**

\$ _____/Ton	0-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501-1,000 Tons
\$ _____/Ton	1,001 Tons and above

Item: 424B-643 **Superpave Bituminous Concrete Upper Binder Layer, Leveling, ¾" MASM, ESAL Range A-D**

\$ _____/Ton	0-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501-1,000 Tons
\$ _____/Ton	1,001 Tons and above

Bidder's Initials _____



Marion County Annual Bid Contract



Item: 424C-350 **Superpave Bituminous Concrete Base Layer, 1" MASM, ESAL Range A-D**

\$ _____/Ton	0-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501-1,000 Tons
\$ _____/Ton	1,001 Tons and above

4. Price per ton, to place, spread, shape and compact aggregate surfacing for shoulder construction adjacent to the resurfacing of a roadway. Work to be accomplished in compliance with the applicable sections of the ALDOT specifications.

Item: 430B-047 **Aggregate Surfacing (3/4" Down, Crusher Run)**

\$ _____/Ton	0-500 Tons
\$ _____/Ton	501-1,000 Tons
\$ _____/Ton	1,001-1,500 Tons
\$ _____/Ton	1,501 Tons and above

Bidder's Initials _____